R3850-1-7U 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data

Source of the Data v
Data Quality v
Geographic Coverage vi
Organization of Length of Stay Tables viii
  Patient Data Assignment
  Definition of Multiple Diagnoses Patients
  Definition of Operated Patients
Explanation of Statistics viii
Application of Length of Stay Tables ix

Length of Stay Tables

Length of Stay Tables Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-398 4
Length of Stay Tables Operation Groups 205
Summary of All Patients in Operation Groups 206
Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
Diagnosis Index 278
Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can'be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	387308	2.5	2	1	1	2	3	4	5	6
1-11 MOS	27808	3.3	7	1	1	3	4	6	8	13
1-5 YRS	51298	2.9	8	1	1	2	3	5	7	14
6-12 YRS	35275	3.3	25	1	1	2	4	6	8	28
13-19 YRS	90001	3.5	38	<1	1	2	3	6	9	37
B. *Operated*										
0-27 DYS	1072	4.0	14	1	1	3	5	8	11	18
1-11 MOS	7777	3.3	13	<1	1	2	4	7	9	18
1-5 YRS	26295	2.5	11	<1	<1	1	3	6	8	17
6-12 YRS	40851	2.6	11	<1	1	1	3	5	7	17
13-19 YRS	100010	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	278944	3.9	18	1	2	3	4	6	8	22
1-11 MOS	54727	4.2	17	1	1	3	5	8	11	20
1-5 YRS	95665	3.6	15	1	1	3	4	6	9	18
6-12 YRS	49829	4.7	69	1	1	3	4	8	15	62
13-19 YRS	103214	6.6	123	1	1	3	6	16	31	65
B. *Operated*										
0-27 DYS	11359	18.6	441	2	3	10	27	58	83	99+
1-11 MOS	10392	7.7	110	1	1	4	9	18	29	74
1-5 YRS	31570	4.7	59	<1	1	2	5	11	18	42
6-12 YRS	31576	4.6	57	<1	1	2	5	10	17	41
13-19 YRS	94031	4.9	46	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591690	2.8	10	1	1	2	3	4	5	12
B. *Operated*	176005	2.7	9	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	582379	4.4	42	1	1	3	5	7	12	39
B. *Operated*	178928	5.8	91	1	1	3	6	12	22	62
1. SINGLE DX	767695	2.8	9	1	1	2	3	5	6	13
2. MULTIPLE DX	761307	4.8	53	1	1	3	5	8	14	44
A. NOT OPERATED	1174069	3.6	26	1	1	3	4	6	8	29
B. OPERATED	354933	4.3	52	<1	1	2	4	8	14	43
TOTAL 0-27 DYS	678683	3.4	20	1	1	3	4	5	6	21
1-11 MOS	100704	4.3	25	1	1	3	5	8	11	26
1-5 YRS	204828	3.4	20	<1	1	2	4	6	10	22
6-12 YRS	157531	3.8	43	<1	1	2	4	7	12	39
13-19 YRS	387256	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**1529002**	**3.8**	**32**	**1**	**1**	**3**	**4**	**6**	**10**	**32**

1473 Hospitals, United States, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11113	3.0	8	1	1	2	3	5	7	15
1-11 MOS	27808	3.3	7	1	1	3	4	6	8	13
1-5 YRS	51298	2.9	8	1	1	2	3	5	7	14
6-12 YRS	35275	3.3	25	1	1	2	4	6	8	28
13-19 YRS	90001	3.5	38	<1	1	2	3	6	9	37
B. *Operated*										
0-27 DYS	959	4.1	16	1	1	3	5	8	12	18
1-11 MOS	7777	3.3	13	<1	1	2	4	7	9	18
1-5 YRS	26295	2.5	11	<1	<1	1	3	6	8	17
6-12 YRS	40851	2.6	11	<1	1	1	3	5	7	17
13-19 YRS	100010	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9516	6.1	63	1	2	4	6	13	21	42
1-11 MOS	54727	4.2	17	1	1	3	5	8	11	20
1-5 YRS	95665	3.6	15	1	1	3	4	6	9	18
6-12 YRS	49829	4.7	69	1	1	3	4	8	15	62
13-19 YRS	103214	6.6	123	1	1	3	6	16	31	65
B. *Operated*										
0-27 DYS	1511	13.7	288	1	2	8	17	41	67	99+
1-11 MOS	10392	7.7	110	1	1	4	9	18	29	74
1-5 YRS	31570	4.7	59	<1	1	2	5	11	18	42
6-12 YRS	31576	4.6	57	<1	1	2	5	10	17	41
13-19 YRS	94031	4.9	46	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215495	3.3	23	1	1	2	3	5	8	27
B. *Operated*	175892	2.7	9	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	312951	5.0	63	1	1	3	5	9	16	49
B. *Operated*	169080	5.0	58	1	1	3	5	11	17	44
1. SINGLE DX	391387	3.0	17	<1	1	2	3	5	8	20
2. MULTIPLE DX	482031	5.0	61	1	1	3	5	10	16	47
A. NOT OPERATED	528446	4.3	47	1	1	3	4	7	12	42
B. OPERATED	344972	3.8	34	<1	1	2	4	8	12	31
TOTAL 0-27 DYS	23099	5.0	57	1	1	3	5	10	17	43
1-11 MOS	100704	4.3	25	1	1	3	5	8	11	26
1-5 YRS	204828	3.4	20	<1	1	2	4	6	10	22
6-12 YRS	157531	3.8	43	<1	1	2	4	7	12	39
13-19 YRS	387256	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**873418**	**4.1**	**42**	**1**	**1**	**2**	**4**	**7**	**12**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	128	3.5	4	1	2	3	4	6	6	12
1-11 MOS	1063	3.3	8	1	1	3	4	5	7	11
1-5 YRS	1217	2.8	3	1	1	2	3	5	6	11
6-12 YRS	881	2.3	3	1	1	2	3	4	5	8
13-19 YRS	885	2.4	3	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	10	7.2	103	1	1	3	8	22	35	35
1-5 YRS	11	6.5	149	1	1	2	5	21	41	43
6-12 YRS	16	4.6	10	1	2	4	5	10	12	13
13-19 YRS	55	4.0	5	1	2	4	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	176	5.3	48	1	2	4	6	10	14	33
1-11 MOS	2732	3.7	9	1	2	3	4	6	8	14
1-5 YRS	4039	3.1	6	1	1	3	4	5	6	12
6-12 YRS	1426	2.9	5	1	1	2	3	5	6	10
13-19 YRS	1154	2.8	4	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	7	7.6	22	3	3	5	11	14	15	15
1-11 MOS	56	12.1	293	3	3	6	10	30	66	99+
1-5 YRS	58	12.1	210	1	2	6	16	36	50	97
6-12 YRS	41	7.6	52	2	3	6	8	13	21	43
13-19 YRS	66	4.8	7	1	2	4	7	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4174	2.7	4	1	1	2	3	5	6	10
B. *Operated*	94	4.8	32	1	2	4	5	7	11	39
2. MULTIPLE DX										
A. *Not Operated*	9527	3.2	7	1	1	3	4	5	7	13
B. *Operated*	228	9.0	146	2	2	6	9	20	32	98
1. SINGLE DX	4268	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX	9755	3.4	11	1	1	3	4	6	7	14
A. NOT OPERATED	13701	3.1	7	1	1	3	4	5	7	12
B. OPERATED	322	7.8	116	2	2	5	8	15	30	85
TOTAL 0-27 DYS	313	4.6	30	1	2	3	5	7	12	18
1-11 MOS	3861	3.7	14	1	2	3	4	6	8	15
1-5 YRS	5325	3.1	9	1	1	3	4	5	7	14
6-12 YRS	2364	2.7	5	1	1	2	3	5	6	10
13-19 YRS	2160	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**14023**	**3.2**	**10**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.3	28	<1	<1	3	8	14	15	15
1-5 YRS	16	3.9	10	1	1	3	4	5	12	15
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	10	14.6	266	3	4	9	13	41	58	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	8	7.8	22	2	2	8	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	7.6	14	3	3	7	10	13	14	14
1-5 YRS	15	7.1	73	1	1	5	8	15	30	35
6-12 YRS	7	7.3	24	3	3	5	11	15	16	16
13-19 YRS	19	10.9	45	1	2	10	16	22	23	24
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	4	18.0	417	1	1	12	32	47	47	47
6-12 YRS										
13-19 YRS	5	26.2	1492	3	3	11	33	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.4	105	1	2	4	8	15	22	58
B. *Operated*	10	6.8	21	2	2	6	9	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	48	8.7	47	1	2	7	11	16	22	35
B. *Operated*	11	19.5	782	1	2	10	16	66	93	95
1. SINGLE DX	44	7.2	85	1	2	4	8	15	19	58
2. MULTIPLE DX	59	10.7	191	1	2	7	12	19	30	91
A. NOT OPERATED	82	8.1	71	1	2	6	10	16	23	51
B. OPERATED	21	13.5	443	2	2	8	11	29	69	95
TOTAL 0-27 DYS										
1-11 MOS	15	6.5	18	<1	2	6	9	14	15	15
1-5 YRS	37	6.7	86	1	1	3	7	15	29	47
6-12 YRS	9	6.8	21	2	2	5	9	14	16	16
13-19 YRS	42	13.0	257	2	3	9	13	23	38	95
GRAND TOTAL	**103**	**9.2**	**148**	**1**	**2**	**6**	**10**	**16**	**24**	**75**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	27.7	1176	4	4	12	53	67	67	67
6-12 YRS	3	3.7	9	<1	<1	3	6	7	7	7
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.8	11	<1	<1	1	3	9	11	11
6-12 YRS	2	13.5	13	11	11	13	16	16	16	16
13-19 YRS	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	9.5	94	2	2	6	16	23	23	23
1-5 YRS	3	14.3	4	12	12	15	16	16	16	16
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	30.2	1251	7	7	19	42	92	92	92
1-5 YRS	10	25.7	475	<1	1	31	41	54	61	61
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	30.3	1249	7	7	13	56	71	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	13.7	566	<1	<1	4	11	56	67	67
B. *Operated*	14	4.6	24	<1	<1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	7	11.6	55	2	2	12	16	22	23	23
B. *Operated*	19	26.4	692	1	2	19	39	67	83	92
1. SINGLE DX	21	7.6	205	<1	<1	3	8	14	39	67
2. MULTIPLE DX	26	22.4	556	1	2	14	33	60	75	92
A. NOT OPERATED	14	12.6	288	<1	2	8	15	27	58	67
B. OPERATED	33	17.2	519	<1	1	7	26	51	69	92
TOTAL 0-27 DYS										
1-11 MOS	9	21.0	780	2	2	10	23	65	92	92
1-5 YRS	25	16.3	402	<1	1	5	31	48	62	67
6-12 YRS	6	6.8	33	<1	<1	5	11	15	16	16
13-19 YRS	7	15.0	625	<1	<1	6	11	59	71	71
GRAND TOTAL	**47**	**15.8**	**447**	**<1**	**1**	**7**	**18**	**47**	**68**	**92**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	3	2	2	3	5	6	6	6
1-11 MOS	21	3.0	2	1	1	3	4	5	6	6
1-5 YRS	152	2.3	1	1	1	2	3	4	5	6
6-12 YRS	189	2.3	2	1	1	2	3	4	5	9
13-19 YRS	145	2.5	1	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	1.2		<1	1	1	1	2	2	3
6-12 YRS	80	1.1		1	1	1	1	1	2	3
13-19 YRS	53	1.4	1	1	1	1	1	2	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	66	3.5	4	1	2	3	4	7	8	10
1-5 YRS	505	2.7	2	1	1	2	3	4	5	8
6-12 YRS	591	2.6	2	1	1	2	3	4	5	8
13-19 YRS	459	3.1	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	27	2.7	9	<1	1	1	3	7	10	11
6-12 YRS	63	1.7	3	1	1	1	2	3	5	10
13-19 YRS	33	1.9	3	1	1	1	2	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	2.4	2	1	1	2	3	4	5	7
B. *Operated*	161	1.2	1	1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1624	2.8	2	1	1	2	3	4	6	8
B. *Operated*	125	2.0	4	1	1	1	2	5	7	10
1. SINGLE DX	672	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	1749	2.7	3	1	1	2	3	5	6	9
A. NOT OPERATED	2135	2.7	2	1	1	2	3	4	5	8
B. OPERATED	286	1.5	2	1	1	1	1	3	4	10
TOTAL 0-27 DYS	8	3.8	6	2	2	3	5	8	9	9
1-11 MOS	88	3.4	3	1	2	3	4	6	7	9
1-5 YRS	712	2.5	2	1	1	2	3	4	5	8
6-12 YRS	923	2.3	2	1	1	2	3	4	5	8
13-19 YRS	690	2.8	3	1	1	3	3	4	5	9
GRAND TOTAL	**2421**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	191	4.8	9	2	2	4	6	10	11	14
1-11 MOS	587	4.5	8	1	2	3	6	9	10	14
1-5 YRS	358	4.1	6	1	2	3	5	8	10	12
6-12 YRS	44	4.8	11	1	2	4	6	8	13	16
13-19 YRS	27	5.5	12	1	2	5	7	10	13	15
B. *Operated*										
0-27 DYS	8	5.9	17	2	2	4	8	13	14	14
1-11 MOS	13	5.2	8	2	2	4	6	10	11	11
1-5 YRS	5	8.2	17	2	2	9	11	13	13	13
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	231	5.8	15	2	2	5	8	11	12	20
1-11 MOS	1046	5.4	18	2	2	4	7	10	12	21
1-5 YRS	986	5.5	23	1	2	4	7	10	13	21
6-12 YRS	230	6.9	23	1	2	6	10	14	16	20
13-19 YRS	221	7.5	37	2	2	6	9	14	17	34
B. *Operated*										
0-27 DYS	18	11.9	491	2	3	6	10	16	67	99
1-11 MOS	78	12.9	162	2	3	10	14	31	46	91
1-5 YRS	78	13.8	145	3	4	11	17	25	39	72
6-12 YRS	31	12.6	69	5	6	10	15	22	35	40
13-19 YRS	50	15.1	121	3	4	13	19	30	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	4.4	8	1	2	4	5	9	10	14
B. *Operated*	30	6.5	18	2	2	5	10	13	14	18
2. MULTIPLE DX										
A. *Not Operated*	2714	5.8	22	2	2	4	7	11	13	21
B. *Operated*	255	13.5	158	3	3	10	15	27	40	80
1. SINGLE DX	1237	4.5	8	1	2	4	5	9	11	14
2. MULTIPLE DX	2969	6.4	38	2	2	5	8	12	15	32
A. NOT OPERATED	3921	5.4	18	2	2	4	7	10	12	19
B. OPERATED	285	12.8	148	3	3	10	14	24	38	76
TOTAL 0-27 DYS	448	5.6	32	2	2	4	7	10	12	18
1-11 MOS	1724	5.4	24	2	2	4	7	10	12	22
1-5 YRS	1427	5.6	29	1	2	4	7	11	13	25
6-12 YRS	307	7.1	30	1	2	6	10	14	17	27
13-19 YRS	300	8.6	57	2	3	7	11	16	21	41
GRAND TOTAL	**4206**	**5.9**	**30**	**2**	**2**	**4**	**7**	**11**	**14**	**25**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	33	9.1	36	2	3	8	14	18	21	22
1-11 MOS	298	6.2	17	2	2	5	8	12	14	21
1-5 YRS	177	6.7	11	2	2	7	9	11	12	15
6-12 YRS	46	5.5	12	1	2	5	9	10	11	11
13-19 YRS	90	5.4	10	1	2	5	7	10	11	14
B. *Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	8	9.5	12	5	5	9	11	15	16	16
1-5 YRS	9	7.9	24	<1	<1	11	12	13	13	13
6-12 YRS	5	5.2	11	2	2	4	8	10	10	10
13-19 YRS	7	8.0	38	1	1	7	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	10.1	37	2	3	11	14	18	21	24
1-11 MOS	285	7.6	29	2	2	7	10	13	16	26
1-5 YRS	204	7.0	21	2	2	7	10	12	13	22
6-12 YRS	85	5.8	19	1	2	4	8	12	14	21
13-19 YRS	117	6.4	20	2	2	5	8	11	13	24
B. *Operated*										
0-27 DYS	3	15.3	64	7	7	16	21	23	23	23
1-11 MOS	19	16.5	333	4	5	11	15	31	62	85
1-5 YRS	28	11.0	82	2	3	9	13	16	29	49
6-12 YRS	10	6.5	44	1	1	4	8	17	23	23
13-19 YRS	25	11.2	72	2	3	11	14	20	32	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	6.3	15	2	2	6	9	11	13	20
B. *Operated*	31	8.1	21	1	2	9	11	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	718	7.1	25	2	2	6	10	13	15	24
B. *Operated*	85	11.9	134	2	3	10	14	23	31	72
1. SINGLE DX	675	6.4	16	2	2	6	9	11	13	20
2. MULTIPLE DX	803	7.6	38	2	2	6	10	13	16	30
A. NOT OPERATED	1362	6.7	21	2	2	6	10	12	14	21
B. OPERATED	116	10.9	106	2	3	10	13	17	28	61
TOTAL 0-27 DYS	65	9.9	37	2	3	11	14	18	21	24
1-11 MOS	610	7.2	35	2	2	6	10	13	16	26
1-5 YRS	418	7.2	22	2	2	7	10	12	13	20
6-12 YRS	146	5.7	18	1	2	4	8	11	12	21
13-19 YRS	239	6.6	25	1	2	5	9	12	14	31
GRAND TOTAL	**1478**	**7.1**	**28**	**2**	**2**	**6**	**10**	**12**	**15**	**24**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	238	4.0	3	2	2	4	5	6	7	11
1-11 MOS	785	3.7	3	2	2	3	4	6	7	10
1-5 YRS	393	3.2	3	1	2	3	4	5	7	10
6-12 YRS	431	3.0	4	1	1	3	4	5	7	10
13-19 YRS	443	3.2	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	19	4.2	5	2	2	3	5	7	10	12
1-5 YRS	7	3.4	1	2	2	3	4	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	125	4.8	7	2	3	4	5	9	10	15
1-11 MOS	561	4.3	6	2	2	4	5	7	9	13
1-5 YRS	296	4.4	15	1	2	3	5	8	10	24
6-12 YRS	220	3.2	6	1	1	3	4	5	7	14
13-19 YRS	215	4.1	9	1	2	3	5	7	10	15
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	23	5.5	9	2	3	5	7	10	12	14
1-5 YRS	18	7.8	26	2	2	8	9	17	20	20
6-12 YRS										
13-19 YRS	6	21.5	878	4	4	7	28	74	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2290	3.4	3	1	2	3	4	5	7	11
B. *Operated*	29	4.0	4	2	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1417	4.2	9	1	2	3	5	7	10	16
B. *Operated*	49	8.2	131	2	3	5	8	13	20	79
1. SINGLE DX	2319	3.4	3	1	2	3	4	5	7	11
2. MULTIPLE DX	1466	4.3	13	1	2	3	5	8	10	19
A. NOT OPERATED	3707	3.7	6	1	2	3	4	6	8	12
B. OPERATED	78	6.6	88	2	2	4	8	10	17	65
TOTAL 0-27 DYS	368	4.3	5	2	2	4	5	7	9	12
1-11 MOS	1388	4.0	5	2	2	3	4	6	8	12
1-5 YRS	714	3.8	9	1	2	3	4	7	9	18
6-12 YRS	651	3.0	4	1	1	3	4	5	7	11
13-19 YRS	664	3.6	15	1	1	3	4	6	8	14
GRAND TOTAL	**3785**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	5.8	35	<1	1	3	10	12	19	25
1-11 MOS	152	2.8	2	1	1	3	3	4	5	10
1-5 YRS	265	3.1	3	1	1	3	4	5	6	10
6-12 YRS	82	3.3	7	1	1	3	4	7	10	12
13-19 YRS	120	3.6	4	1	1	3	5	6	7	9
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	6.5	40	1	1	4	9	17	18	18
1-5 YRS										
6-12 YRS	3	8.0	63	2	2	5	14	17	17	17
13-19 YRS	6	5.8	21	<1	<1	4	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	6.6	30	1	1	5	10	17	18	18
1-11 MOS	307	3.6	10	1	1	3	4	5	9	17
1-5 YRS	874	3.6	6	1	2	3	4	6	8	12
6-12 YRS	302	4.5	27	1	1	4	6	8	10	15
13-19 YRS	270	4.5	8	1	2	4	5	8	9	17
B. *Operated*										
0-27 DYS	2	14.0	32	10	10	14	18	18	18	18
1-11 MOS	7	6.4	20	2	2	4	10	13	13	13
1-5 YRS	22	14.0	291	3	4	7	12	47	58	64
6-12 YRS	10	9.0	56	2	3	6	10	22	26	26
13-19 YRS	11	15.3	406	3	3	8	11	52	64	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	3.2	5	1	1	3	4	6	7	11
B. *Operated*	16	6.7	30	<1	1	5	9	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1768	3.9	11	1	2	3	5	7	9	16
B. *Operated*	52	12.3	222	2	3	7	12	31	53	65
1. SINGLE DX	656	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1820	4.2	19	1	2	3	5	7	9	17
A. NOT OPERATED	2408	3.7	9	1	1	3	4	7	8	15
B. OPERATED	68	11.0	182	2	2	7	11	19	45	65
TOTAL 0-27 DYS	39	6.6	34	<1	1	4	10	16	18	25
1-11 MOS	472	3.4	8	1	1	3	4	5	8	17
1-5 YRS	1161	3.7	13	1	1	3	4	6	8	14
6-12 YRS	397	4.4	24	1	1	3	5	8	10	18
13-19 YRS	407	4.5	20	1	2	4	5	8	9	17
GRAND TOTAL	**2476**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	23	3.4	6	1	1	2	5	7	10	10
6-12 YRS	38	4.0	4	1	2	4	5	7	8	8
13-19 YRS	110	4.9	10	1	2	4	7	8	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	33	2	2	2	10	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	24	5.0	17	1	2	4	5	11	16	18
6-12 YRS	35	5.4	52	1	1	4	6	7	26	34
13-19 YRS	130	5.1	10	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	8.0	98	1	1	8	15	15	15	15
13-19 YRS	9	12.8	295	1	1	4	20	41	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	4.4	9	1	2	4	6	8	10	17
B. *Operated*	5	3.6	22	1	1	2	5	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	192	5.1	18	1	2	4	6	9	11	27
B. *Operated*	12	11.5	229	1	1	5	17	33	50	53
1. SINGLE DX	179	4.4	9	1	2	4	6	8	10	17
2. MULTIPLE DX	204	5.5	32	1	2	4	6	10	14	31
A. NOT OPERATED	366	4.8	14	1	2	4	6	8	10	19
B. OPERATED	17	9.2	177	1	1	4	13	23	43	53
TOTAL 0-27 DYS										
1-11 MOS	6	3.0	2	1	1	3	4	5	5	5
1-5 YRS	51	4.4	13	1	1	3	5	10	12	18
6-12 YRS	76	4.7	28	1	1	4	5	7	13	33
13-19 YRS	250	5.2	21	1	2	4	6	9	11	24
GRAND TOTAL	**383**	**5.0**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	74	3.3	3	1	1	3	4	6	7	9
6-12 YRS	102	3.3	4	1	1	3	5	5	7	11
13-19 YRS	722	3.4	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	9	5.7	20	2	2	4	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.6	4	1	1	3	5	6	7	7
1-5 YRS	214	3.7	5	1	2	3	4	6	8	12
6-12 YRS	285	3.4	4	1	1	3	4	6	7	10
13-19 YRS	1758	3.9	5	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	8.6	41	2	3	7	12	17	23	24
6-12 YRS	4	9.5	68	2	2	8	16	20	20	20
13-19 YRS	35	5.5	7	2	3	5	6	9	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.4	3	1	1	3	4	6	7	9
B. *Operated*	12	6.3	17	2	2	5	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	2267	3.8	5	1	2	3	5	6	8	11
B. *Operated*	51	6.6	20	2	3	5	8	13	14	24
1. SINGLE DX	912	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2318	3.9	5	1	2	3	5	7	8	12
A. NOT OPERATED	3167	3.7	5	1	2	3	5	6	7	11
B. OPERATED	63	6.5	19	2	2	5	8	13	14	23
TOTAL 0-27 DYS										
1-11 MOS	12	3.5	3	1	1	3	5	6	7	7
1-5 YRS	301	3.8	7	1	2	3	4	6	9	14
6-12 YRS	393	3.5	5	1	1	3	4	6	7	12
13-19 YRS	2524	3.8	5	1	2	3	5	6	7	11
GRAND TOTAL	**3230**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	1.6	1	<1	<1	1	2	3	5	5
6-12 YRS	19	1.5	3	<1	<1	<1	1	2	6	9
13-19 YRS	129	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	19	<1	<1	2	7	9	9	9
6-12 YRS	2	4.5	25	<1	<1	4	8	8	8	8
13-19 YRS	8	2.5	6	<1	<1	1	3	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.8	4	<1	<1	2	4	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	45	2.2	3	<1	<1	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	9	<1	<1	4	7	8	8	8
B. *Operated*	162	1.4	1	<1	<1	1	1	2	4	5
2. MULTIPLE DX										
A. *Not Operated*	13	3.2	9	<1	<1	2	5	8	9	9
B. *Operated*	54	2.3	3	<1	<1	2	3	5	6	9
1. SINGLE DX	167	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX	67	2.4	5	<1	<1	2	3	6	8	9
A. NOT OPERATED	18	3.5	9	<1	<1	2	7	8	9	9
B. OPERATED	216	1.6	2	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	24	2.6	5	<1	<1	2	4	6	8	9
6-12 YRS	23	2.0	6	<1	<1	<1	1	8	9	9
13-19 YRS	184	1.6	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**234**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	535	3.3	3	1	2	3	4	5	5	8
1-11 MOS	1665	2.8	2	1	1	3	3	4	5	7
1-5 YRS	1045	2.6	2	1	1	2	3	4	5	7
6-12 YRS	488	2.4	4	1	1	2	3	4	6	11
13-19 YRS	503	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	10	3.3	1	2	2	3	4	5	5	5
1-11 MOS	15	3.1	1	2	2	3	4	4	5	5
1-5 YRS	24	3.0	4	<1	<1	3	4	5	7	9
6-12 YRS	20	3.2	4	<1	1	3	4	6	8	9
13-19 YRS	23	3.3	9	<1	<1	2	4	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	358	3.5	3	1	2	3	4	5	7	11
1-11 MOS	1849	3.1	3	1	1	3	4	5	6	10
1-5 YRS	2191	3.0	5	1	1	2	4	5	6	11
6-12 YRS	1002	2.9	10	1	1	2	3	5	6	13
13-19 YRS	991	3.2	13	1	1	3	4	5	7	15
B. *Operated*										
0-27 DYS	13	3.8	11	1	1	3	4	8	13	14
1-11 MOS	43	7.6	75	1	2	5	8	27	55	99+
1-5 YRS	51	7.4	154	<1	1	5	7	12	19	67
6-12 YRS	28	6.6	77	1	1	3	8	24	42	99+
13-19 YRS	51	6.9	95	<1	1	4	7	15	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4236	2.7	2	1	1	2	3	4	5	7
B. *Operated*	92	3.1	4	<1	<1	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	6391	3.1	7	1	1	3	4	5	6	11
B. *Operated*	186	6.9	97	1	1	4	7	16	32	99+
1. SINGLE DX	4328	2.7	2	1	1	2	3	4	5	8
2. MULTIPLE DX	6577	3.2	9	1	1	3	4	5	7	13
A. NOT OPERATED	10627	2.9	5	1	1	3	4	5	6	10
B. OPERATED	278	5.7	69	<1	1	4	6	11	21	90
TOTAL 0-27 DYS	916	3.4	3	1	2	3	4	5	6	10
1-11 MOS	3572	3.0	4	1	1	3	4	5	6	9
1-5 YRS	3311	2.9	7	1	1	2	4	5	6	11
6-12 YRS	1538	2.8	9	1	1	2	3	5	6	13
13-19 YRS	1568	3.1	13	1	1	2	4	5	7	15
GRAND TOTAL	**10905**	**3.0**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.4	4	1	1	4	5	6	6	6
1-5 YRS	37	4.2	7	1	1	4	6	7	10	13
6-12 YRS	43	4.3	8	1	2	4	5	8	10	15
13-19 YRS	49	3.7	4	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.7	30	3	3	4	11	13	13	13
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	35	4.2	11	1	1	4	5	7	10	18
6-12 YRS	28	4.9	10	<1	1	4	7	10	11	14
13-19 YRS	37	6.0	25	1	2	4	7	14	17	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	11.5	25	8	8	11	15	15	15	15
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.0	6	1	1	3	5	8	9	13
B. *Operated*	4	7.0	21	3	3	6	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	101	5.0	16	1	1	4	7	10	14	20
B. *Operated*	4	9.0	21	4	4	8	12	15	15	15
1. SINGLE DX	138	4.1	7	1	1	3	5	8	9	13
2. MULTIPLE DX	105	5.2	17	1	1	4	7	10	14	20
A. NOT OPERATED	235	4.4	11	1	1	4	6	8	10	17
B. OPERATED	8	8.0	19	3	3	8	11	14	15	15
TOTAL 0-27 DYS										
1-11 MOS	7	4.0	8	1	1	4	6	8	9	9
1-5 YRS	74	4.4	10	1	1	4	6	8	10	17
6-12 YRS	74	4.6	10	1	2	4	6	10	11	15
13-19 YRS	88	4.7	14	1	2	4	5	8	14	21
GRAND TOTAL	**243**	**4.6**	**11**	**1**	**1**	**4**	**6**	**8**	**11**	**17**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	5.4	6	1	2	5	7	8	9	10
1-11 MOS	11	7.5	10	3	3	8	10	12	13	13
1-5 YRS	15	5.8	12	1	1	7	9	10	10	10
6-12 YRS	4	4.3	21	1	1	2	7	11	11	11
13-19 YRS	222	4.2	5	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.5	113	3	3	10	18	18	18	18
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	27	3.3	7	<1	<1	2	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.4	18	4	4	7	10	15	17	17
1-11 MOS	11	7.5	22	2	2	6	11	14	16	16
1-5 YRS	13	6.9	24	1	1	8	10	14	15	15
6-12 YRS	15	4.4	4	2	3	4	5	7	9	9
13-19 YRS	227	5.1	7	2	2	5	7	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	40	5.8	12	1	3	5	7	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	4.5	6	1	2	4	6	8	10	13
B. *Operated*	31	3.6	14	<1	<1	2	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	274	5.3	9	2	2	5	7	10	11	15
B. *Operated*	43	6.0	14	1	3	6	7	11	13	21
1. SINGLE DX	303	4.4	7	1	2	4	6	8	10	13
2. MULTIPLE DX	317	5.4	10	2	2	5	7	10	11	15
A. NOT OPERATED	546	4.9	8	2	2	4	7	8	10	14
B. OPERATED	74	5.0	15	<1	1	4	7	9	12	20
TOTAL 0-27 DYS	28	6.2	10	2	2	6	7	9	12	17
1-11 MOS	25	7.9	19	2	3	8	11	13	16	18
1-5 YRS	29	6.2	17	1	1	7	10	11	14	15
6-12 YRS	22	4.5	12	1	1	4	5	10	13	15
13-19 YRS	516	4.6	7	1	2	4	6	8	10	13
GRAND TOTAL	**620**	**4.9**	**9**	**1**	**2**	**4**	**7**	**9**	**11**	**15**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	11	2.4	2	1	1	2	4	5	5	5
1-5 YRS	6	3.7	6	1	1	3	5	8	8	8
6-12 YRS	6	4.7	3	3	3	4	7	7	7	7
13-19 YRS	12	8.4	267	1	1	4	6	22	55	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	6	2	2	5	6	7	7	7
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	2.6	2	1	1	3	3	4	5	5
1-11 MOS	48	3.4	6	1	1	3	4	7	8	14
1-5 YRS	36	5.9	24	1	2	4	7	14	17	20
6-12 YRS	18	4.6	15	<1	<1	4	6	11	14	14
13-19 YRS	19	4.5	5	2	2	4	6	7	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	8	23.0	193	7	8	19	34	43	45	45
6-12 YRS	9	13.4	78	1	3	15	21	24	25	25
13-19 YRS	15	26.1	529	4	4	22	38	66	74	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.9	90	1	1	3	5	7	8	60
B. *Operated*	4	4.8	4	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	135	4.3	12	1	1	3	5	8	13	17
B. *Operated*	33	21.7	322	4	5	19	29	45	63	77
1. SINGLE DX	41	4.9	82	1	1	3	5	7	8	60
2. MULTIPLE DX	168	7.7	120	1	1	4	7	19	29	62
A. NOT OPERATED	172	4.4	29	1	1	3	5	8	13	19
B. OPERATED	37	19.9	315	3	4	15	26	44	59	77
TOTAL 0-27 DYS	16	2.5	2	1	1	3	3	4	5	5
1-11 MOS	60	3.5	9	1	1	3	4	6	8	18
1-5 YRS	50	8.4	87	1	2	5	9	19	29	45
6-12 YRS	36	6.8	41	<1	<1	5	7	19	22	25
13-19 YRS	47	12.4	319	2	2	5	10	39	61	77
GRAND TOTAL	**209**	**7.2**	**113**	**1**	**1**	**4**	**7**	**17**	**25**	**62**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	4	3	3	3	5	7	7	7
6-12 YRS	9	2.1	2	<1	<1	1	3	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	15	3.1	2	1	2	3	3	6	6	6
13-19 YRS	5	5.4	14	3	3	4	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	11	3.9	6	1	1	3	6	7	9	9
6-12 YRS	11	4.0	11	1	1	3	5	8	13	13
13-19 YRS	4	6.0	25	1	1	5	9	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.0	19	3	3	4	9	11	11	11
6-12 YRS	18	4.2	7	2	2	3	4	9	10	11
13-19 YRS	7	5.6	16	2	2	4	6	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.8	3	<1	1	3	4	5	7	7
B. *Operated*	22	3.6	5	1	2	3	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	27	4.5	12	1	1	4	5	11	13	13
B. *Operated*	28	4.7	10	2	2	4	5	10	12	14
1. SINGLE DX	36	3.3	4	1	1	3	4	6	7	12
2. MULTIPLE DX	55	4.6	11	1	2	4	5	11	12	14
A. NOT OPERATED	41	3.9	9	1	1	3	5	8	12	13
B. OPERATED	50	4.2	8	2	2	3	4	9	11	14
TOTAL 0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	20	4.1	7	1	1	3	5	8	10	11
6-12 YRS	53	3.5	6	1	1	3	4	6	9	13
13-19 YRS	17	5.5	15	1	2	4	6	13	14	14
GRAND TOTAL	**91**	**4.1**	**9**	**1**	**1**	**3**	**5**	**9**	**11**	**14**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.0		1	1	2	2	3	3	3
1-5 YRS	9	3.6	7	1	1	2	5	8	9	9
6-12 YRS	5	4.8	13	2	2	3	8	10	10	10
13-19 YRS	19	4.6	6	1	2	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	8	5.1	36	<1	<1	3	6	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	4.8	13	1	2	3	6	10	14	16
1-5 YRS	36	5.0	19	1	1	4	6	11	17	17
6-12 YRS	21	4.5	13	1	2	3	5	11	13	14
13-19 YRS	34	6.0	20	1	2	5	7	14	16	19
B. *Operated*										
0-27 DYS										
1-11 MOS	3	17.0	63	11	11	14	23	26	26	26
1-5 YRS	10	14.3	124	<1	2	14	17	32	37	37
6-12 YRS	5	6.0	33	1	1	3	11	14	14	14
13-19 YRS	20	12.4	79	3	4	9	15	28	32	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.0	6	1	2	3	5	8	9	10
B. *Operated*	14	4.4	23	<1	1	2	6	9	17	19
2. MULTIPLE DX										
A. *Not Operated*	110	5.2	17	1	2	4	6	12	16	18
B. *Operated*	38	12.4	86	1	3	10	14	28	33	37
1. SINGLE DX	54	4.1	10	1	2	3	6	8	9	19
2. MULTIPLE DX	148	7.0	44	1	2	5	10	15	18	35
A. NOT OPERATED	150	4.8	14	1	2	4	6	10	14	17
B. OPERATED	52	10.3	81	1	2	8	14	27	29	37
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	30	5.6	29	1	2	3	6	13	16	26
1-5 YRS	56	6.4	48	1	1	4	8	16	17	36
6-12 YRS	34	4.5	14	1	2	3	5	11	13	14
13-19 YRS	81	7.1	41	1	2	5	9	15	19	33
GRAND TOTAL	**202**	**6.2**	**37**	**1**	**2**	**4**	**8**	**14**	**17**	**32**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	13	1	1	6	7	8	8	8
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	4	5.3	9	1	1	6	7	8	8	8
2. MULTIPLE DX	3	5.7	41	1	1	3	10	13	13	13
A. NOT OPERATED	5	6.2	22	1	1	6	9	13	13	13
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	9.0	13	6	6	8	12	13	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**7**	**5.4**	**18**	**1**	**1**	**6**	**8**	**12**	**13**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	5.1	13	1	1	5	8	10	10	10
13-19 YRS	17	4.5	24	1	1	3	4	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	19.4	368	3	3	8	36	47	47	47
6-12 YRS	7	4.4	5	2	2	3	6	8	8	8
13-19 YRS	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	6.3	14	2	2	8	9	9	9	9
13-19 YRS	9	9.1	116	1	1	6	11	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3		3	3	3	4	4	4	4
B. *Operated*	27	4.6	19	1	1	3	6	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	15	9.4	162	2	2	5	8	32	43	47
B. *Operated*	16	7.9	71	1	1	6	9	17	29	34
1. SINGLE DX	30	4.5	17	1	1	3	5	11	12	18
2. MULTIPLE DX	31	8.6	111	1	2	6	8	24	34	47
A. NOT OPERATED	18	8.4	139	2	2	4	7	25	41	47
B. OPERATED	43	5.8	39	1	1	4	8	12	18	34
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	8	13.4	283	1	1	7	20	42	47	47
6-12 YRS	20	4.9	9	1	1	4	8	9	10	10
13-19 YRS	30	5.8	50	1	1	3	6	15	18	34
GRAND TOTAL	**61**	**6.6**	**68**	**1**	**1**	**4**	**8**	**13**	**24**	**46**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX										
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. NOT OPERATED										
B. OPERATED	1	6.0		6	6	6	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	14.7	86	4	4	19	20	21	21	21
1. SINGLE DX	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX	4	12.0	86	4	4	12	20	21	21	21
A. NOT OPERATED	2	4.0		4	4	4	4	4	4	4
B. OPERATED	4	13.0	69	4	4	13	20	21	21	21
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	3	10.3	60	4	4	8	16	19	19	19
GRAND TOTAL	**6**	**10.0**	**63**	**4**	**4**	**6**	**19**	**21**	**21**	**21**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	2	8.0	8	6	6	8	10	10	10	10
A. NOT OPERATED										
B. OPERATED	3	7.7	4	6	6	7	9	10	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**3**	**7.7**	**4**	**6**	**6**	**7**	**9**	**10**	**10**	**10**

1473 Hospitals, United States, January-December 1986

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.3	6	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	4	17.5	63	11	11	15	22	29	29	29
1-11 MOS	9	12.4	33	3	6	11	16	21	23	23
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	12.3	15	8	8	12	15	16	16	16
13-19 YRS	6	9.3	42	3	3	8	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	5	6.4	5	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	2	6.0		6	6	6	6	6	6	6
B. Operated	24	13.0	45	3	3	12	16	23	27	29
1. SINGLE DX	5	6.4	5	3	3	7	8	9	9	9
2. MULTIPLE DX	26	12.5	45	3	3	11	16	22	27	29
A. NOT OPERATED	2	6.0		6	6	6	6	6	6	6
B. OPERATED	29	11.9	45	3	3	11	16	21	26	29
TOTAL 0-27 DYS	4	17.5	63	11	11	15	22	29	29	29
1-11 MOS	12	10.9	32	3	5	10	14	19	22	23
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	12.3	15	8	8	12	15	16	16	16
13-19 YRS	10	8.1	28	3	3	6	12	16	17	17
GRAND TOTAL	**31**	**11.5**	**44**	**3**	**3**	**10**	**16**	**20**	**26**	**29**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	8.8	43	1	1	7	12	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	8	9.4	49	1	1	8	14	20	20	20
1. SINGLE DX										
2. MULTIPLE DX	9	8.7	47	1	1	7	12	20	20	20
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	8	9.4	49	1	1	8	14	20	20	20
TOTAL 0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	7.8	40	1	1	7	10	18	19	19
GRAND TOTAL	**9**	**8.7**	**47**	**1**	**1**	**7**	**12**	**20**	**20**	**20**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.4	4	3	3	5	7	8	8	8
1-5 YRS	13	8.5	26	1	2	9	12	16	18	18
6-12 YRS	5	14.0	34	5	5	15	17	21	21	21
13-19 YRS	6	6.3	4	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.6	27	1	1	3	10	13	13	13
1-5 YRS	14	6.1	16	1	2	5	10	11	13	13
6-12 YRS	5	5.2	17	1	1	5	7	12	12	12
13-19 YRS	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	11.7	52	2	4	10	18	63	99+	99+
1-5 YRS	25	13.3	84	2	4	11	18	26	32	37
6-12 YRS	10	13.4	178	2	2	9	16	36	43	43
13-19 YRS	9	8.7	51	1	1	7	11	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	29	8.5	26	2	3	8	12	16	18	21
2. MULTIPLE DX										
A. *Not Operated*	26	6.1	18	1	1	5	10	13	13	14
B. *Operated*	54	12.1	87	2	2	10	17	27	35	97
1. SINGLE DX	34	7.5	27	1	1	7	10	15	18	21
2. MULTIPLE DX	80	10.2	72	1	2	9	14	24	30	82
A. NOT OPERATED	31	5.5	18	1	1	4	9	12	13	14
B. OPERATED	83	10.9	68	2	2	9	15	24	30	81
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	20	8.2	39	1	2	8	11	22	60	99+
1-5 YRS	54	9.8	60	1	2	9	14	19	26	37
6-12 YRS	20	11.5	109	1	2	9	15	25	36	43
13-19 YRS	19	7.4	30	1	2	7	8	15	20	24
GRAND TOTAL	**114**	**9.4**	**60**	**1**	**2**	**8**	**13**	**19**	**27**	**63**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	2	9.5	13	7	7	9	12	12	12	12
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	3	7.0	25	2	2	7	11	12	12	12
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	2	9.5	13	7	7	9	12	12	12	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**4**	**6.0**	**21**	**2**	**2**	**5**	**9**	**12**	**12**	**12**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	4.2	7	1	1	4	6	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	2	19.0	50	14	14	19	24	24	24	24
1-11 MOS	6	11.0	34	5	5	9	12	21	22	22
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	7.6	14	2	2	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	8	4.0	5	1	1	4	5	7	8	8
B. *Operated*	18	9.7	35	2	2	9	11	20	23	24
1. SINGLE DX	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX	26	7.9	33	1	2	7	11	14	22	24
A. NOT OPERATED	8	4.0	5	1	1	4	5	7	8	8
B. OPERATED	20	9.3	33	2	3	8	11	18	23	24
TOTAL 0-27 DYS	3	13.0	133	1	1	14	21	24	24	24
1-11 MOS	12	7.8	30	1	2	7	9	15	21	22
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	6.9	11	2	3	6	10	11	11	11
GRAND TOTAL	**28**	**7.8**	**31**	**1**	**2**	**7**	**10**	**13**	**22**	**24**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	6	4.7	9	1	1	6	7	7	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.3	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	6.7	16	3	3	6	10	11	11	11
13-19 YRS	5	4.6	6	1	1	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.6	94	2	2	9	14	27	27	27
1-5 YRS	8	12.0	29	4	5	12	14	20	22	22
6-12 YRS	4	5.5	2	4	4	5	6	7	7	7
13-19 YRS	7	10.3	75	4	4	7	13	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	4.8	10	1	1	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	11	4.6	9	1	1	5	6	9	11	11
B. *Operated*	24	10.1	50	3	4	8	13	22	27	28
1. SINGLE DX	12	4.8	10	1	1	5	7	9	10	10
2. MULTIPLE DX	35	8.4	43	1	2	6	11	15	26	28
A. NOT OPERATED	11	4.6	9	1	1	5	6	9	11	11
B. OPERATED	36	8.3	43	1	1	7	10	15	25	28
TOTAL 0-27 DYS										
1-11 MOS	9	8.3	59	2	2	5	10	20	27	27
1-5 YRS	15	8.3	35	1	1	7	12	15	20	22
6-12 YRS	8	5.4	9	1	2	5	7	10	11	11
13-19 YRS	15	7.2	44	1	1	5	8	15	25	28
GRAND TOTAL	**47**	**7.5**	**37**	**1**	**1**	**6**	**9**	**15**	**23**	**28**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	2.6	3	1	1	2	4	5	7	7
6-12 YRS	17	3.5	5	<1	<1	4	4	6	9	10
13-19 YRS	61	4.0	70	1	1	3	4	5	7	61
B. *Operated*										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	11	4.2	5	1	2	4	5	7	10	10
1-5 YRS	35	5.1	48	1	1	3	6	9	11	41
6-12 YRS	58	7.1	40	1	2	6	8	14	21	34
13-19 YRS	111	5.7	30	1	1	4	7	10	12	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	11	1	1	4	6	10	10	10
1-5 YRS	26	6.2	45	<1	1	3	8	15	23	28
6-12 YRS	53	4.5	9	1	1	4	5	9	11	14
13-19 YRS	115	4.5	16	1	1	4	5	8	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS	8	8.0	31	2	2	8	10	16	19	19
1-5 YRS	26	12.7	321	1	2	6	10	48	60	68
6-12 YRS	46	10.8	137	1	2	7	12	22	34	66
13-19 YRS	88	10.5	108	1	2	7	15	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.7	48	1	1	3	4	5	7	44
B. *Operated*	217	6.0	34	1	1	5	8	11	15	37
2. MULTIPLE DX										
A. *Not Operated*	199	4.7	17	1	1	4	5	9	12	25
B. *Operated*	168	10.8	143	1	2	7	13	25	38	65
1. SINGLE DX	308	5.3	39	1	1	4	7	10	12	37
2. MULTIPLE DX	367	7.5	84	1	1	5	9	15	25	54
A. NOT OPERATED	290	4.4	27	1	1	3	5	8	11	26
B. OPERATED	385	8.1	87	1	2	6	9	15	26	53
TOTAL 0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	25	5.4	16	1	2	4	8	10	13	19
1-5 YRS	99	7.1	123	1	1	4	8	13	27	63
6-12 YRS	174	7.0	59	1	2	5	8	13	18	40
13-19 YRS	375	6.2	56	1	1	4	7	12	18	40
GRAND TOTAL	**675**	**6.5**	**65**	**1**	**1**	**4**	**7**	**12**	**19**	**45**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	9	4.4	33	<1	<1	2	6	14	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	14.5	265	3	3	14	26	26	26	26
1-5 YRS										
6-12 YRS										
13-19 YRS	9	4.1	8	1	1	4	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	4.1	26	<1	<1	2	5	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	12	5.8	47	1	1	4	5	15	24	26
1. SINGLE DX	12	4.1	26	<1	<1	2	5	12	17	18
2. MULTIPLE DX	13	5.4	44	1	1	4	5	13	24	26
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	24	4.9	35	<1	1	3	5	11	20	26
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	10.0	193	1	1	3	20	26	26	26
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	19	4.1	19	<1	<1	2	5	10	14	18
GRAND TOTAL	**25**	**4.8**	**34**	**<1**	**1**	**3**	**5**	**10**	**20**	**26**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	17	2.5	5	1	1	1	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	21	2.2	4	<1	<1	1	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	4	4.3	7	2	2	4	6	7	7	7
1. SINGLE DX	22	2.2	4	<1	<1	1	2	6	7	7
2. MULTIPLE DX	6	4.3	4	2	2	4	6	7	7	7
A. NOT OPERATED	3	3.7	2	2	2	4	5	5	5	5
B. OPERATED	25	2.6	5	<1	1	2	3	7	7	7
TOTAL 0-27 DYS										
1-11 MOS	3	3.7	6	<1	<1	4	5	6	6	6
1-5 YRS	3	4.3	9	<1	<1	5	6	7	7	7
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	18	2.4	5	1	1	2	3	7	7	7
GRAND TOTAL	**28**	**2.7**	**5**	**<1**	**1**	**2**	**4**	**7**	**7**	**7**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	7.0	3	5	5	7	8	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.3	6	3	3	5	7	8	8	8
1-5 YRS	5	5.4	3	3	3	6	7	7	7	7
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	7	5.0	8	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	10	5.6	8	2	2	5	7	9	11	11
1. SINGLE DX	8	4.9	7	1	1	5	7	8	9	9
2. MULTIPLE DX	11	5.5	7	2	2	5	7	9	11	11
A. NOT OPERATED	2	4.5	1	4	4	4	5	5	5	5
B. OPERATED	17	5.4	7	1	2	5	7	9	10	11
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.1	4	3	3	6	8	9	9	9
1-5 YRS	5	5.4	3	3	3	6	7	7	7	7
6-12 YRS										
13-19 YRS	4	5.0	18	1	1	4	8	11	11	11
GRAND TOTAL	**19**	**5.3**	**7**	**1**	**2**	**5**	**7**	**9**	**10**	**11**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	7.3	22	2	2	9	10	11	11	11
13-19 YRS	3	4.3	9	<1	<1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	5.1	13	<1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*	3	5.0	4	3	3	5	6	7	7	7
1. SINGLE DX	8	5.1	13	<1	1	4	8	10	11	11
2. MULTIPLE DX	5	5.6	4	3	3	5	7	8	8	8
A. NOT OPERATED	2	6.5	5	5	5	6	8	8	8	8
B. OPERATED	11	5.1	10	<1	1	5	7	10	11	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	6.0	8	4	4	6	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	6.8	12	2	2	7	9	11	11	11
13-19 YRS	4	4.0	7	<1	<1	4	6	7	7	7
GRAND TOTAL	**13**	**5.3**	**9**	**<1**	**1**	**5**	**7**	**9**	**11**	**11**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.5	6	4	4	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	11.8	52	1	1	15	16	16	16	16
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	13.5	113	6	6	13	21	21	21	21
B. *Operated*	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	4	6.5	6	4	4	6	8	9	9	9
B. *Operated*	4	11.8	52	1	1	15	16	16	16	16
1. SINGLE DX	5	7.6	60	1	1	5	10	21	21	21
2. MULTIPLE DX	8	9.1	33	1	2	8	15	16	16	16
A. NOT OPERATED	6	8.8	39	4	4	7	9	20	21	21
B. OPERATED	7	8.3	47	1	1	5	15	16	16	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	10.6	46	1	1	14	16	16	16	16
6-12 YRS										
13-19 YRS	8	7.3	37	1	2	5	8	17	21	21
GRAND TOTAL	**13**	**8.5**	**40**	**1**	**1**	**6**	**14**	**17**	**20**	**21**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	7.8	5	5	5	8	9	10	10	10
13-19 YRS	14	5.4	13	1	1	5	6	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	3	2	2	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	4	8.8	38	5	5	6	12	18	18	18
13-19 YRS	23	7.5	9	4	5	7	9	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	9	1	1	2	6	8	8	8
B. *Operated*	18	5.9	12	1	2	5	9	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	6	4.2	3	2	2	4	6	6	6	6
B. *Operated*	29	8.6	37	4	5	7	9	15	19	35
1. SINGLE DX	24	5.3	12	1	1	5	7	9	11	15
2. MULTIPLE DX	35	7.9	34	3	4	6	8	14	17	35
A. NOT OPERATED	12	3.8	6	1	1	3	6	7	8	8
B. OPERATED	47	7.6	29	3	4	6	9	13	16	35
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	8.4	222	1	1	2	11	35	35	35
1-5 YRS	2	8.0		8	8	8	8	8	8	8
6-12 YRS	8	8.3	19	5	5	7	9	16	18	18
13-19 YRS	43	6.4	10	2	3	6	8	10	14	16
GRAND TOTAL	**59**	**6.8**	**26**	**1**	**2**	**6**	**8**	**10**	**16**	**33**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.3	1	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	11	1	1	2	5	8	8	8
1-5 YRS	4	6.5	8	3	3	6	8	10	10	10
6-12 YRS										
13-19 YRS	3	5.0	9	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	22	1	1	3	8	10	10	10
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	10.0	53	1	1	10	15	20	22	22
6-12 YRS										
13-19 YRS	2	8.5	5	7	7	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	2	1	1	3	3	5	5	5
B. *Operated*	11	4.8	10	1	1	5	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	4	6.5	28	1	1	6	11	12	12	12
B. *Operated*	13	9.4	38	1	2	8	14	17	21	22
1. SINGLE DX	18	4.0	8	1	1	3	6	8	9	10
2. MULTIPLE DX	17	8.7	35	1	1	8	13	16	20	22
A. NOT OPERATED	11	4.1	13	1	1	3	5	11	12	12
B. OPERATED	24	7.3	30	1	1	6	10	15	18	22
TOTAL 0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS	5	3.2	9	1	1	2	5	8	8	8
1-5 YRS	19	6.8	35	1	1	5	10	15	19	22
6-12 YRS										
13-19 YRS	9	6.0	13	2	2	5	8	11	12	12
GRAND TOTAL	**35**	**6.3**	**26**	**1**	**1**	**5**	**9**	**13**	**16**	**22**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	6	4.0	5	1	1	4	6	7	7	7
1-5 YRS	4	7.8	16	2	2	9	10	11	11	11
6-12 YRS	2	11.5	13	9	9	11	14	14	14	14
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	7.0	39	2	2	5	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*	13	7.5	27	1	2	7	10	15	18	19
1. SINGLE DX	3	7.0	39	2	2	5	12	14	14	14
2. MULTIPLE DX	15	7.4	23	1	2	7	9	14	18	19
A. NOT OPERATED	2	7.0	2	6	6	7	8	8	8	8
B. OPERATED	16	7.4	27	1	2	6	10	14	18	19
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	8	4.0	5	1	1	4	6	7	7	7
1-5 YRS	6	7.3	11	2	2	8	9	11	11	11
6-12 YRS	2	11.5	13	9	9	11	14	14	14	14
13-19 YRS	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**18**	**7.3**	**24**	**1**	**2**	**7**	**9**	**14**	**17**	**19**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	6	3.3	9	1	1	2	6	8	8	8
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	52	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS										
13-19 YRS	8	4.8	10	<1	<1	5	6	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	5.8	19	2	2	4	8	12	12	12
6-12 YRS										
13-19 YRS	31	5.8	14	1	1	5	9	11	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*	63	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	4.5	9	<1	1	4	6	9	11	11
B. *Operated*	35	5.8	14	1	1	5	9	12	12	13
1. SINGLE DX	55	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX	46	5.5	13	1	1	5	9	11	12	13
A. NOT OPERATED	13	4.6	7	<1	1	4	6	8	10	11
B. OPERATED	98	4.4	10	1	1	4	6	9	11	13
TOTAL 0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	13	4.2	11	1	1	3	6	9	11	12
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	93	4.6	10	1	1	4	6	9	11	13
GRAND TOTAL	**111**	**4.5**	**10**	**1**	**1**	**4**	**6**	**9**	**11**	**13**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	3	9.3	60	3	3	7	15	18	18	18
1-5 YRS	7	12.1	511	1	1	4	8	52	63	63
6-12 YRS	4	10.0	90	2	2	7	17	23	23	23
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	3.8	8	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	18	9.4	214	1	1	5	9	21	47	63
1. SINGLE DX	9	3.8	8	1	1	2	6	9	9	9
2. MULTIPLE DX	21	8.3	189	1	1	4	7	20	41	63
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	27	7.5	150	1	1	4	8	17	29	63
TOTAL 0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	5	7.8	38	3	3	7	10	18	18	18
1-5 YRS	12	7.8	307	1	1	2	4	25	58	63
6-12 YRS	5	8.4	80	2	2	4	14	23	23	23
13-19 YRS	5	4.6	10	1	1	5	7	9	9	9
GRAND TOTAL	**30**	**7.0**	**137**	**1**	**1**	**3**	**7**	**14**	**23**	**63**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	2.5	12	<1	<1	1	2	9	11	11
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	10	9.3	24	4	4	8	11	17	20	20
1-5 YRS	39	9.7	70	3	4	8	11	14	24	52
6-12 YRS	7	6.0	7	1	2	6	8	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	6	5.2	10	1	1	5	8	8	8	8
1-5 YRS	20	4.9	29	1	1	2	6	13	18	20
6-12 YRS	10	3.9	4	1	1	4	5	7	8	8
13-19 YRS	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.9	62	4	4	8	10	22	30	30
1-5 YRS	52	12.0	77	4	5	9	14	25	37	98
6-12 YRS	10	17.9	249	2	5	14	21	41	59	59
13-19 YRS	9	11.0	46	3	3	11	13	21	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	8	<1	<1	1	2	5	10	11
B. *Operated*	56	9.2	55	2	4	8	11	14	21	50
2. MULTIPLE DX										
A. *Not Operated*	41	4.6	18	1	1	3	6	10	14	20
B. *Operated*	80	12.4	94	3	4	9	14	25	36	87
1. SINGLE DX	69	7.8	53	1	1	7	10	13	20	47
2. MULTIPLE DX	121	9.7	81	1	1	7	13	21	28	70
A. NOT OPERATED	54	4.0	17	<1	1	3	5	9	12	20
B. OPERATED	136	11.1	80	3	4	9	13	22	29	64
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	26	8.3	36	2	3	7	9	14	22	30
1-5 YRS	119	9.4	71	1	1	7	11	21	26	66
6-12 YRS	30	8.8	124	1	1	6	9	18	24	59
13-19 YRS	14	7.9	49	<1	1	6	12	15	24	26
GRAND TOTAL	**190**	**9.1**	**72**	**1**	**1**	**7**	**11**	**20**	**26**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	16	1.4	2	<1	<1	1	1	3	5	6
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	2.0	2	<1	<1	1	3	4	5	5
1-5 YRS	28	2.4	2	<1	1	2	3	4	5	7
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.4	25	<1	<1	2	7	12	16	16
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	12.3	108	4	4	9	20	24	24	24
1-5 YRS	13	9.8	64	1	2	7	16	22	24	24
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	42	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	4.5	22	<1	<1	3	7	12	16	16
B. *Operated*	18	9.3	66	<1	1	6	14	23	24	24
1. SINGLE DX	62	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	28	7.6	55	<1	<1	5	10	22	24	24
A. NOT OPERATED	30	2.4	10	<1	<1	1	2	6	7	16
B. OPERATED	60	4.5	31	<1	<1	2	5	10	21	24
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	3.5	31	<1	<1	1	4	8	18	24
1-5 YRS	66	3.9	26	<1	<1	2	4	9	17	24
6-12 YRS	4	4.0	10	<1	<1	3	6	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**90**	**3.8**	**25**	**<1**	**<1**	**2**	**4**	**8**	**16**	**24**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	3.4	10	1	1	3	4	7	11	12
6-12 YRS	17	3.1	5	1	1	3	4	6	8	9
13-19 YRS	10	5.2	58	<1	<1	2	5	17	26	26
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.7	8	2	2	3	7	9	9	9
1-5 YRS	53	10.2	80	1	2	8	14	19	25	43
6-12 YRS	67	8.7	25	1	1	9	12	14	17	23
13-19 YRS	69	8.7	32	1	3	8	12	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	6.2	9	3	3	6	7	11	11	11
1-5 YRS	49	5.8	82	1	1	3	5	11	17	52
6-12 YRS	68	4.7	24	1	1	3	6	12	17	86
13-19 YRS	45	4.8	26	<1	1	3	5	9	17	26
B. *Operated*										
0-27 DYS										
1-11 MOS	16	15.0	201	2	4	10	17	42	43	44
1-5 YRS	100	14.9	194	2	2	11	22	38	65	99+
6-12 YRS	97	17.1	338	2	3	12	20	47	58	99+
13-19 YRS	91	14.7	218	1	3	11	16	30	61	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.7	19	1	1	3	5	7	11	26
B. *Operated*	196	9.0	42	1	2	8	12	16	19	36
2. MULTIPLE DX										
A. *Not Operated*	167	5.1	41	1	1	3	6	11	17	50
B. *Operated*	304	15.6	246	2	3	11	19	42	59	99+
1. SINGLE DX	235	8.1	42	1	1	7	11	15	19	31
2. MULTIPLE DX	471	11.8	198	1	2	7	15	31	49	99+
A. NOT OPERATED	206	4.8	37	1	1	3	5	11	16	45
B. OPERATED	500	13.0	177	1	2	9	15	29	45	99+
TOTAL 0-27 DYS										
1-11 MOS	28	10.9	139	2	3	7	11	33	42	44
1-5 YRS	214	11.0	146	1	2	8	15	29	44	99+
6-12 YRS	249	10.5	175	1	1	7	13	22	45	99
13-19 YRS	215	10.3	126	1	2	7	13	22	29	69
GRAND TOTAL	**706**	**10.6**	**149**	**1**	**1**	**7**	**13**	**23**	**42**	**99**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.4	51	2	2	4	8	19	19	19
1-5 YRS	4	7.3	26	1	1	7	11	13	13	13
6-12 YRS	5	5.8	16	1	1	4	10	10	10	10
13-19 YRS	10	7.3	34	1	1	7	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	18.0	721	2	2	3	37	49	49	49
6-12 YRS	5	6.8	106	1	1	2	10	25	25	25
13-19 YRS										
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	7	12.9	35	3	4	12	18	20	20	20
1-5 YRS	10	15.2	285	2	3	9	18	42	58	58
6-12 YRS	8	15.9	207	1	2	10	28	38	38	38
13-19 YRS	7	11.0	10	7	7	11	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	5	<1	<1	1	2	6	7	7
B. *Operated*	24	6.8	29	1	1	5	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	9	9.9	274	<1	<1	3	25	74	99+	99+
B. *Operated*	33	14.2	140	2	3	11	18	28	38	58
1. SINGLE DX	31	5.7	27	1	1	4	10	14	16	19
2. MULTIPLE DX	42	13.3	166	1	2	11	19	37	52	99+
A. NOT OPERATED	16	6.4	164	<1	<1	2	5	44	82	99+
B. OPERATED	57	11.1	105	1	2	10	14	20	33	57
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	15	8.4	52	<1	1	5	13	20	20	20
1-5 YRS	19	12.8	251	1	1	6	15	40	54	58
6-12 YRS	20	9.6	132	<1	1	5	11	31	37	38
13-19 YRS	18	8.4	28	1	1	10	13	16	62	99+
GRAND TOTAL	**73**	**10.1**	**120**	**1**	**1**	**8**	**13**	**23**	**38**	**90**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	23	2.4	4	<1	1	2	3	4	7	10
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	10	5.5	14	2	2	4	9	11	12	12
1-5 YRS	27	9.1	127	1	1	6	9	19	27	58
6-12 YRS	9	5.0	24	2	2	3	6	14	15	15
13-19 YRS	28	2.8	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	43	5.4	44	<1	1	3	7	12	20	34
6-12 YRS	4	5.5	6	3	3	5	7	8	8	8
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	13	10.2	33	2	5	8	12	19	20	20
1-5 YRS	54	15.1	292	1	2	8	14	48	55	79
6-12 YRS	10	18.3	394	3	3	14	16	50	70	70
13-19 YRS	46	7.8	216	1	2	4	7	14	21	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	74	5.7	58	1	2	3	7	12	18	49
2. MULTIPLE DX										
A. *Not Operated*	53	5.2	37	<1	1	3	7	11	18	34
B. *Operated*	124	12.1	251	1	2	7	13	30	49	84
1. SINGLE DX	109	4.6	43	1	1	3	5	10	15	36
2. MULTIPLE DX	177	10.0	196	1	1	6	11	20	40	77
A. NOT OPERATED	88	4.0	25	<1	1	2	5	10	11	29
B. OPERATED	198	9.7	188	1	2	5	10	19	40	75
TOTAL 0-27 DYS	3	6.7	17	2	2	8	9	10	10	10
1-11 MOS	28	7.0	30	1	1	6	10	17	19	20
1-5 YRS	147	9.2	166	1	1	5	10	20	37	59
6-12 YRS	24	10.5	209	2	2	4	14	18	42	70
13-19 YRS	84	5.4	125	1	2	3	5	8	14	77
GRAND TOTAL	**286**	**7.9**	**144**	**1**	**1**	**4**	**8**	**16**	**30**	**66**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	13	5.7	27	1	2	4	6	12	19	21
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.8	33	1	1	7	11	15	15	15
1-5 YRS	20	6.4	31	<1	1	5	8	12	19	25
6-12 YRS	5	6.4	32	2	2	4	9	16	16	16
13-19 YRS	11	4.5	10	<1	1	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	6.5	33	1	1	4	12	15	17	17
1-5 YRS	37	5.8	70	<1	<1	4	7	12	14	50
6-12 YRS	31	5.5	40	<1	1	3	7	11	17	32
13-19 YRS	49	5.6	38	<1	1	4	6	13	24	26
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	17	16.6	177	2	2	16	28	37	40	42
1-5 YRS	55	9.3	72	1	2	7	12	19	31	38
6-12 YRS	38	9.4	27	2	3	8	13	17	20	22
13-19 YRS	88	12.2	184	2	2	8	13	26	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.9	22	1	2	4	8	10	17	21
B. *Operated*	40	6.0	24	<1	1	4	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	127	5.7	46	<1	1	4	7	12	18	36
B. *Operated*	199	11.3	124	1	2	8	13	22	36	61
1. SINGLE DX	57	6.0	23	<1	1	4	8	12	16	25
2. MULTIPLE DX	326	9.1	101	1	1	6	12	18	30	52
A. NOT OPERATED	144	5.7	43	<1	1	4	7	12	18	33
B. OPERATED	239	10.4	111	1	2	7	13	21	34	57
TOTAL 0-27 DYS	2	9.0	72	3	3	9	15	15	15	15
1-11 MOS	31	12.2	132	1	2	8	17	32	37	42
1-5 YRS	125	7.4	62	<1	1	5	8	16	23	41
6-12 YRS	75	7.6	35	1	1	6	11	16	19	29
13-19 YRS	150	9.4	131	1	2	6	11	21	33	65
GRAND TOTAL	**383**	**8.6**	**91**	**1**	**1**	**6**	**11**	**17**	**27**	**51**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	12	2.4	2	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.0	25	1	1	5	9	13	13	13
6-12 YRS	24	6.3	19	1	1	6	9	11	14	19
13-19 YRS	137	5.0	13	<1	1	5	7	9	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	8	3.0	2	1	1	3	4	5	5	5
13-19 YRS	32	5.8	21	1	2	5	8	10	15	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	11.3	46	2	5	9	17	21	22	22
13-19 YRS	85	11.2	111	2	2	8	13	25	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	4	5	5
B. *Operated*	165	5.2	14	1	1	5	7	9	10	18
2. MULTIPLE DX										
A. *Not Operated*	41	5.2	18	1	1	4	7	10	13	23
B. *Operated*	97	11.2	102	2	2	8	13	24	35	45
1. SINGLE DX	188	4.9	13	1	1	4	7	9	10	17
2. MULTIPLE DX	138	9.4	85	1	2	7	11	23	33	43
A. NOT OPERATED	64	4.2	14	1	1	3	5	8	10	22
B. OPERATED	262	7.4	55	1	1	6	8	13	24	42
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	19	1	1	5	8	13	13	13
6-12 YRS	55	6.1	28	1	1	4	8	13	19	22
13-19 YRS	266	7.0	53	1	1	5	8	13	24	42
GRAND TOTAL	**326**	**6.8**	**48**	**1**	**1**	**5**	**8**	**13**	**22**	**40**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.0	2	<1	<1	3	4	4	4	4
1-5 YRS	79	2.9	7	<1	<1	2	4	6	8	13
6-12 YRS	63	4.2	32	<1	1	3	5	7	18	33
13-19 YRS	37	3.5	5	1	1	3	5	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.0	11	2	3	8	9	12	12	12
1-5 YRS	114	6.9	37	<1	1	5	9	15	21	28
6-12 YRS	84	7.0	60	<1	<1	5	8	17	28	33
13-19 YRS	31	7.5	58	<1	<1	6	10	15	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	6.9	38	2	3	5	7	18	22	22
1-5 YRS	204	5.2	21	<1	1	4	7	11	14	23
6-12 YRS	167	5.7	36	<1	1	4	7	13	19	28
13-19 YRS	117	5.8	43	1	1	4	7	11	19	40
B. *Operated*										
0-27 DYS										
1-11 MOS	9	22.2	144	4	4	24	32	36	38	38
1-5 YRS	163	14.4	100	2	4	11	22	28	33	50
6-12 YRS	100	16.8	265	1	2	12	23	38	46	79
13-19 YRS	89	17.9	262	2	2	11	28	43	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.5	15	<1	<1	3	4	7	8	23
B. *Operated*	235	7.0	47	<1	<1	5	9	15	23	32
2. MULTIPLE DX										
A. *Not Operated*	497	5.5	31	1	1	4	7	12	15	29
B. *Operated*	361	16.1	188	2	3	12	23	35	43	62
1. SINGLE DX	419	5.4	36	<1	<1	4	7	12	18	31
2. MULTIPLE DX	858	10.0	124	1	1	6	13	24	33	55
A. NOT OPERATED	681	5.0	28	<1	1	3	6	10	14	28
B. OPERATED	596	12.5	152	<1	1	8	17	29	36	59
TOTAL 0-27 DYS										
1-11 MOS	29	11.2	113	2	2	5	18	29	33	38
1-5 YRS	560	7.9	64	<1	1	5	10	20	24	36
6-12 YRS	414	8.4	118	<1	1	4	10	21	29	52
13-19 YRS	274	9.6	144	1	1	5	11	24	39	58
GRAND TOTAL	**1277**	**8.5**	**100**	**<1**	**1**	**5**	**10**	**22**	**29**	**48**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	33	2.6	6	<1	<1	1	4	5	8	11
6-12 YRS	28	5.0	11	<1	1	5	7	10	11	15
13-19 YRS	25	5.2	11	1	1	4	7	10	12	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	5.0	8	<1	<1	5	7	8	8	8
1-5 YRS	22	8.4	26	<1	<1	8	12	15	18	21
6-12 YRS	12	14.3	249	2	4	9	12	43	53	55
13-19 YRS	24	13.3	185	1	2	7	25	36	39	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	8.7	128	1	2	6	7	27	38	38
1-5 YRS	84	6.0	46	<1	1	4	8	14	21	33
6-12 YRS	48	5.3	30	<1	<1	3	7	12	19	22
13-19 YRS	51	9.2	112	<1	1	5	13	20	36	50
B. *Operated*										
0-27 DYS										
1-11 MOS	5	17.4	267	3	3	9	33	38	38	38
1-5 YRS	72	24.4	324	3	5	22	35	54	61	66
6-12 YRS	36	23.4	254	4	7	19	37	45	62	99+
13-19 YRS	59	30.9	499	2	7	29	45	62	74	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.2	11	<1	1	3	6	9	11	15
B. *Operated*	64	11.1	130	<1	2	8	12	30	38	53
2. MULTIPLE DX										
A. *Not Operated*	192	6.8	65	<1	1	4	9	16	22	39
B. *Operated*	172	26.2	375	3	6	24	37	54	65	94
1. SINGLE DX	151	7.1	72	<1	1	5	8	12	26	43
2. MULTIPLE DX	364	16.0	305	1	1	9	26	42	53	74
A. NOT OPERATED	279	6.0	49	<1	1	4	7	14	19	37
B. OPERATED	236	22.1	353	2	4	14	35	48	60	92
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	20	10.1	134	<1	2	6	9	35	38	38
1-5 YRS	211	12.0	214	<1	1	6	14	34	46	62
6-12 YRS	124	11.4	176	<1	1	6	13	36	44	75
13-19 YRS	159	17.2	363	1	1	8	29	44	54	90
GRAND TOTAL	**515**	**13.4**	**253**	**<1**	**1**	**7**	**16**	**37**	**47**	**69**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	23	1	1	2	7	11	11	11
6-12 YRS	19	2.4	7	<1	<1	1	2	7	9	10
13-19 YRS	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	18	5.4	22	<1	1	4	8	12	15	17
6-12 YRS	32	7.4	53	<1	1	5	9	14	24	36
13-19 YRS	39	4.7	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	6	3	3	6	8	9	9	9
1-5 YRS	22	4.1	11	<1	1	4	6	8	11	14
6-12 YRS	22	5.1	20	1	1	3	6	14	15	15
13-19 YRS	40	5.2	28	<1	1	4	7	10	14	30
B. *Operated*										
0-27 DYS										
1-11 MOS	6	15.0	200	4	4	10	17	39	42	42
1-5 YRS	33	21.0	368	3	5	15	27	40	72	84
6-12 YRS	30	11.9	125	1	1	10	16	33	44	99+
13-19 YRS	55	12.1	112	1	2	9	15	32	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.6	7	<1	<1	1	3	6	9	11
B. *Operated*	92	5.7	28	1	1	4	8	12	14	31
2. MULTIPLE DX										
A. *Not Operated*	88	5.0	21	1	1	4	6	10	14	24
B. *Operated*	124	14.5	198	1	3	10	19	36	41	88
1. SINGLE DX	127	4.9	24	<1	1	3	7	11	13	28
2. MULTIPLE DX	212	10.6	146	1	1	7	13	27	38	80
A. NOT OPERATED	123	4.3	18	<1	1	3	6	9	13	19
B. OPERATED	216	10.8	144	1	2	7	13	27	37	80
TOTAL 0-27 DYS										
1-11 MOS	13	9.5	116	1	2	6	10	22	38	42
1-5 YRS	77	11.6	230	1	1	7	14	29	40	82
6-12 YRS	103	7.3	69	<1	1	4	10	15	28	70
13-19 YRS	146	7.4	66	1	1	5	9	15	26	38
GRAND TOTAL	**339**	**8.4**	**108**	**1**	**1**	**5**	**10**	**19**	**32**	**48**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	13	1.3		<1	<1	1	2	2	2	2
6-12 YRS	13	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	61	2.8	5	1	1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	11	3.4	25	1	1	1	2	12	17	17
13-19 YRS	18	5.2	30	1	1	3	6	10	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	90	2.5	4	<1	<1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	34	4.2	24	1	1	2	5	9	16	24
1. SINGLE DX	91	2.4	4	<1	<1	2	3	6	8	10
2. MULTIPLE DX	35	4.1	24	1	1	2	5	9	15	24
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	124	2.9	10	<1	1	2	4	7	9	19
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.7	12	<1	<1	5	7	8	8	8
1-5 YRS	19	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	24	2.5	12	<1	1	1	2	5	11	17
13-19 YRS	79	3.3	12	1	1	2	4	8	9	20
GRAND TOTAL	**126**	**2.9**	**10**	**<1**	**1**	**2**	**4**	**7**	**8**	**19**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	22	2.4	3	<1	<1	2	3	5	6	6
6-12 YRS	25	3.7	10	<1	1	2	6	9	10	11
13-19 YRS	20	3.4	8	<1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.4	2	1	1	2	4	4	4	4
6-12 YRS	7	2.0	2	<1	<1	2	2	4	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	1	1	5	99+	99+	99+	99+
1-5 YRS	13	5.5	37	<1	1	2	8	15	20	21
6-12 YRS	23	6.7	26	1	2	4	12	14	16	18
13-19 YRS	30	7.2	35	1	1	6	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*	68	3.2	7	<1	1	2	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	2	<1	1	2	3	4	5	5
B. *Operated*	69	6.5	31	1	1	5	9	15	21	99+
1. SINGLE DX	73	3.1	7	<1	1	2	4	7	9	11
2. MULTIPLE DX	84	5.7	28	1	1	4	8	14	19	99+
A. NOT OPERATED	20	2.3	2	<1	<1	2	3	4	5	5
B. OPERATED	137	4.8	22	1	1	3	7	12	15	99+
TOTAL 0-27 DYS										
1-11 MOS	7	2.4	2	<1	<1	3	29	99+	99+	99+
1-5 YRS	40	3.4	15	<1	1	2	4	7	11	21
6-12 YRS	55	4.7	18	<1	1	3	7	12	14	18
13-19 YRS	55	5.4	26	1	1	3	8	11	15	28
GRAND TOTAL	**157**	**4.5**	**20**	**<1**	**1**	**3**	**7**	**11**	**14**	**93**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	3	1	1	2	3	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.7	14	<1	<1	1	2	9	11	11
1-5 YRS	146	1.7	4	<1	<1	1	2	3	5	12
6-12 YRS	80	1.6	2	<1	<1	1	1	2	5	9
13-19 YRS	51	2.2	5	<1	<1	1	2	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.8	3	1	1	4	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	15	6.1	92	1	2	2	4	28	30	31
1-5 YRS	60	4.0	38	1	1	2	4	8	21	32
6-12 YRS	39	2.4	9	<1	1	1	2	6	10	14
13-19 YRS	22	2.8	9	<1	<1	2	3	6	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*	284	1.8	4	<1	<1	1	2	3	6	11
2. MULTIPLE DX										
A. *Not Operated*	8	3.5	3	1	1	4	5	5	5	5
B. *Operated*	137	3.6	32	<1	1	2	3	7	15	31
1. SINGLE DX	289	1.8	4	<1	<1	1	2	3	6	11
2. MULTIPLE DX	145	3.6	30	<1	1	2	4	7	14	31
A. NOT OPERATED	13	3.0	3	1	1	4	4	5	5	5
B. OPERATED	421	2.4	13	<1	<1	1	2	5	8	23
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	22	5.0	68	<1	<1	2	3	16	29	31
1-5 YRS	216	2.4	14	<1	<1	1	2	5	7	23
6-12 YRS	120	1.8	4	<1	<1	1	2	3	6	13
13-19 YRS	75	2.4	6	<1	<1	1	3	6	7	13
GRAND TOTAL	**434**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**5**	**7**	**23**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	5	2.4	1	<1	<1	2	3	4	4	4
13-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
B. *Operated*										
0-27 DYS	2	4.0	18	<1	<1	3	7	7	7	7
1-11 MOS	24	3.4	8	<1	1	2	5	9	9	10
1-5 YRS	77	2.4	4	<1	<1	2	3	5	7	10
6-12 YRS	319	2.1	2	<1	1	2	3	4	5	8
13-19 YRS	705	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.3	1	<1	<1	2	3	4	4	4
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	10	1.3		<1	<1	1	1	2	3	3
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	15	5.5	11	1	2	5	7	12	12	12
1-5 YRS	43	4.9	21	<1	1	4	7	11	14	22
6-12 YRS	66	3.5	9	1	1	3	4	9	9	15
13-19 YRS	145	3.7	33	<1	1	2	4	7	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	1127	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	21	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	270	4.0	24	1	1	2	5	9	12	22
1. SINGLE DX	1140	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX	291	3.8	23	<1	1	2	4	8	12	22
A. NOT OPERATED	34	1.9	1	<1	<1	1	2	4	4	5
B. OPERATED	1397	2.5	8	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	3	6.0	21	<1	<1	7	9	10	10	10
1-11 MOS	40	4.2	10	<1	1	3	6	9	11	12
1-5 YRS	128	3.2	11	<1	<1	2	4	8	10	17
6-12 YRS	395	2.4	4	<1	1	2	3	4	7	9
13-19 YRS	865	2.4	9	<1	<1	2	3	5	6	14
GRAND TOTAL	**1431**	**2.5**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.4	17	<1	<1	1	4	11	11	11
1-5 YRS	16	2.4	3	<1	<1	2	3	4	7	8
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-27 DYS	10	7.0	77	1	1	5	8	20	31	31
1-11 MOS	152	3.1	15	<1	<1	2	4	7	9	25
1-5 YRS	360	2.3	4	<1	<1	2	3	5	7	10
6-12 YRS	276	1.9	3	<1	<1	1	2	4	5	10
13-19 YRS	160	1.9	4	<1	<1	1	2	3	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	28	4.3	27	<1	1	2	6	16	24	99+
1-5 YRS	17	2.9	15	<1	<1	1	2	11	12	12
6-12 YRS	6	4.0	10	2	2	2	8	8	8	8
13-19 YRS	5	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS	5	5.8	38	1	1	2	12	13	13	13
1-11 MOS	51	7.0	90	1	1	3	8	15	32	50
1-5 YRS	117	4.7	57	1	1	2	6	10	14	76
6-12 YRS	81	3.3	31	<1	<1	2	4	6	9	38
13-19 YRS	74	4.1	31	<1	1	2	4	9	14	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.6	7	<1	<1	2	3	7	10	11
B. *Operated*	958	2.3	7	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	58	3.7	19	<1	<1	2	5	11	16	93
B. *Operated*	328	4.6	50	<1	1	2	5	9	14	46
1. SINGLE DX	991	2.3	7	<1	<1	1	3	5	7	12
2. MULTIPLE DX	386	4.5	46	<1	1	2	5	10	14	48
A. NOT OPERATED	91	3.3	15	<1	<1	2	3	10	11	66
B. OPERATED	1286	2.9	19	<1	<1	2	3	6	9	24
TOTAL 0-27 DYS	17	6.2	54	1	1	3	8	13	25	31
1-11 MOS	241	4.1	35	<1	1	2	4	9	13	35
1-5 YRS	510	2.9	18	<1	<1	2	3	6	9	18
6-12 YRS	367	2.3	10	<1	<1	1	2	5	7	12
13-19 YRS	242	2.6	13	<1	<1	1	3	6	8	18
GRAND TOTAL	**1377**	**2.9**	**19**	**<1**	**<1**	**2**	**3**	**6**	**9**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.3	3	<1	<1	2	4	5	5	5
13-19 YRS	115	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.6	1	<1	<1	1	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	122	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	27	1.6	1	<1	<1	1	2	3	4	6
1. SINGLE DX	122	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX	28	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	149	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.3	3	<1	<1	2	4	5	5	5
13-19 YRS	143	1.5	1	<1	<1	1	2	2	3	6
GRAND TOTAL	**150**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	3.4	3	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	4	3.8	8	1	1	3	6	7	7	7
1-11 MOS	13	4.8	2	2	3	5	6	7	8	8
1-5 YRS	4	6.5	6	5	5	6	8	10	10	10
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	4.6	2	3	3	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	3.9	2	1	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*	31	4.9	3	2	3	5	6	7	8	10
1. SINGLE DX	10	3.9	2	1	2	4	5	5	5	5
2. MULTIPLE DX	34	4.6	4	1	2	5	6	7	8	10
A. NOT OPERATED	3	2.3	2	1	1	2	3	4	4	4
B. OPERATED	41	4.6	3	2	2	5	5	7	8	10
TOTAL 0-27 DYS	6	3.8	5	1	1	4	5	7	7	7
1-11 MOS	16	4.8	2	2	4	5	5	7	8	8
1-5 YRS	4	6.5	6	5	5	6	8	10	10	10
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	16	3.8	3	1	1	4	5	6	7	7
GRAND TOTAL	**44**	**4.5**	**3**	**1**	**2**	**4**	**5**	**7**	**8**	**10**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	5.8	2	4	4	6	7	7	7	7
6-12 YRS	23	4.3	3	<1	1	4	6	7	7	7
13-19 YRS	321	4.3	2	3	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	8	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	5	4.6	4	3	3	4	6	8	8	8
6-12 YRS	14	5.9	4	3	4	5	6	10	10	10
13-19 YRS	242	4.9	5	3	3	5	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*	349	4.4	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	9	2.4	5	<1	<1	1	4	6	7	7
B. *Operated*	264	5.0	5	3	3	5	6	7	8	11
1. SINGLE DX	352	4.4	2	3	3	4	5	6	7	8
2. MULTIPLE DX	273	4.9	6	3	3	5	6	7	8	11
A. NOT OPERATED	12	3.0	7	<1	<1	2	5	7	8	8
B. OPERATED	613	4.6	3	3	3	4	5	6	7	10
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	10	5.3	3	3	3	5	7	8	8	8
6-12 YRS	37	4.9	4	1	2	5	6	7	9	10
13-19 YRS	574	4.6	3	3	3	4	5	6	7	11
GRAND TOTAL	**625**	**4.6**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	4.5		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	6	3.5	3	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	7	3.1	3	<1	<1	4	5	5	5	5
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	7	3.7	3	<1	<1	4	5	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	4.0	2	1	1	4	5	5	5	5
GRAND TOTAL	**8**	**3.4**	**3**	**<1**	**<1**	**4**	**5**	**5**	**5**	**5**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	6	2.7	10	1	1	2	2	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	18	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	12	2.0	5	<1	<1	1	2	5	8	9
1. SINGLE DX	18	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	12	2.0	5	<1	<1	1	2	5	8	9
A. NOT OPERATED										
B. OPERATED	30	1.8	2	<1	<1	1	2	3	3	9
TOTAL 0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	8	1.3		<1	<1	1	2	2	2	2
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	14	2.3	4	<1	<1	2	3	4	8	9
GRAND TOTAL	**30**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**9**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	8.8	24	3	3	8	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	7.0	22	2	2	8	9	14	15	15
1. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	7	7.0	22	2	2	8	9	14	15	15
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	10	5.3	22	1	1	3	9	12	15	15
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	7	5.9	25	1	1	3	9	14	15	15
GRAND TOTAL	**11**	**5.1**	**20**	**1**	**1**	**3**	**9**	**12**	**15**	**15**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	2.2	5	<1	<1	1	3	6	6	6
1-5 YRS	14	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	27	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	3	2.0	1	1	1	2	3	3	3	3
1. SINGLE DX	27	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	4	1.8	1	<1	<1	1	2	3	3	3
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	30	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	1.9	3	<1	<1	1	2	5	6	6
1-5 YRS	15	1.3		<1	<1	1	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**31**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	7.0	61	2	2	3	13	16	16	16
1-5 YRS	5	9.0	15	5	5	8	13	13	13	13
6-12 YRS	9	7.9	14	<1	2	8	10	13	13	13
13-19 YRS	10	7.4	19	2	2	7	10	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	11	18.1	101	3	5	18	28	30	30	30
1-5 YRS	11	14.7	246	4	4	7	20	41	52	53
6-12 YRS	9	8.9	48	2	3	6	11	21	24	24
13-19 YRS	17	9.7	37	2	3	9	11	15	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	28	7.9	18	1	2	7	11	13	16	16
2. MULTIPLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	49	12.7	106	2	4	9	16	28	30	53
1. SINGLE DX	30	7.6	18	1	2	7	10	13	16	16
2. MULTIPLE DX	53	11.8	108	1	2	9	16	28	30	52
A. NOT OPERATED	6	2.3	8	1	1	1	2	7	8	8
B. OPERATED	77	10.9	79	2	3	9	14	24	29	48
TOTAL 0-27 DYS	2	13.0	32	9	9	13	17	17	17	17
1-11 MOS	15	14.7	116	1	2	15	25	30	30	30
1-5 YRS	18	11.6	169	1	2	7	13	30	45	53
6-12 YRS	20	8.1	28	1	2	7	9	15	20	24
13-19 YRS	28	8.6	32	2	2	8	11	15	17	28
GRAND TOTAL	**83**	**10.3**	**79**	**1**	**2**	**8**	**13**	**24**	**29**	**46**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	69	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	24	2.5	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	76	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	26	2.4	1	1	1	2	3	4	4	5
1. SINGLE DX	76	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	27	2.4	1	1	1	2	3	4	4	5
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	102	2.2	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	94	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**103**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	6.0	2	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.0	8	2	2	2	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.5	85	5	5	11	18	18	18	18
13-19 YRS	29	11.0	162	3	3	7	11	25	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	11	6.0	2	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	8	2	2	2	7	7	7	7
B. *Operated*	31	11.0	154	3	3	7	11	24	34	65
1. SINGLE DX	20	4.1	6	<1	<1	4	6	7	8	8
2. MULTIPLE DX	36	10.1	139	2	2	7	10	21	32	65
A. NOT OPERATED	14	2.5	4	<1	<1	2	3	7	7	7
B. OPERATED	42	9.7	118	3	4	7	9	19	30	65
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.0	79	1	1	5	15	18	18	18
13-19 YRS	53	7.9	102	1	2	6	8	13	27	64
GRAND TOTAL	**56**	**7.9**	**99**	**1**	**2**	**6**	**8**	**15**	**26**	**63**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.0	4	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.2	3	1	1	2	3	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	2.7	5	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	2.5	4	1	1	2	3	6	7	7
1. SINGLE DX	9	2.7	5	<1	<1	1	4	6	6	6
2. MULTIPLE DX	14	2.5	4	1	1	2	3	6	7	7
A. NOT OPERATED										
B. OPERATED	23	2.6	4	<1	1	2	4	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	3	5.3	1	4	4	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.2	3	<1	1	1	3	5	6	7
GRAND TOTAL	**23**	**2.6**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**	**7**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	3	5.3	16	1	1	6	8	9	9	9
1. SINGLE DX	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX	4	4.5	14	1	1	4	7	9	9	9
A. NOT OPERATED	4	2.0	1	1	1	2	3	3	3	3
B. OPERATED	4	5.8	12	1	1	6	8	9	9	9
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**8**	**3.9**	**9**	**1**	**1**	**3**	**6**	**8**	**9**	**9**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.5	1	1	1	1	2	3	3	3
1-5 YRS	22	2.4	3	<1	<1	2	3	5	6	7
6-12 YRS	16	2.5	6	<1	<1	2	3	5	8	10
13-19 YRS	21	3.0	5	1	1	2	4	6	8	9
B. *Operated*										
0-27 DYS	5	7.4	34	2	2	8	11	16	16	16
1-11 MOS	16	3.5	9	<1	<1	2	7	8	9	9
1-5 YRS	54	3.9	18	<1	1	2	5	8	15	19
6-12 YRS	81	4.3	17	<1	1	3	6	8	9	24
13-19 YRS	136	5.0	27	<1	1	3	6	9	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	39	3.7	29	<1	<1	2	3	9	13	31
6-12 YRS	41	3.6	74	<1	<1	2	3	6	8	56
13-19 YRS	50	2.8	8	<1	<1	2	3	6	9	16
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	7	6.9	18	1	1	9	10	12	12	12
1-5 YRS	41	7.8	65	1	1	5	10	17	24	41
6-12 YRS	67	7.8	46	1	2	6	11	15	18	38
13-19 YRS	96	7.5	48	1	2	6	9	17	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	292	4.5	22	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	133	3.3	34	<1	<1	2	3	6	9	35
B. *Operated*	213	7.6	49	1	1	6	9	15	23	40
1. SINGLE DX	357	4.2	19	<1	1	3	6	8	11	22
2. MULTIPLE DX	346	5.9	47	<1	1	3	8	13	18	40
A. NOT OPERATED	198	3.0	24	<1	<1	2	3	6	9	24
B. OPERATED	505	5.8	36	1	1	4	8	13	17	27
TOTAL 0-27 DYS	8	5.9	26	1	1	4	8	14	16	16
1-11 MOS	31	3.7	12	<1	1	2	7	9	10	12
1-5 YRS	156	4.6	34	<1	<1	2	6	11	16	31
6-12 YRS	205	5.2	40	<1	1	3	7	11	15	32
13-19 YRS	303	5.3	32	<1	1	3	7	11	17	26
GRAND TOTAL	**703**	**5.0**	**34**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS										
6-12 YRS	8	2.6	2	1	1	3	4	4	4	4
13-19 YRS	57	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	22	3.0	1	2	2	3	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	68	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*	26	2.9	1	2	2	3	4	4	5	5
1. SINGLE DX	70	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	31	2.8	1	1	2	3	4	4	4	5
A. NOT OPERATED	7	2.9	2	<1	<1	3	4	5	5	5
B. OPERATED	94	2.5	1	1	1	2	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS	5	2.8	1	2	2	3	3	4	4	4
1-5 YRS										
6-12 YRS	12	2.6	1	1	1	3	3	4	4	4
13-19 YRS	84	2.5	1	1	1	2	3	4	4	5
GRAND TOTAL	**101**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.0	1	1	1	2	3	3	3	3
1-11 MOS	4	3.3	7	1	1	2	5	7	7	7
1-5 YRS	11	4.8	19	<1	<1	3	9	12	12	12
6-12 YRS	10	3.2	8	<1	<1	2	3	8	9	9
13-19 YRS	23	3.7	5	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	3.0	3	1	1	4	4	4	4	4
6-12 YRS	12	3.2	3	1	1	3	4	5	5	5
13-19 YRS	76	3.3	3	1	2	3	4	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	5	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	18	4.3	17	1	1	3	5	9	15	18
13-19 YRS	52	4.1	8	1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	11.5	25	8	8	11	15	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	34	5.2	31	1	1	4	6	7	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.5	8	<1	1	3	4	8	10	12
B. *Operated*	93	3.2	3	1	1	3	4	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	10	1	1	3	5	8	10	16
B. *Operated*	37	5.5	31	1	1	4	6	8	18	31
1. SINGLE DX	150	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX	117	4.5	17	1	1	3	6	8	11	23
A. NOT OPERATED	137	3.8	9	1	1	3	5	8	10	14
B. OPERATED	130	3.9	12	1	1	3	4	6	8	21
TOTAL 0-27 DYS	12	2.3	1	1	1	2	3	4	4	4
1-11 MOS	8	3.3	6	1	1	2	5	7	7	7
1-5 YRS	21	4.5	18	<1	<1	3	5	12	13	15
6-12 YRS	41	3.7	10	1	1	3	4	7	9	18
13-19 YRS	185	3.9	10	1	1	3	4	7	9	17
GRAND TOTAL	**267**	**3.8**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

1473 Hospitals, United States, January-December 1986

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	73	4.7	4	1	2	5	6	7	8	10
6-12 YRS	207	4.9	4	2	2	5	6	7	8	11
13-19 YRS	142	6.7	127	1	2	5	6	9	16	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0		4	4	4	4	4	4	4
1-5 YRS	86	4.8	6	1	1	5	6	7	9	14
6-12 YRS	238	4.5	12	<1	1	4	6	8	9	17
13-19 YRS	182	4.6	29	<1	1	4	6	8	9	51
B. *Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	6	6.2	14	3	3	5	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	5.4	46	2	2	5	6	8	9	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	509	4.6	17	<1	1	4	6	8	9	27
B. *Operated*	10	6.1	24	1	1	5	7	14	16	16
1. SINGLE DX	424	5.4	46	2	2	5	6	8	9	44
2. MULTIPLE DX	519	4.6	17	<1	1	4	6	8	9	26
A. NOT OPERATED	933	5.0	30	1	1	4	6	8	9	32
B. OPERATED	10	6.1	24	1	1	5	7	14	16	16
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	6.2	30	3	3	4	7	16	16	16
1-5 YRS	159	4.8	5	1	2	5	6	7	8	10
6-12 YRS	448	4.7	8	<1	1	5	6	8	9	13
13-19 YRS	330	5.5	72	1	1	4	6	8	10	86
GRAND TOTAL	**943**	**5.0**	**30**	**1**	**1**	**4**	**6**	**8**	**9**	**32**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.6	4	1	1	3	5	6	6	6
1-5 YRS	65	4.8	6	1	2	4	6	8	9	11
6-12 YRS	567	4.2	10	1	1	3	6	8	10	15
13-19 YRS	1231	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	6.8	5	4	4	8	8	9	9	9
13-19 YRS	13	4.6	5	2	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	7.4	22	<1	1	7	11	14	15	15
1-5 YRS	129	5.5	18	1	1	5	6	10	13	24
6-12 YRS	691	4.4	19	1	1	3	6	8	9	17
13-19 YRS	1892	4.2	15	1	2	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS	5	8.2	2	7	7	8	9	10	10	10
6-12 YRS	16	5.6	8	2	2	5	7	10	11	12
13-19 YRS	76	8.1	56	2	3	7	9	13	18	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1873	3.6	6	1	1	3	5	7	8	12
B. *Operated*	20	5.1	6	1	2	5	7	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	2722	4.3	16	1	1	3	5	8	10	16
B. *Operated*	98	7.9	48	2	3	7	9	12	18	44
1. SINGLE DX	1893	3.6	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2820	4.4	18	1	2	3	6	8	10	17
A. NOT OPERATED	4595	4.0	12	1	1	3	5	7	9	15
B. OPERATED	118	7.4	42	2	3	6	8	11	16	42
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	21	6.3	35	<1	1	5	7	14	19	25
1-5 YRS	200	5.4	14	1	2	5	7	9	11	20
6-12 YRS	1279	4.3	15	1	1	3	6	8	10	16
13-19 YRS	3212	3.9	12	1	1	3	5	7	9	14
GRAND TOTAL	**4713**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**9**	**15**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	11	2	2	3	4	10	11	11
1-5 YRS	87	5.7	9	3	3	5	7	9	11	19
6-12 YRS	349	5.0	7	2	2	5	7	8	10	15
13-19 YRS	519	4.5	9	1	2	4	6	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.5	6	4	4	6	8	10	10	10
1-11 MOS	12	8.7	35	2	3	8	10	16	24	25
1-5 YRS	87	4.9	9	1	1	5	6	8	10	17
6-12 YRS	329	5.6	61	1	1	4	7	10	12	93
13-19 YRS	827	4.8	13	1	1	4	6	9	11	21
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	12.7	1	12	12	12	14	14	14	14
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	6.0	12	2	2	6	9	10	11	11
13-19 YRS	58	7.3	37	1	2	5	10	15	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	961	4.8	8	1	2	4	6	8	10	15
B. *Operated*	5	4.8	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1259	5.0	25	1	2	4	6	9	11	22
B. *Operated*	72	7.3	32	2	2	6	10	14	16	32
1. SINGLE DX	966	4.8	8	1	2	4	6	8	10	15
2. MULTIPLE DX	1331	5.2	26	1	2	4	6	9	12	24
A. NOT OPERATED	2220	4.9	18	1	2	4	6	9	10	20
B. OPERATED	77	7.2	31	2	2	6	9	14	16	32
TOTAL 0-27 DYS	5	6.0	6	4	4	6	7	10	10	10
1-11 MOS	21	8.0	30	2	2	8	11	13	19	25
1-5 YRS	177	5.3	9	1	2	5	6	8	11	17
6-12 YRS	688	5.3	33	1	2	4	7	9	11	33
13-19 YRS	1406	4.8	12	1	2	4	6	8	11	20
GRAND TOTAL	**2297**	**5.0**	**19**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	24	3.3	3	<1	<1	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	13	2.1	2	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	50	3.9	5	<1	1	4	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.9	2	1	1	1	3	4	4	4
B. *Operated*	27	3.3	3	<1	<1	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	4	5	5
B. *Operated*	52	4.0	5	<1	1	4	5	7	8	9
1. SINGLE DX	36	3.0	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX	68	3.5	5	<1	1	3	5	6	8	9
A. NOT OPERATED	25	2.0	2	<1	1	2	3	4	4	5
B. OPERATED	79	3.7	4	<1	<1	4	5	6	8	9
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	3.5	4	1	1	3	6	6	6	6
13-19 YRS	95	3.4	4	<1	1	3	5	6	7	9
GRAND TOTAL	**104**	**3.3**	**4**	**<1**	**1**	**3**	**5**	**6**	**7**	**9**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	7.4	23	1	1	9	11	13	13	13
1-11 MOS	29	3.2	10	1	1	2	4	7	8	16
1-5 YRS	133	1.8	2	<1	1	1	2	3	4	9
6-12 YRS	110	1.7	2	<1	<1	1	2	3	5	9
13-19 YRS	97	1.9	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	4	3	3	6	7	7	7	7
1-5 YRS	7	5.1	11	1	1	4	8	10	10	10
6-12 YRS	9	4.0	22	1	1	3	4	12	16	16
13-19 YRS	8	4.0	7	2	2	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	5.1	10	2	2	4	7	10	11	11
1-11 MOS	80	5.0	26	1	1	3	6	9	14	31
1-5 YRS	224	2.8	9	<1	1	2	3	6	9	16
6-12 YRS	217	2.6	8	<1	1	2	3	5	7	14
13-19 YRS	290	3.1	14	1	1	2	3	7	9	19
B. *Operated*										
0-27 DYS	1	55.0		55	55	55	55	55	55	55
1-11 MOS	10	24.4	714	4	4	13	35	63	90	90
1-5 YRS	16	9.5	130	1	1	5	13	35	78	99+
6-12 YRS	8	12.1	241	2	3	8	9	38	50	50
13-19 YRS	20	8.7	149	1	1	4	10	22	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.0	4	<1	<1	1	2	4	6	12
B. *Operated*	27	4.4	12	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	821	3.1	12	<1	1	2	4	6	9	18
B. *Operated*	55	13.1	306	1	2	6	14	36	54	99
1. SINGLE DX	405	2.2	5	<1	<1	1	2	4	7	12
2. MULTIPLE DX	876	3.7	36	1	1	2	4	7	11	35
A. NOT OPERATED	1199	2.7	10	<1	1	2	3	6	8	16
B. OPERATED	82	10.3	225	1	2	5	9	35	51	97
TOTAL 0-27 DYS	20	8.7	135	1	1	7	10	12	34	55
1-11 MOS	122	6.2	103	1	1	3	7	11	19	51
1-5 YRS	380	2.8	14	<1	1	2	3	6	9	27
6-12 YRS	344	2.5	13	<1	<1	1	3	5	7	16
13-19 YRS	415	3.1	19	<1	1	2	3	7	9	23
GRAND TOTAL	**1281**	**3.2**	**27**	**<1**	**1**	**2**	**3**	**7**	**9**	**29**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	15	6.8	40	<1	2	4	8	15	22	25
1-5 YRS	7	6.1	70	1	1	4	4	21	25	25
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.5	7	5	5	9	10	11	11	11
1-11 MOS	53	7.3	49	1	2	5	7	17	27	32
1-5 YRS	54	6.6	31	1	2	5	8	12	17	30
6-12 YRS	14	8.9	63	2	2	6	10	18	29	32
13-19 YRS	46	26.0	543	1	2	21	42	55	67	85
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	5	31.8	1295	6	6	25	94	99	99+	99+
1-5 YRS	18	12.9	100	2	5	11	22	68	99+	99+
6-12 YRS	12	11.0	70	1	2	9	17	24	26	26
13-19 YRS	20	14.2	154	2	3	10	25	38	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.1	41	1	1	4	7	14	25	25
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	171	12.3	244	1	2	6	12	34	51	78
B. *Operated*	56	14.9	227	2	3	11	25	39	99+	99+
1. SINGLE DX	28	5.9	40	1	1	4	7	14	25	25
2. MULTIPLE DX	227	12.9	240	1	2	7	15	36	55	99+
A. NOT OPERATED	198	11.4	220	1	2	6	11	32	46	73
B. OPERATED	57	14.7	226	2	3	10	25	39	99+	99+
TOTAL 0-27 DYS	7	9.7	93	1	1	8	11	26	30	30
1-11 MOS	74	8.8	153	1	2	5	9	22	30	98
1-5 YRS	79	8.0	56	1	2	6	10	21	32	99+
6-12 YRS	28	9.6	60	2	2	8	11	23	27	32
13-19 YRS	67	22.1	451	1	2	15	36	55	65	97
GRAND TOTAL	**255**	**12.2**	**222**	**1**	**2**	**6**	**14**	**34**	**52**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	41	4.2	15	1	1	3	5	9	12	20
1-5 YRS	109	8.2	27	<1	<1	9	12	14	15	23
6-12 YRS	118	10.4	44	2	3	10	13	16	20	36
13-19 YRS	133	10.7	36	3	4	10	13	15	21	35
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.7	294	1	1	14	30	35	35	35
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	10	16.4	135	2	6	13	20	33	46	46
13-19 YRS	4	10.5	4	9	9	10	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	14	2	2	3	7	9	9	9
1-11 MOS	119	10.1	70	1	2	9	14	18	27	42
1-5 YRS	190	9.9	28	2	3	10	13	15	19	25
6-12 YRS	314	11.1	28	2	5	11	14	15	20	26
13-19 YRS	396	13.0	60	4	5	12	15	19	24	56
B. *Operated*										
0-27 DYS	7	24.0	360	8	9	16	29	57	63	63
1-11 MOS	18	20.0	213	4	6	16	34	50	79	99+
1-5 YRS	14	10.7	35	2	3	11	14	17	22	24
6-12 YRS	32	15.3	106	4	6	14	19	22	27	62
13-19 YRS	66	17.8	123	4	5	15	23	35	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	9.3	38	1	2	9	12	14	18	29
B. *Operated*	20	13.6	119	1	1	12	15	28	40	46
2. MULTIPLE DX										
A. *Not Operated*	1022	11.5	47	2	4	11	14	18	21	35
B. *Operated*	137	17.1	137	4	5	14	21	34	45	67
1. SINGLE DX	422	9.5	42	1	2	9	12	15	19	33
2. MULTIPLE DX	1159	12.1	61	3	4	11	14	19	25	47
A. NOT OPERATED	1424	10.9	45	2	3	10	14	17	21	32
B. OPERATED	157	16.7	136	3	4	14	21	34	45	63
TOTAL 0-27 DYS	11	16.7	321	2	2	11	23	44	61	63
1-11 MOS	181	9.9	91	1	2	8	14	20	34	54
1-5 YRS	316	9.3	28	<1	2	10	13	15	18	25
6-12 YRS	474	11.3	41	2	4	11	14	17	21	27
13-19 YRS	599	13.0	65	4	5	12	15	21	27	47
GRAND TOTAL	**1581**	**11.4**	**57**	**2**	**3**	**11**	**14**	**18**	**23**	**46**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	44	5.2	6	2	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	14.3	354	2	2	5	28	36	36	36
1-5 YRS	6	3.8	11	2	2	2	9	82	99+	99+
6-12 YRS	18	12.7	378	1	1	4	11	40	63	76
13-19 YRS	23	21.6	441	1	2	13	44	56	59	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	15.0	200	5	5	15	25	25	25	25
13-19 YRS	47	5.9	9	2	3	5	7	9	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	4	<1	<1	3	4	6	7	7
B. *Operated*	45	5.2	6	2	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	50	15.8	381	1	2	5	25	51	59	99+
B. *Operated*	50	6.3	16	2	3	5	7	10	11	25
1. SINGLE DX	53	4.8	6	2	2	4	6	8	9	12
2. MULTIPLE DX	100	11.0	219	2	2	5	10	38	52	88
A. NOT OPERATED	58	14.0	348	1	1	4	20	48	59	98
B. OPERATED	95	5.7	11	2	3	5	7	9	10	22
TOTAL 0-27 DYS										
1-11 MOS	3	14.3	354	2	2	5	28	36	36	36
1-5 YRS	8	4.0	8	2	2	3	7	64	99+	99+
6-12 YRS	23	11.9	310	1	2	5	10	33	55	76
13-19 YRS	119	8.5	129	2	2	5	8	14	43	59
GRAND TOTAL	**153**	**8.9**	**154**	**2**	**2**	**5**	**8**	**21**	**45**	**75**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	2.9	8	<1	1	2	3	6	10	15
1-11 MOS	34	2.6	4	1	1	2	3	5	8	8
1-5 YRS	87	2.1	5	<1	<1	1	3	5	6	99+
6-12 YRS	68	2.1	5	<1	<1	1	2	5	6	13
13-19 YRS	59	3.7	30	<1	1	2	4	8	14	29
B. *Operated*										
0-27 DYS										
1-11 MOS	11	3.6	4	<1	1	3	4	7	8	8
1-5 YRS	34	3.7	9	<1	1	3	5	7	11	14
6-12 YRS	33	4.2	9	1	1	4	6	8	11	14
13-19 YRS	18	2.9	3	<1	<1	3	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	32	5.5	17	1	1	4	8	11	12	18
1-11 MOS	101	8.2	97	1	1	4	9	21	24	56
1-5 YRS	224	4.3	23	<1	<1	2	5	10	17	26
6-12 YRS	172	3.8	29	<1	<1	2	4	8	13	30
13-19 YRS	129	4.5	24	<1	<1	3	5	11	15	25
B. *Operated*										
0-27 DYS	5	13.2	61	3	3	11	20	22	22	22
1-11 MOS	34	17.2	444	1	2	10	21	73	94	99+
1-5 YRS	49	11.6	225	1	1	6	14	39	52	99+
6-12 YRS	32	13.4	212	<1	2	7	17	35	45	61
13-19 YRS	36	6.1	22	1	2	5	7	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	2.6	11	<1	<1	2	3	5	8	29
B. *Operated*	96	3.7	8	<1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	658	4.8	38	<1	<1	3	6	11	18	30
B. *Operated*	156	12.0	228	1	2	6	14	35	60	99+
1. SINGLE DX	379	2.9	10	<1	<1	2	3	6	8	25
2. MULTIPLE DX	814	6.2	82	<1	1	3	7	15	22	66
A. NOT OPERATED	941	4.2	31	<1	<1	2	5	9	16	29
B. OPERATED	252	8.8	160	1	1	5	9	21	41	99
TOTAL 0-27 DYS	72	4.8	22	1	1	3	6	11	15	22
1-11 MOS	180	8.6	160	1	1	4	9	21	35	93
1-5 YRS	394	4.7	50	<1	<1	2	5	11	19	86
6-12 YRS	305	4.5	50	<1	<1	2	4	10	15	42
13-19 YRS	242	4.4	24	<1	<1	3	5	10	15	27
GRAND TOTAL	**1193**	**5.2**	**61**	**<1**	**<1**	**3**	**6**	**12**	**19**	**60**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	3	7.3	34	3	3	5	12	14	14	14
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX	4	7.8	24	3	3	7	11	14	14	14
A. NOT OPERATED	4	6.5	26	3	3	4	9	14	14	14
B. OPERATED	3	3.7	21	1	1	1	7	9	9	9
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	3	3.3	4	1	1	4	5	5	5	5
GRAND TOTAL	**7**	**5.3**	**22**	**1**	**1**	**4**	**8**	**13**	**14**	**14**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.3	6	<1	1	3	4	8	8	8
1-11 MOS	72	2.5	3	1	1	2	4	4	5	11
1-5 YRS	162	2.2	1	1	1	2	3	4	4	6
6-12 YRS	73	2.1	3	1	1	2	2	4	4	12
13-19 YRS	49	2.3	4	1	1	2	3	4	6	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	138	4.2	15	1	1	3	5	8	12	21
1-11 MOS	1989	3.6	11	1	1	3	4	6	8	17
1-5 YRS	4097	2.8	5	1	1	2	3	5	6	10
6-12 YRS	1503	2.8	6	1	1	2	3	5	6	12
13-19 YRS	1292	3.0	13	1	1	2	4	5	6	14
B. *Operated*										
0-27 DYS	14	9.1	36	2	3	8	14	17	20	21
1-11 MOS	56	11.5	146	3	3	7	16	37	52	99+
1-5 YRS	59	8.4	102	1	1	4	11	20	28	51
6-12 YRS	23	8.5	60	1	1	7	9	22	25	30
13-19 YRS	35	10.9	211	1	1	4	17	30	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	2.3	3	1	1	2	3	4	5	9
B. *Operated*	7	2.6	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	9019	3.0	8	1	1	2	4	5	6	13
B. *Operated*	187	9.9	125	1	2	5	13	24	40	85
1. SINGLE DX	376	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	9206	3.2	11	1	1	2	4	5	7	16
A. NOT OPERATED	9388	3.0	8	1	1	2	3	5	6	13
B. OPERATED	194	9.6	122	1	2	5	13	24	39	82
TOTAL 0-27 DYS	166	4.5	18	1	1	3	5	10	14	21
1-11 MOS	2119	3.7	16	1	1	3	4	6	8	23
1-5 YRS	4321	2.9	7	1	1	2	3	5	6	12
6-12 YRS	1599	2.8	7	1	1	2	3	5	6	14
13-19 YRS	1377	3.2	19	1	1	2	4	5	7	20
GRAND TOTAL	**9582**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.4	2	1	1	2	3	4	5	5
1-5 YRS	40	2.8	2	1	1	3	4	5	6	6
6-12 YRS	3	3.7	6	<1	<1	4	5	6	6	6
13-19 YRS	27	2.8	3	1	1	2	3	4	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.6	2	2	2	3	4	6	6	6
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	4.5	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	34	3.4	6	1	1	3	5	6	7	11
1-5 YRS	68	3.2	5	1	1	2	5	6	6	14
6-12 YRS	17	3.9	25	<1	<1	3	4	7	17	22
13-19 YRS	94	2.7	3	1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	5.2	17	2	2	4	7	12	12	12
1-5 YRS	7	2.3	4	1	1	1	3	5	6	6
6-12 YRS	3	5.3	14	1	1	7	8	8	8	8
13-19 YRS	13	7.1	33	<1	1	5	10	15	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.8	3	1	1	2	4	5	6	9
B. *Operated*	11	3.6	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	214	3.1	6	1	1	2	4	6	7	14
B. *Operated*	29	5.3	22	1	1	4	7	12	14	21
1. SINGLE DX	92	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	243	3.4	8	1	1	3	4	6	7	15
A. NOT OPERATED	295	3.0	5	1	1	2	4	6	6	12
B. OPERATED	40	4.8	17	1	1	4	6	11	13	21
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	51	3.3	6	1	1	3	5	6	7	12
1-5 YRS	120	3.0	4	1	1	3	4	6	6	10
6-12 YRS	24	4.0	19	<1	<1	3	5	7	12	22
13-19 YRS	138	3.2	7	1	1	3	4	6	7	15
GRAND TOTAL	**335**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	3.9	3	2	2	3	5	6	8	10
1-5 YRS	215	3.5	4	1	1	3	5	6	7	11
6-12 YRS	330	3.8	6	1	1	3	5	7	8	14
13-19 YRS	647	4.7	10	1	1	4	6	8	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	53	3.8	4	1	2	3	5	6	8	11
1-5 YRS	432	4.2	7	1	2	4	5	7	8	15
6-12 YRS	430	4.7	11	1	1	4	6	9	11	16
13-19 YRS	641	5.8	20	1	2	5	7	10	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	16	5.8	22	2	2	4	6	12	18	20
6-12 YRS	19	8.6	69	2	2	7	11	15	28	38
13-19 YRS	37	11.8	97	2	3	9	14	26	36	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1214	4.2	8	1	1	4	5	8	9	16
B. *Operated*	8	4.3	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1558	5.0	14	1	2	4	6	9	12	19
B. *Operated*	74	9.4	76	2	2	7	12	18	33	41
1. SINGLE DX	1222	4.2	8	1	1	4	5	7	9	16
2. MULTIPLE DX	1632	5.2	17	1	2	4	6	10	12	20
A. NOT OPERATED	2772	4.7	11	1	1	4	6	8	11	18
B. OPERATED	82	8.9	71	2	2	6	12	17	30	41
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	78	3.8	4	2	2	3	5	6	8	11
1-5 YRS	666	4.0	6	1	2	4	5	7	8	15
6-12 YRS	781	4.4	11	1	1	4	6	8	10	16
13-19 YRS	1327	5.4	19	1	1	5	7	10	13	21
GRAND TOTAL	**2854**	**4.8**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	1.9	2	1	1	2	2	4	5	5
1-11 MOS	62	2.2	3	<1	<1	2	3	4	5	11
1-5 YRS	152	2.4	5	<1	<1	1	3	5	8	10
6-12 YRS	130	2.5	7	<1	<1	1	3	6	8	13
13-19 YRS	89	3.0	12	<1	1	1	4	7	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.0	3	1	2	2	4	5	6	7
1-5 YRS	63	3.9	11	<1	1	3	5	7	12	17
6-12 YRS	40	5.7	72	2	2	4	5	9	11	56
13-19 YRS	17	9.6	324	1	1	5	8	14	56	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.2	5	1	1	3	5	6	7	7
1-11 MOS	96	3.7	15	1	1	3	4	8	12	21
1-5 YRS	296	3.4	16	<1	<1	2	4	7	10	19
6-12 YRS	223	3.3	16	<1	<1	2	4	7	10	16
13-19 YRS	204	3.4	14	<1	1	2	4	9	11	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	27	6.6	65	<1	1	3	8	17	24	35
1-5 YRS	81	9.9	80	1	2	7	14	24	28	41
6-12 YRS	62	7.3	47	2	3	5	7	15	20	41
13-19 YRS	56	7.6	44	1	2	6	9	16	25	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	2.5	7	<1	<1	1	3	5	8	12
B. *Operated*	136	5.0	69	1	1	3	5	8	12	59
2. MULTIPLE DX										
A. *Not Operated*	829	3.4	15	<1	<1	2	4	7	10	17
B. *Operated*	227	8.2	61	1	1	6	10	18	26	42
1. SINGLE DX	580	3.1	22	<1	<1	2	4	6	9	16
2. MULTIPLE DX	1056	4.5	29	<1	1	3	6	10	15	29
A. NOT OPERATED	1273	3.1	12	<1	<1	2	4	7	10	16
B. OPERATED	363	7.0	66	1	1	5	8	15	23	43
TOTAL 0-27 DYS	22	3.0	8	1	1	2	4	6	9	13
1-11 MOS	201	3.6	19	<1	1	2	4	7	12	24
1-5 YRS	592	4.1	27	<1	<1	2	5	9	14	29
6-12 YRS	455	3.8	25	<1	<1	3	5	8	11	24
13-19 YRS	366	4.3	35	<1	1	2	5	10	12	27
GRAND TOTAL	**1636**	**4.0**	**27**	**<1**	**1**	**2**	**5**	**9**	**12**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	3	<1	<1	2	2	6	6	6
1-5 YRS	11	4.2	16	<1	<1	3	6	10	14	14
6-12 YRS	26	3.8	2	1	1	4	5	5	6	6
13-19 YRS	23	5.9	12	2	2	6	8	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	3	4.0	27	1	1	1	8	10	10	10
1-5 YRS	29	5.0	50	<1	1	3	5	8	23	35
6-12 YRS	53	5.8	71	1	1	3	5	11	23	50
13-19 YRS	53	5.5	25	1	2	3	7	14	17	21
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	14.2	118	2	2	15	25	28	30	30
13-19 YRS	7	7.0	41	2	2	6	7	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.5	9	1	1	4	6	8	11	14
B. *Operated*	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	141	5.5	46	1	1	3	6	13	18	36
B. *Operated*	18	11.2	84	2	2	7	18	25	28	30
1. SINGLE DX	68	4.5	9	1	1	4	6	9	11	14
2. MULTIPLE DX	159	6.1	54	1	1	3	6	15	22	35
A. NOT OPERATED	207	5.1	35	1	1	4	6	11	14	33
B. OPERATED	20	10.8	78	2	2	7	17	25	28	30
TOTAL 0-27 DYS	4	6.8	40	2	2	4	10	16	16	16
1-11 MOS	9	2.9	10	<1	<1	2	3	8	10	10
1-5 YRS	41	4.9	39	<1	<1	3	6	8	18	35
6-12 YRS	88	6.1	63	1	1	4	5	14	25	44
13-19 YRS	85	5.8	22	1	2	4	7	13	15	21
GRAND TOTAL	**227**	**5.6**	**41**	**1**	**1**	**4**	**6**	**13**	**18**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	2	1	1	3	4	5	5	5
1-11 MOS	30	3.3	5	1	1	3	5	6	8	9
1-5 YRS	357	2.7	5	<1	<1	2	3	5	7	13
6-12 YRS	193	3.3	7	1	1	3	4	6	9	14
13-19 YRS	88	3.2	9	<1	<1	3	4	6	8	18
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	3.1	15	1	1	2	2	8	13	15
1-5 YRS	105	3.2	4	1	1	3	4	5	7	12
6-12 YRS	103	4.2	23	1	1	4	5	6	9	28
13-19 YRS	98	5.6	15	2	3	5	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.4	3	1	1	3	5	6	6	6
1-11 MOS	85	4.1	17	1	1	3	4	7	11	24
1-5 YRS	481	3.9	8	1	1	3	5	8	10	14
6-12 YRS	366	4.4	14	1	1	3	6	8	11	22
13-19 YRS	286	4.7	12	<1	1	4	6	9	11	18
B. *Operated*										
0-27 DYS	4	10.8	33	6	6	9	14	19	19	19
1-11 MOS	27	4.7	29	1	1	4	5	8	15	29
1-5 YRS	123	8.7	122	1	2	5	10	22	34	90
6-12 YRS	76	6.9	32	2	3	6	8	13	21	32
13-19 YRS	159	8.1	72	1	2	6	9	16	28	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	3.0	6	<1	1	2	4	5	8	13
B. *Operated*	321	4.3	15	1	1	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1228	4.3	11	1	1	3	5	8	11	17
B. *Operated*	389	7.9	77	1	2	5	9	16	27	58
1. SINGLE DX	995	3.4	9	<1	1	3	4	6	8	14
2. MULTIPLE DX	1617	5.1	29	1	1	4	6	10	14	30
A. NOT OPERATED	1902	3.8	10	<1	1	3	5	8	10	15
B. OPERATED	710	6.2	52	1	2	4	7	12	19	40
TOTAL 0-27 DYS	21	4.9	16	1	1	4	6	9	14	19
1-11 MOS	156	4.0	16	1	1	3	5	7	10	25
1-5 YRS	1066	4.0	23	<1	1	3	5	8	11	26
6-12 YRS	738	4.3	16	1	1	3	5	8	11	23
13-19 YRS	631	5.5	29	<1	1	4	7	10	14	30
GRAND TOTAL	**2612**	**4.5**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	151	1.7	1	1	1	1	2	3	4	5
6-12 YRS	757	1.8	1	1	1	1	2	3	4	5
13-19 YRS	748	1.8	1	1	1	2	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	67	3.3	2	2	2	3	4	6	6	9
6-12 YRS	407	3.0	2	1	2	3	4	4	5	8
13-19 YRS	534	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.4	1	2	2	2	3	4	4	4
1-5 YRS	108	1.9	2	<1	1	1	3	3	5	7
6-12 YRS	502	2.1	2	1	1	2	3	4	4	7
13-19 YRS	445	2.3	2	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	45	3.5	1	2	2	3	4	5	6	6
6-12 YRS	221	3.9	5	1	2	3	5	6	9	12
13-19 YRS	284	4.1	4	2	2	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1658	1.8	1	1	1	2	2	3	4	5
B. *Operated*	1010	3.2	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1060	2.2	2	1	1	2	3	4	4	8
B. *Operated*	552	4.0	4	2	2	4	5	6	8	11
1. SINGLE DX	2668	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1612	2.8	3	1	1	2	4	5	6	10
A. NOT OPERATED	2718	1.9	1	1	1	2	2	3	4	6
B. OPERATED	1562	3.5	3	2	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS	11	2.8	3	1	1	2	4	5	6	6
1-5 YRS	371	2.3	2	1	1	2	3	4	5	6
6-12 YRS	1887	2.4	2	1	1	2	3	4	5	8
13-19 YRS	2011	2.6	3	1	1	2	3	5	6	9
GRAND TOTAL	**4280**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	37	4.1	3	1	2	4	5	6	7	10
1-5 YRS	155	3.9	3	2	2	4	5	6	7	9
6-12 YRS	95	4.2	5	1	2	4	5	7	8	12
13-19 YRS	28	3.3	4	1	1	3	4	7	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.1	4	3	3	4	7	8	8	8
1-5 YRS	42	4.0	9	<1	1	3	6	8	9	12
6-12 YRS	31	2.6	6	<1	1	2	3	7	8	10
13-19 YRS	40	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	5.2	8	2	2	5	7	9	11	14
1-5 YRS	170	4.4	7	2	2	4	5	8	10	14
6-12 YRS	75	4.3	12	1	1	4	5	8	10	22
13-19 YRS	34	3.5	4	1	2	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	20	6.6	11	2	3	6	8	11	13	14
1-5 YRS	47	5.3	12	1	1	5	7	10	12	15
6-12 YRS	34	5.0	16	<1	1	4	7	9	10	22
13-19 YRS	24	4.9	24	<1	<1	3	6	12	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.0	4	1	2	4	5	6	8	10
B. *Operated*	122	3.2	7	<1	<1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	309	4.4	8	1	2	4	5	8	10	14
B. *Operated*	125	5.4	15	1	1	5	7	10	13	20
1. SINGLE DX	437	3.7	5	1	1	3	5	7	8	10
2. MULTIPLE DX	434	4.7	10	1	2	4	6	8	10	16
A. NOT OPERATED	624	4.2	6	1	2	4	5	7	8	12
B. OPERATED	247	4.3	12	<1	1	3	6	8	10	17
TOTAL 0-27 DYS										
1-11 MOS	96	5.0	7	2	2	5	6	8	10	14
1-5 YRS	414	4.3	6	1	2	4	5	8	9	13
6-12 YRS	235	4.1	9	1	1	3	5	8	10	13
13-19 YRS	126	3.3	8	<1	1	3	4	7	8	17
GRAND TOTAL	**871**	**4.2**	**8**	**1**	**1**	**4**	**5**	**8**	**9**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	11.1	309	<1	<1	3	13	38	56	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	15.8	222	3	3	12	27	35	35	35
1-5 YRS	4	2.3	4	<1	<1	1	3	5	5	5
6-12 YRS	8	7.3	245	1	1	2	2	33	46	46
13-19 YRS	41	9.6	115	1	1	4	15	24	36	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	11.1	309	<1	<1	3	13	38	56	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	57	9.2	132	1	1	3	13	24	36	46
B. *Operated*										
1. SINGLE DX	21	11.1	309	<1	<1	3	13	38	56	67
2. MULTIPLE DX	57	9.2	132	1	1	3	13	24	36	46
A. NOT OPERATED	78	9.7	177	<1	1	3	13	30	38	61
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS	4	15.8	222	3	3	12	27	35	35	35
1-5 YRS	4	2.3	4	<1	<1	1	3	5	5	5
6-12 YRS	8	7.3	245	1	1	2	2	33	46	46
13-19 YRS	62	10.1	177	<1	1	4	13	27	38	65
GRAND TOTAL	**78**	**9.7**	**177**	**<1**	**1**	**3**	**13**	**30**	**38**	**61**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	65	1.6	5	<1	1	1	1	2	4	15
6-12 YRS	90	1.6	15	1	1	1	1	2	3	99+
13-19 YRS	126	2.2	8	<1	1	1	2	4	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	9	4.4	29	<1	<1	2	6	14	17	17
1-5 YRS	73	2.6	9	1	1	2	3	5	10	17
6-12 YRS	113	6.0	131	<1	1	2	4	34	49	99+
13-19 YRS	289	8.7	258	1	1	3	8	23	53	99
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		1	1	2	51	99+	99+	99+
6-12 YRS	3	1.7	1	1	1	3	99+	99+	99+	99+
13-19 YRS	29	11.7	281	1	1	3	26	40	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	1.9	9	<1	1	1	2	3	5	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	486	7.1	191	1	1	2	6	19	45	99+
B. *Operated*	35	9.9	246	1	1	3	33	84	99+	99+
1. SINGLE DX	284	1.9	9	<1	1	1	2	3	5	34
2. MULTIPLE DX	521	7.3	194	1	1	2	6	24	51	99+
A. NOT OPERATED	770	5.2	130	1	1	2	4	11	28	99
B. OPERATED	35	9.9	246	1	1	3	33	84	99+	99+
TOTAL 0-27 DYS	3	4.7	16	1	1	4	8	9	9	9
1-11 MOS	11	4.0	24	<1	<1	2	4	12	17	17
1-5 YRS	141	2.1	7	<1	1	1	2	4	7	24
6-12 YRS	206	4.0	83	1	1	1	2	14	45	99+
13-19 YRS	444	7.1	198	1	1	2	5	18	39	98
GRAND TOTAL	**805**	**5.4**	**136**	**1**	**1**	**2**	**4**	**13**	**37**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility."

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	3.5	2	2	2	3	4	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	56	7.2	74	<1	1	4	6	22	27	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	64	6.8	66	<1	1	4	6	22	27	32
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	65	6.7	66	<1	1	4	6	22	27	32
A. NOT OPERATED	69	6.4	63	<1	1	3	6	22	27	32
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	3.5	2	2	2	3	4	6	6	6
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	61	6.7	70	<1	1	4	6	22	27	33
GRAND TOTAL	**70**	**6.3**	**63**	**<1**	**1**	**3**	**6**	**22**	**27**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	313	1	1	13	26	26	26	26
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	48	4.9	30	<1	<1	3	6	12	17	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7	10	4	4	9	10	10	10	10
1-11 MOS	3	5.0	13	1	1	6	7	8	8	8
1-5 YRS	2	25.0	152	1	1	25	49	49	49	49
6-12 YRS	6	3.2	12	1	1	2	3	9	10	10
13-19 YRS	202	9.2	132	1	1	5	10	27	32	50
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.2	37	<1	<1	3	6	14	19	26
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	216	9.1	133	1	1	5	10	27	32	51
B. *Operated*	1	24.0		24	24	24	24	24	24	24
1. SINGLE DX	53	5.2	36	<1	1	3	6	14	19	26
2. MULTIPLE DX	217	9.2	134	1	1	5	10	27	32	51
A. NOT OPERATED	268	8.3	117	1	1	4	9	24	30	49
B. OPERATED	2	14.5	181	5	5	14	24	24	24	24
TOTAL 0-27 DYS	3	7.7	10	4	4	9	10	10	10	10
1-11 MOS	3	5.0	13	1	1	6	7	8	8	8
1-5 YRS	4	19.3	532	1	1	14	37	49	49	49
6-12 YRS	8	3.0	9	1	1	2	3	8	10	10
13-19 YRS	252	8.4	115	1	1	5	9	24	30	46
GRAND TOTAL	**270**	**8.4**	**117**	**1**	**1**	**4**	**9**	**24**	**30**	**48**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	14.5	5	13	13	14	16	16	16	16
6-12 YRS	5	23.4	218	4	4	33	34	36	36	36
13-19 YRS	191	17.8	266	2	3	14	24	44	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	8.1	39	<1	1	6	9	19	21	21
1-5 YRS										
6-12 YRS	2	36.5	481	21	21	36	52	52	52	52
13-19 YRS	129	21.4	310	1	3	18	29	46	64	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	26.6	219	13	13	31	45	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	17.9	262	2	3	14	24	43	61	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	138	20.9	307	1	3	18	29	46	63	99+
B. *Operated*	5	26.6	219	13	13	31	45	94	99+	99+
1. SINGLE DX	199	17.9	262	2	3	14	24	43	61	99+
2. MULTIPLE DX	143	21.1	304	1	3	18	29	47	64	99+
A. NOT OPERATED	337	19.1	282	2	3	15	28	46	62	99+
B. OPERATED	5	26.6	219	13	13	31	45	94	99+	99+
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	8.1	39	<1	1	6	9	19	21	21
1-5 YRS	2	14.5	5	13	13	14	16	16	16	16
6-12 YRS	7	27.1	266	4	5	33	35	[illegible]	52	52
13-19 YRS	325	19.4	285	2	3	15	28	46	63	99+
GRAND TOTAL	**342**	**19.2**	**281**	**2**	**3**	**15**	**28**	**46**	**62**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	24.1	472	2	3	19	39	57	77	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	31.0		31	31	31	31	31	31	31
13-19 YRS	47	22.6	325	2	3	18	28	50	57	79
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	34.5	221	24	24	34	45	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	24.1	472	2	3	19	41	59	83	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	49	22.5	319	2	4	18	29	50	56	79
B. *Operated*	2	34.5	221	24	24	34	45	45	45	45
1. SINGLE DX	68	24.1	472	2	3	19	41	59	83	99+
2. MULTIPLE DX	51	22.9	316	2	4	18	30	50	56	79
A. NOT OPERATED	117	23.4	406	2	3	18	37	54	71	99+
B. OPERATED	2	34.5	221	24	24	34	45	45	45	45
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	31.0		31	31	65	99+	99+	99+	99+
13-19 YRS	117	23.7	406	2	3	19	38	51	63	99
GRAND TOTAL	**119**	**23.6**	**403**	**2**	**3**	**19**	**38**	**53**	**70**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	12.0	134	<1	<1	7	25	28	28	28
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	11	27.5	336	1	2	30	40	54	56	56
13-19 YRS	367	17.9	275	2	3	13	26	45	58	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	10.7	97	4	4	6	18	22	22	22
1-5 YRS	3	20.7	992	<1	<1	4	44	57	57	57
6-12 YRS	14	32.6	252	4	9	32	48	62	90	99+
13-19 YRS	393	21.8	384	2	3	17	34	57	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS	13	26.4	331	2	4	26	39	67	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	18.1	275	2	3	13	27	46	58	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	413	22.1	383	2	3	17	34	58	84	99+
B. *Operated*	14	26.5	306	2	4	27	39	63	91	99+
1. SINGLE DX	385	18.1	275	2	3	13	27	46	58	99+
2. MULTIPLE DX	427	22.2	380	2	3	18	34	58	84	99+
A. NOT OPERATED	798	20.1	335	2	3	15	30	51	67	99+
B. OPERATED	14	26.5	306	2	4	27	39	63	91	99+
TOTAL 0-27 DYS										
1-11 MOS	10	13.2	123	<1	2	7	25	28	28	28
1-5 YRS	4	19.8	665	<1	<1	10	37	57	57	57
6-12 YRS	25	30.3	283	2	4	31	44	56	70	99+
13-19 YRS	773	20.0	335	2	3	15	29	51	68	99+
GRAND TOTAL	**812**	**20.2**	**334**	**2**	**3**	**15**	**30**	**51**	**67**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	7.7	67	2	2	4	9	24	24	24
6-12 YRS	33	25.2	380	3	6	22	36	53	57	87
13-19 YRS	7	21.1	237	6	7	18	42	83	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	16.4	221	3	3	20	75	99+	99+	99+
6-12 YRS	76	34.2	725	2	3	35	60	96	99+	99+
13-19 YRS	21	28.0	490	2	3	26	38	63	70	78
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	50	99+	99+	99+	99+
6-12 YRS	2	36.5	1985	5	5	36	68	68	68	68
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	20.6	334	2	2	14	30	48	57	99+
B. *Operated*	1	29.0		29	29	64	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	118	29.9	632	2	3	29	55	99+	99+	99+
B. *Operated*	3	24.7	1412	1	1	36	84	99+	99+	99+
1. SINGLE DX	53	20.8	329	2	2	16	31	53	79	99+
2. MULTIPLE DX	121	29.8	640	2	3	29	59	99+	99+	99+
A. NOT OPERATED	170	27.1	557	2	3	25	46	91	99+	99+
B. OPERATED	4	25.8	946	1	1	48	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	34	12.9	178	2	2	11	40	99+	99+	99+
6-12 YRS	112	31.5	635	2	4	29	49	87	99+	99+
13-19 YRS	28	26.3	425	2	4	22	42	63	79	99+
GRAND TOTAL	**174**	**27.0**	**560**	**2**	**3**	**25**	**47**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	14.0	32	10	10	14	18	18	18	18
1-11 MOS	6	14.2	232	1	1	9	27	36	37	37
1-5 YRS	4	20.0	1157	2	2	3	37	71	71	71
6-12 YRS	76	26.7	278	2	4	26	39	50	58	92
13-19 YRS	854	18.7	274	1	3	15	28	45	61	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	63.0		63	63	63	63	63	63	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	7	13.9	100	2	3	15	26	79	99+	99+
1-5 YRS	4	30.8	510	2	2	32	47	56	56	56
6-12 YRS	159	32.2	463	4	6	30	52	71	97	99+
13-19 YRS	1964	24.1	451	2	3	18	37	62	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	42.0	18	39	39	42	45	45	45	45
13-19 YRS	59	27.3	661	2	3	19	50	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	19.3	281	1	3	15	29	46	61	99+
B. *Operated*	1	63.0		63	63	63	63	63	63	63
2. MULTIPLE DX										
A. *Not Operated*	2135	24.6	455	2	3	19	38	62	83	99+
B. *Operated*	61	27.8	646	2	3	20	49	86	99+	99+
1. SINGLE DX	943	19.3	283	1	3	15	29	46	61	99+
2. MULTIPLE DX	2196	24.7	460	2	3	19	38	63	84	99+
A. NOT OPERATED	3077	23.0	408	2	3	18	35	58	74	99+
B. OPERATED	62	28.4	656	2	3	20	51	86	99+	99+
TOTAL 0-27 DYS	3	14.7	17	10	10	16	17	18	18	18
1-11 MOS	13	14.0	147	1	1	15	27	43	87	99+
1-5 YRS	8	25.4	747	2	2	15	47	66	71	71
6-12 YRS	237	30.5	406	3	6	28	46	61	85	99+
13-19 YRS	2878	22.5	409	2	3	17	34	58	75	99+
GRAND TOTAL	**3139**	**23.1**	**413**	**2**	**3**	**18**	**35**	**59**	**75**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	28.8	501	3	4	25	38	61	75	82
13-19 YRS	364	17.2	220	2	3	13	24	36	48	78
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	12.3	240	1	1	6	24	30	30	30
6-12 YRS	36	33.3	647	3	4	34	58	99	99+	99+
13-19 YRS	563	22.1	384	2	3	17	32	57	79	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	28.8	600	3	4	18	50	63	73	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	17.8	238	2	3	13	25	38	50	81
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	605	22.6	404	2	3	18	34	60	83	99+
B. *Operated*	15	28.8	600	3	4	18	50	63	73	76
1. SINGLE DX	382	17.8	238	2	3	13	25	38	50	81
2. MULTIPLE DX	620	22.8	409	2	3	18	34	60	82	99+
A. NOT OPERATED	987	20.7	345	2	3	16	30	52	69	99+
B. OPERATED	15	28.8	600	3	4	18	50	63	73	76
TOTAL 0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	12.3	240	1	1	6	24	30	30	30
6-12 YRS	54	31.8	593	3	4	33	51	91	99+	99+
13-19 YRS	942	20.3	330	2	3	15	29	50	69	99+
GRAND TOTAL	**1002**	**20.9**	**349**	**2**	**3**	**16**	**30**	**52**	**70**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	45.0		45	45	45	45	45	45	45
6-12 YRS	19	7.7	52	1	1	7	10	19	26	27
13-19 YRS	166	12.7	176	1	1	8	18	30	39	77
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	3	9.7	58	3	3	8	15	18	18	18
1-5 YRS	6	7.0	128	1	1	3	4	27	30	30
6-12 YRS	39	26.2	724	1	1	23	41	87	99	99+
13-19 YRS	328	16.7	316	1	2	11	23	45	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	13.0	189	1	1	19	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	12.4	170	1	1	8	18	29	39	74
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	378	17.4	361	1	2	11	25	45	77	99+
B. *Operated*	3	13.0	189	1	1	28	99+	99+	99+	99+
1. SINGLE DX	187	12.3	170	1	1	8	17	29	39	74
2. MULTIPLE DX	381	17.4	359	1	2	11	25	46	80	99+
A. NOT OPERATED	564	15.8	303	1	1	10	22	41	58	99+
B. OPERATED	4	10.8	146	1	1	19	99+	99+	99+	99+
TOTAL 0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	3	9.7	58	3	3	8	15	18	18	18
1-5 YRS	7	12.4	313	1	1	3	23	42	45	45
6-12 YRS	58	20.1	575	1	1	11	32	76	99	99+
13-19 YRS	498	15.3	271	1	2	10	21	40	57	99+
GRAND TOTAL	**568**	**15.7**	**302**	**1**	**1**	**10**	**23**	**42**	**62**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	18	4.0	40	<1	<1	2	3	8	20	28
13-19 YRS	73	7.8	130	<1	1	3	7	28	38	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	10	1	1	4	53	99+	99+	99+
6-12 YRS	24	20.3	729	1	1	11	84	99+	99+	99+
13-19 YRS	171	10.4	214	<1	1	4	14	27	49	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	45.5	3785	2	2	45	89	89	89	89
13-19 YRS	4	26.3	1174	2	2	15	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	7.0	113	<1	1	3	6	22	33	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	198	11.5	281	1	1	5	17	46	88	99+
B. *Operated*	6	32.7	1560	2	2	15	86	98	99+	99+
1. SINGLE DX	92	7.0	113	<1	1	3	6	22	33	44
2. MULTIPLE DX	204	12.1	324	1	1	5	18	51	89	99+
A. NOT OPERATED	290	10.0	232	<1	1	4	13	37	60	99+
B. OPERATED	6	32.7	1560	2	2	15	86	98	99+	99+
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	3	3.3	10	1	1	4	53	99+	99+	99+
6-12 YRS	44	14.8	603	1	1	3	42	99+	99+	99+
13-19 YRS	248	9.9	205	<1	1	4	13	29	44	99+
GRAND TOTAL	**296**	**10.5**	**264**	**<1**	**1**	**4**	**14**	**39**	**75**	**99+**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	51	22.6	285	3	4	19	33	55	67	99+
13-19 YRS	532	18.8	357	1	1	12	29	46	61	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.2	49	3	3	5	12	20	20	20
1-5 YRS	4	34.5	722	4	4	35	56	63	63	63
6-12 YRS	180	37.2	511	5	10	39	62	99+	99+	99+
13-19 YRS	1319	23.5	448	2	3	18	40	62	89	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	3	43.3	856	11	11	59	84	99+	99+	99+
13-19 YRS	38	26.5	390	2	4	25	50	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	583	19.1	351	1	2	13	30	46	62	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1508	25.1	475	2	3	21	43	67	95	99+
B. *Operated*	42	27.4	417	3	4	25	51	94	99+	99+
1. SINGLE DX	583	19.1	351	1	2	13	30	46	62	98
2. MULTIPLE DX	1550	25.2	473	2	3	21	43	68	97	99+
A. NOT OPERATED	2091	23.5	447	1	3	18	40	62	85	99+
B. OPERATED	42	27.4	417	3	4	25	51	94	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	6	9.2	45	3	3	7	14	19	20	20
1-5 YRS	4	34.5	722	4	4	35	56	63	63	63
6-12 YRS	234	34.1	498	4	7	34	56	91	99+	99+
13-19 YRS	1889	22.2	426	1	2	16	36	59	79	99+
GRAND TOTAL	**2133**	**23.5**	**447**	**1**	**3**	**18**	**40**	**62**	**86**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	6	2.7	4	1	1	2	5	5	5	5
6-12 YRS	52	7.2	204	1	1	3	5	10	45	67
13-19 YRS	414	10.4	208	1	1	4	13	30	45	78
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	4.5	11	1	1	4	6	9	13	13
1-5 YRS	11	9.9	246	1	1	4	19	65	95	99+
6-12 YRS	101	16.9	494	1	1	5	24	57	77	99+
13-19 YRS	864	12.8	270	1	1	6	19	39	56	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	20.0	492	1	2	14	39	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	9.9	205	1	1	4	12	30	45	73
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	987	13.1	291	1	1	6	19	41	58	99+
B. *Operated*	28	20.0	492	1	2	14	39	77	99+	99+
1. SINGLE DX	476	9.9	205	1	1	4	12	30	45	73
2. MULTIPLE DX	1015	13.3	298	1	1	6	19	42	59	99+
A. NOT OPERATED	1462	12.1	265	1	1	5	17	38	56	99+
B. OPERATED	29	19.4	487	1	2	14	36	75	99	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	4.2	10	1	2	4	5	8	12	13
1-5 YRS	17	7.4	168	1	1	3	6	44	80	99+
6-12 YRS	153	13.6	415	1	1	4	20	46	68	99+
13-19 YRS	1307	12.2	257	1	1	5	17	38	55	99+
GRAND TOTAL	**1491**	**12.2**	**270**	**1**	**1**	**5**	**17**	**39**	**56**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	8.8	148	2	2	3	15	27	27	27
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	243	8.4	166	<1	<1	2	9	28	36	55
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	15.0	72	9	9	15	21	21	21	21
1-11 MOS	17	13.5	98	3	4	10	24	28	29	29
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	9	20.9	219	1	1	22	29	41	45	45
13-19 YRS	2305	23.6	248	1	2	25	35	43	47	61
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	26	28.1	294	2	3	29	36	50	57	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	8.4	164	<1	<1	2	9	28	35	54
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	2335	23.5	248	1	2	25	35	43	47	61
B. *Operated*	27	27.1	310	1	3	28	36	50	57	66
1. SINGLE DX	252	8.4	164	<1	<1	2	10	28	35	54
2. MULTIPLE DX	2362	23.5	248	1	2	25	35	43	47	61
A. NOT OPERATED	2586	22.0	260	1	1	22	33	42	47	61
B. OPERATED	28	26.9	299	1	3	28	35	50	56	66
TOTAL 0-27 DYS	3	11.0	84	3	3	9	18	21	21	21
1-11 MOS	21	12.6	105	2	3	7	24	28	29	29
1-5 YRS	3	8.7	114	2	2	3	16	21	21	21
6-12 YRS	12	16.0	237	1	1	14	26	39	44	45
13-19 YRS	2575	22.2	261	1	1	23	34	43	47	61
GRAND TOTAL	**2614**	**22.1**	**260**	**1**	**1**	**22**	**33**	**43**	**47**	**61**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	9.2	51	1	2	6	14	20	24	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	27.5	113	20	20	27	35	35	35	35
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	59	21.6	361	2	3	21	31	41	66	85
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	9.2	51	1	2	6	14	20	24	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	62	21.9	347	2	3	21	31	41	65	84
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	9	9.2	51	1	2	6	14	20	24	24
2. MULTIPLE DX	63	21.7	343	2	3	21	31	41	65	84
A. NOT OPERATED	71	20.3	326	2	3	19	30	40	62	83
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	2	27.5	113	20	20	27	35	35	35	35
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	69	19.8	333	2	3	15	29	41	63	83
GRAND TOTAL	**72**	**20.1**	**323**	**2**	**3**	**17**	**29**	**40**	**61**	**83**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	187	24.6	393	1	2	25	39	46	59	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	13.0	84	3	3	15	19	21	21	21
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	26.9	233	2	2	29	37	43	46	46
13-19 YRS	1522	26.4	269	3	4	28	37	45	53	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	41.0	293	22	27	39	60	82	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	24.5	392	1	2	25	39	46	59	90
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1536	26.4	269	3	4	28	37	45	53	81
B. *Operated*	21	41.0	293	22	27	39	60	82	99+	99+
1. SINGLE DX	189	24.5	392	1	2	25	39	46	59	90
2. MULTIPLE DX	1557	26.6	272	3	4	28	37	45	53	84
A. NOT OPERATED	1725	26.2	282	2	4	28	37	46	53	83
B. OPERATED	21	41.0	293	22	27	39	60	82	99+	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	13.0	84	3	3	15	19	21	21	21
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	10	27.0	207	2	2	29	37	42	46	46
13-19 YRS	1730	26.4	285	2	4	28	38	46	54	86
GRAND TOTAL	**1746**	**26.4**	**285**	**2**	**4**	**28**	**38**	**46**	**54**	**86**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	36	1.3	1	<1	<1	1	1	3	3	4
13-19 YRS	610	1.8	28	<1	<1	1	1	2	3	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	15.5	421	1	1	15	30	30	30	30
1-5 YRS	3	6.0	28	2	2	4	10	12	12	12
6-12 YRS	29	3.7	68	<1	<1	1	2	6	19	43
13-19 YRS	869	8.2	219	<1	<1	2	6	31	44	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	2.8	31	<1	<1	1	2	6	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	1.8	26	<1	<1	1	1	2	3	31
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	904	8.1	214	<1	<1	1	6	30	44	60
B. *Operated*	27	2.8	31	<1	<1	1	2	6	12	29
1. SINGLE DX	652	1.8	26	<1	<1	1	1	2	3	31
2. MULTIPLE DX	931	7.9	209	<1	<1	1	5	30	44	59
A. NOT OPERATED	1555	5.4	145	<1	<1	1	2	16	36	56
B. OPERATED	28	2.8	30	<1	<1	1	2	6	11	29
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	15.5	421	1	1	15	30	30	30	30
1-5 YRS	8	2.9	15	<1	<1	1	3	10	12	12
6-12 YRS	66	2.3	31	<1	<1	1	2	3	6	39
13-19 YRS	1506	5.5	148	<1	<1	1	2	17	36	56
GRAND TOTAL	**1583**	**5.4**	**143**	**<1**	**<1**	**1**	**2**	**15**	**36**	**55**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	166	10.7	195	<1	1	4	14	35	41	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	66	3	3	5	15	18	18	18
1-5 YRS										
6-12 YRS	15	19.2	399	1	1	9	27	60	62	63
13-19 YRS	793	22.0	341	1	2	19	36	48	56	76
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	24.5	377	2	2	19	42	51	57	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	10.5	194	<1	1	3	14	35	41	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	811	21.9	341	1	2	19	36	48	57	75
B. *Operated*	14	24.5	377	2	2	19	42	51	57	59
1. SINGLE DX	168	10.5	194	<1	1	3	14	35	41	52
2. MULTIPLE DX	825	21.9	341	1	2	19	36	48	57	75
A. NOT OPERATED	979	20.0	334	1	1	16	34	46	54	73
B. OPERATED	14	24.5	377	2	2	19	42	51	57	59
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	66	3	3	5	15	18	18	18
1-5 YRS										
6-12 YRS	17	17.1	383	1	1	9	26	54	62	63
13-19 YRS	973	20.1	334	1	1	16	35	47	54	73
GRAND TOTAL	**993**	**20.0**	**334**	**1**	**1**	**16**	**34**	**47**	**54**	**73**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	23	3.0	4	1	1	2	4	6	7	8
13-19 YRS	35	2.9	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	4.4	22	1	1	3	4	12	16	16
6-12 YRS	32	7.2	286	1	1	3	4	12	33	92
13-19 YRS	104	7.1	203	<1	1	3	5	11	42	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	18.8	1297	1	1	1	27	83	83	83
6-12 YRS										
13-19 YRS	10	9.3	107	2	2	6	9	25	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.8	3	1	1	2	4	5	7	9
B. *Operated*	8	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	149	6.8	204	<1	1	3	5	11	34	85
B. *Operated*	15	12.5	461	1	1	6	9	37	71	83
1. SINGLE DX	77	2.8	3	1	1	2	4	5	7	9
2. MULTIPLE DX	164	7.3	227	<1	1	3	5	12	38	85
A. NOT OPERATED	218	5.6	143	<1	1	3	4	8	15	81
B. OPERATED	23	9.0	318	1	1	3	8	19	53	83
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	27	6.0	247	<1	1	2	4	9	26	83
6-12 YRS	59	5.2	159	1	1	2	4	6	17	87
13-19 YRS	152	6.2	150	<1	1	3	5	10	23	79
GRAND TOTAL	**241**	**5.9**	**160**	**1**	**1**	**3**	**5**	**9**	**20**	**83**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.5	1	<1	<1	3	3	3	3	3
1-5 YRS	16	21.7	696	1	2	8	32	56	85	97
6-12 YRS	143	15.8	227	1	1	11	25	39	45	86
13-19 YRS	1632	11.5	179	1	1	6	16	30	40	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	10.7	180	1	1	5	21	26	26	26
1-11 MOS	8	17.6	380	4	4	11	20	52	62	62
1-5 YRS	22	26.0	491	3	4	29	39	95	99+	99+
6-12 YRS	289	23.5	426	2	2	19	39	55	86	99+
13-19 YRS	2956	13.7	230	1	1	8	19	35	46	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	8.0	98	1	1	8	15	15	15	15
13-19 YRS	59	14.9	264	1	2	10	21	39	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1796	11.9	189	1	1	7	17	32	41	69
B. *Operated*	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	3278	14.6	257	1	1	9	22	39	50	99+
B. *Operated*	62	14.7	255	1	2	10	21	39	53	98
1. SINGLE DX	1798	11.9	188	1	1	7	17	32	41	69
2. MULTIPLE DX	3340	14.6	257	1	1	9	22	39	51	99+
A. NOT OPERATED	5074	13.7	235	1	1	8	20	36	47	94
B. OPERATED	64	14.3	251	<1	1	10	20	39	53	98
TOTAL 0-27 DYS	4	8.5	139	1	1	3	15	26	26	26
1-11 MOS	12	12.6	297	<1	2	6	12	38	59	62
1-5 YRS	39	23.8	554	2	3	18	35	73	98	99+
6-12 YRS	434	20.9	372	1	2	15	35	50	76	99+
13-19 YRS	4649	12.9	213	1	1	7	18	34	44	86
GRAND TOTAL	**5138**	**13.7**	**235**	**1**	**1**	**8**	**20**	**36**	**47**	**95**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	7.2	163	1	1	3	6	23	43	45
1-5 YRS	90	8.9	168	<1	1	3	10	36	49	99+
6-12 YRS	379	19.9	410	1	2	13	33	48	66	99+
13-19 YRS	1291	19.4	370	1	2	14	30	49	68	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	8	12.1	224	2	2	4	23	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	8.0	115	1	2	3	8	21	33	48
1-5 YRS	189	17.7	505	1	1	5	34	60	83	99+
6-12 YRS	1061	29.1	595	2	3	28	51	88	99+	99+
13-19 YRS	3303	24.4	484	1	2	19	40	63	85	99+
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	13	23.3	905	2	3	14	88	99+	99+	99+
6-12 YRS	20	35.6	1111	2	3	30	80	99+	99+	99+
13-19 YRS	79	35.4	792	3	4	31	68	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1771	18.9	373	1	2	13	30	48	66	99+
B. *Operated*	11	9.5	178	1	1	4	9	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	4575	25.1	517	2	2	20	42	69	93	99+
B. *Operated*	114	33.7	852	3	3	30	71	99+	99+	99+
1. SINGLE DX	1782	18.9	372	1	2	13	30	47	66	99+
2. MULTIPLE DX	4689	25.3	526	2	2	21	43	70	95	99+
A. NOT OPERATED	6346	23.4	484	1	2	18	39	63	88	99+
B. OPERATED	125	31.6	839	2	3	29	68	99	99+	99+
TOTAL 0-27 DYS	2	17.0	288	5	5	17	29	29	29	29
1-11 MOS	33	7.6	123	1	1	3	7	21	41	48
1-5 YRS	293	15.2	433	1	1	4	27	55	85	99+
6-12 YRS	1462	26.8	570	2	2	23	45	80	99+	99+
13-19 YRS	4681	23.2	465	1	2	18	38	61	83	99+
GRAND TOTAL	**6471**	**23.5**	**492**	**1**	**2**	**18**	**40**	**65**	**89**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	9	1	1	3	6	7	7	7
6-12 YRS	5	2.8	9	1	1	2	4	8	8	8
13-19 YRS	17	11.1	121	1	1	5	19	29	34	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	5.8	11	1	1	6	8	10	11	11
6-12 YRS	20	15.0	297	1	1	4	37	45	70	99+
13-19 YRS	59	12.2	190	2	2	7	15	29	43	72
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	3	76	99+	99+	99+
6-12 YRS	8	10.5	187	1	1	4	14	34	41	41
13-19 YRS	6	5.2	37	1	1	3	5	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	8.3	95	1	1	4	14	21	32	35
B. *Operated*	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	88	12.2	199	1	2	7	15	38	45	90
B. *Operated*	16	7.5	110	1	1	4	12	37	79	99+
1. SINGLE DX	29	7.7	88	1	1	3	12	21	31	35
2. MULTIPLE DX	104	11.5	187	1	2	7	15	39	45	99+
A. NOT OPERATED	114	11.3	177	1	1	7	15	33	44	83
B. OPERATED	19	6.7	96	1	1	4	8	30	70	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.7	10	1	1	5	8	11	73	99+
6-12 YRS	35	11.4	231	1	1	4	19	41	45	99+
13-19 YRS	83	11.4	164	1	2	7	15	28	37	68
GRAND TOTAL	**133**	**10.6**	**167**	**1**	**1**	**6**	**14**	**33**	**44**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	43	9.0	33	1	2	9	11	16	21	26
1-11 MOS	425	9.9	15	3	4	10	11	14	15	22
1-5 YRS	413	9.5	13	2	3	10	11	13	15	18
6-12 YRS	82	5.8	18	1	1	5	10	11	13	16
13-19 YRS	69	5.5	26	1	1	4	8	12	12	30
B. *Operated*										
0-27 DYS	3	13.0	133	<1	<1	14	21	24	24	24
1-11 MOS	50	12.7	54	6	8	11	13	17	24	56
1-5 YRS	24	10.3	46	<1	<1	10	13	15	21	33
6-12 YRS	5	15.2	145	5	5	9	22	35	35	35
13-19 YRS	13	13.6	119	1	3	7	25	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	14.7	55	3	5	14	21	23	24	38
1-11 MOS	646	11.0	22	3	4	11	13	16	18	25
1-5 YRS	539	10.7	20	3	5	11	12	15	17	26
6-12 YRS	91	8.9	27	2	2	10	11	15	18	25
13-19 YRS	85	10.5	92	2	3	9	12	20	33	51
B. *Operated*										
0-27 DYS	19	21.0	100	7	9	21	25	41	72	99+
1-11 MOS	117	17.4	143	5	7	14	22	32	41	86
1-5 YRS	74	18.2	178	6	8	14	20	32	47	72
6-12 YRS	31	20.9	234	6	8	17	25	44	59	64
13-19 YRS	43	23.4	205	6	9	20	34	48	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	9.1	18	1	3	10	11	14	15	22
B. *Operated*	95	12.3	65	1	5	11	14	24	28	47
2. MULTIPLE DX										
A. *Not Operated*	1414	10.9	28	2	4	11	13	16	20	28
B. *Operated*	284	19.1	171	6	8	15	24	37	48	92
1. SINGLE DX	1127	9.4	23	1	3	10	11	14	16	24
2. MULTIPLE DX	1698	12.2	61	3	4	11	14	20	26	48
A. NOT OPERATED	2446	10.1	24	2	3	10	12	15	17	25
B. OPERATED	379	17.4	153	5	7	14	22	34	46	78
TOTAL 0-27 DYS	118	13.6	71	2	3	12	21	24	27	62
1-11 MOS	1238	11.3	37	3	4	11	13	16	21	34
1-5 YRS	1050	10.8	33	2	4	11	12	15	18	32
6-12 YRS	209	9.6	81	1	2	9	11	18	24	56
13-19 YRS	210	11.7	135	1	2	9	14	30	41	52
GRAND TOTAL	**2825**	**11.1**	**48**	**2**	**3**	**11**	**13**	**17**	**22**	**41**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	17	5.4	13	1	1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.8	25	1	1	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	16	11.1	132	1	1	10	14	41	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	56	99+	99+	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	12	1	1	4	8	10	11	11
B. *Operated*	4	4.8	25	1	1	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	20	9.7	113	1	1	6	13	36	69	99+
B. *Operated*	1	12.0		12	12	56	99+	99+	99+	99+
1. SINGLE DX	24	5.0	13	1	1	4	8	11	11	12
2. MULTIPLE DX	21	9.8	108	1	2	6	14	54	99+	99+
A. NOT OPERATED	40	7.4	66	1	1	6	10	14	37	99+
B. OPERATED	5	6.2	29	1	1	8	12	91	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	4	5.3	21	2	2	4	34	99+	99+	99+
13-19 YRS	37	7.8	72	1	1	6	11	15	39	99+
GRAND TOTAL	**45**	**7.2**	**62**	**1**	**1**	**6**	**11**	**15**	**51**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	2.9	6	1	1	2	3	7	9	10
1-11 MOS	153	3.9	12	1	1	3	5	8	10	15
1-5 YRS	610	3.0	10	1	1	2	4	6	8	15
6-12 YRS	581	2.8	7	1	1	2	3	5	7	12
13-19 YRS	600	2.8	11	1	1	2	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	1	2	2	3	4	4	4	4
1-5 YRS	12	6.0	17	1	2	5	9	12	14	14
6-12 YRS	13	3.5	7	<1	1	3	5	8	9	9
13-19 YRS	25	4.6	9	1	1	4	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	8.6	45	1	1	9	12	19	21	21
1-11 MOS	293	5.7	48	1	1	4	7	12	16	44
1-5 YRS	1283	4.5	38	1	1	3	5	9	14	32
6-12 YRS	846	4.7	39	1	1	3	5	9	17	36
13-19 YRS	847	4.6	35	1	1	3	5	9	14	36
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	27	17.6	344	2	2	11	25	51	85	99+
1-5 YRS	63	11.7	90	2	3	9	16	23	25	50
6-12 YRS	35	10.6	85	2	3	8	13	24	31	44
13-19 YRS	58	9.7	116	1	1	6	13	28	33	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1960	3.0	10	1	1	2	3	5	8	15
B. *Operated*	56	4.5	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3278	4.7	39	1	1	3	5	9	15	34
B. *Operated*	184	11.7	138	1	2	9	14	25	35	94
1. SINGLE DX	2016	3.0	10	1	1	2	3	6	8	15
2. MULTIPLE DX	3462	5.1	46	1	1	3	5	11	17	36
A. NOT OPERATED	5238	4.0	29	1	1	3	4	8	12	31
B. OPERATED	240	10.0	117	1	2	7	12	24	31	84
TOTAL 0-27 DYS	26	5.3	28	1	1	3	9	14	16	21
1-11 MOS	479	5.8	61	1	1	4	7	12	17	52
1-5 YRS	1968	4.3	33	1	1	3	5	9	13	31
6-12 YRS	1475	4.0	29	1	1	2	4	8	12	33
13-19 YRS	1530	4.1	30	1	1	3	4	8	13	32
GRAND TOTAL	**5478**	**4.3**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.6	11	2	2	2	3	9	11	11
1-11 MOS	75	3.1	14	<1	1	2	3	5	9	24
1-5 YRS	146	3.0	44	<1	1	2	3	5	8	99+
6-12 YRS	132	3.9	25	1	1	3	4	8	14	99+
13-19 YRS	161	3.0	5	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS	7	5.1	9	1	1	6	7	9	10	10
1-11 MOS	89	4.4	8	1	2	4	5	8	10	16
1-5 YRS	161	3.4	11	<1	1	2	5	6	8	21
6-12 YRS	150	4.6	44	1	1	3	6	8	11	18
13-19 YRS	125	6.0	24	1	1	5	8	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.9	63	1	1	4	10	21	23	23
1-11 MOS	168	5.3	64	<1	1	3	5	11	18	45
1-5 YRS	436	7.3	206	1	1	4	6	26	96	99+
6-12 YRS	533	8.1	236	1	2	4	9	99+	99+	99+
13-19 YRS	432	8.7	191	1	1	4	9	32	58	99+
B. *Operated*										
0-27 DYS	8	19.5	800	3	4	8	18	68	88	88
1-11 MOS	175	9.7	155	2	2	6	10	24	33	76
1-5 YRS	361	7.3	107	1	1	4	8	17	34	99+
6-12 YRS	334	7.9	145	1	2	5	9	17	41	99+
13-19 YRS	342	11.8	260	1	2	7	13	34	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.3	22	<1	1	2	4	6	9	84
B. *Operated*	532	4.5	24	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1576	7.8	197	1	1	4	7	40	99+	99+
B. *Operated*	1220	9.1	175	1	2	5	10	22	46	99+
1. SINGLE DX	1053	3.9	23	1	1	3	5	8	10	26
2. MULTIPLE DX	2796	8.4	188	1	1	4	9	26	83	99+
A. NOT OPERATED	2097	6.6	157	1	1	3	6	21	90	99+
B. OPERATED	1752	7.7	133	1	1	5	8	17	30	99+
TOTAL 0-27 DYS	29	9.1	262	1	1	6	9	19	26	88
1-11 MOS	507	6.3	84	1	1	4	6	12	20	46
1-5 YRS	1104	6.2	127	1	1	3	6	14	41	99+
6-12 YRS	1149	7.1	163	1	1	4	7	25	99+	99+
13-19 YRS	1060	8.5	174	1	1	4	9	23	52	99+
GRAND TOTAL	**3849**	**7.1**	**147**	**1**	**1**	**4**	**7**	**18**	**55**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	19	2.2	1	<1	<1	2	3	4	5	5
6-12 YRS	154	1.9	2	<1	1	2	2	3	4	8
13-19 YRS	343	2.3	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	85	1	1	7	14	14	14	14
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	18	2.1	2	<1	1	2	2	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.9	1	<1	1	2	2	3	3	3
6-12 YRS	158	2.8	5	1	1	2	3	5	7	12
13-19 YRS	339	3.1	6	1	1	2	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	4.9	15	1	1	2	8	10	11	11
13-19 YRS	16	4.7	14	1	1	3	6	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	2.2	3	<1	1	2	3	4	5	9
B. *Operated*	25	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	511	3.0	6	1	1	2	3	6	8	12
B. *Operated*	26	4.6	14	1	1	3	7	11	12	14
1. SINGLE DX	544	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	537	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	1030	2.6	4	1	1	2	3	5	7	11
B. OPERATED	51	3.6	12	1	1	2	4	9	11	14
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	36	2.3	5	<1	<1	2	3	4	5	14
6-12 YRS	326	2.4	4	1	1	2	3	4	6	11
13-19 YRS	716	2.7	5	1	1	2	3	6	7	12
GRAND TOTAL	**1081**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	22	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.7	17	<1	<1	7	8	9	9	9
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	13.0	397	1	1	2	27	36	36	36
13-19 YRS	14	2.1	4	<1	<1	1	2	4	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	25	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	3	5.7	17	<1	<1	7	8	9	9	9
B. *Operated*	17	4.0	71	<1	<1	1	3	7	26	36
1. SINGLE DX	27	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX	20	4.3	62	<1	<1	2	3	8	22	36
A. NOT OPERATED	5	4.0	14	<1	<1	2	7	9	9	9
B. OPERATED	42	2.4	30	<1	<1	1	2	3	6	36
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	7.4	143	<1	<1	2	8	28	36	36
13-19 YRS	38	1.6	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**47**	**2.6**	**28**	**<1**	**<1**	**1**	**2**	**4**	**8**	**36**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	29	5.8	28	1	1	4	7	13	14	24
6-12 YRS	46	6.2	58	1	1	4	7	23	29	99+
13-19 YRS	119	6.2	126	1	1	4	7	11	13	85
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	3.3	6	1	1	2	5	7	7	7
6-12 YRS	23	3.0	8	<1	1	2	3	5	9	14
13-19 YRS	191	2.9	5	<1	1	2	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.7	13	1	1	3	8	10	11	11
1-5 YRS	23	5.0	44	1	1	3	5	20	22	22
6-12 YRS	45	14.6	398	1	2	6	15	43	70	83
13-19 YRS	96	9.6	156	1	2	5	11	25	32	69
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	16	<1	<1	3	7	10	10	10
1-5 YRS	16	6.0	57	<1	1	3	6	17	26	30
6-12 YRS	35	4.2	8	1	2	3	5	7	10	15
13-19 YRS	160	7.4	179	1	1	3	6	18	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	6.1	93	1	1	4	7	12	16	86
B. *Operated*	224	2.9	5	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	174	10.0	203	1	1	5	11	25	41	74
B. *Operated*	215	6.7	140	1	1	3	6	13	26	70
1. SINGLE DX	422	4.4	49	<1	1	3	5	9	12	31
2. MULTIPLE DX	389	8.2	171	1	1	4	7	19	32	72
A. NOT OPERATED	372	7.9	148	1	1	4	8	18	29	81
B. OPERATED	439	4.8	75	<1	1	3	5	8	14	60
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	3.8	11	<1	1	2	5	10	11	11
1-5 YRS	76	5.3	36	1	1	3	6	13	21	28
6-12 YRS	149	7.8	161	1	1	3	7	18	35	83
13-19 YRS	566	6.0	111	1	1	3	6	11	20	70
GRAND TOTAL	**811**	**6.2**	**111**	**1**	**1**	**3**	**6**	**12**	**23**	**70**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.8	1	2	2	3	3	4	4	4
1-5 YRS	8	2.4	1	1	1	2	3	4	4	4
6-12 YRS	49	3.0	3	1	1	3	4	6	6	7
13-19 YRS	109	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.4	2	1	1	2	3	4	5	5
1-5 YRS	25	3.0	6	<1	1	3	3	4	7	14
6-12 YRS	58	3.3	3	1	1	3	5	6	6	7
13-19 YRS	102	4.0	7	1	2	3	5	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	171	2.8	2	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	11	1.2		<1	<1	1	1	2	3	3
B. *Operated*	200	3.5	6	1	1	3	4	6	7	14
1. SINGLE DX	173	2.8	2	1	1	2	3	5	6	7
2. MULTIPLE DX	211	3.4	6	1	1	3	4	6	7	14
A. NOT OPERATED	13	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	371	3.2	4	1	1	3	4	5	7	13
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	2.4	1	1	1	2	3	4	5	5
1-5 YRS	39	2.6	5	<1	<1	2	3	4	4	14
6-12 YRS	110	3.2	3	1	1	3	4	6	6	7
13-19 YRS	213	3.3	5	1	1	3	4	5	7	13
GRAND TOTAL	**384**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.3		1	1	1	2	2	2	2
13-19 YRS	13	2.0	1	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.3	2	2	2	3	4	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	5	3.0	1	2	2	3	4	4	4	4
13-19 YRS	11	2.7	13	<1	<1	1	3	8	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	24	1.8	1	1	1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	2.6	2	1	1	2	4	5	5	5
B. *Operated*	25	2.4	6	<1	1	2	3	4	7	13
1. SINGLE DX	29	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	32	2.4	5	1	1	2	3	4	5	13
A. NOT OPERATED	12	2.0	2	<1	<1	2	3	4	5	5
B. OPERATED	49	2.1	4	1	1	1	3	4	4	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.0	1	1	1	2	3	4	4	4
1-5 YRS	10	1.2		<1	<1	1	1	2	2	2
6-12 YRS	17	2.3	2	1	1	2	3	4	5	5
13-19 YRS	25	2.3	6	<1	1	1	3	4	7	13
GRAND TOTAL	**61**	**2.1**	**3**	**<1**	**1**	**1**	**3**	**4**	**5**	**12**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	13	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	8	2.3	6	1	1	1	2	6	8	8
6-12 YRS	8	2.0	1	1	1	2	3	4	4	4
13-19 YRS	8	5.4	32	1	1	3	8	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	18	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	11	1.4		1	1	1	2	3	3	3
B. *Operated*	26	3.2	13	1	1	2	3	8	11	17
1. SINGLE DX	21	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX	37	2.7	10	1	1	2	3	7	9	17
A. NOT OPERATED	14	1.4		<1	<1	1	2	2	3	3
B. OPERATED	44	2.5	9	1	1	2	3	5	8	17
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	15	2.0	3	<1	1	1	3	3	7	8
6-12 YRS	13	1.9	1	1	1	2	2	3	4	4
13-19 YRS	27	2.5	12	1	1	1	2	7	10	17
GRAND TOTAL	**58**	**2.3**	**7**	**1**	**1**	**1**	**2**	**4**	**8**	**16**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility."

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	15	1.4		<1	<1	1	2	2	3	3
6-12 YRS	23	1.7	1	<1	<1	1	2	3	4	4
13-19 YRS	19	2.2	6	<1	<1	1	2	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	14	1.9	1	<1	1	2	3	3	3	3
6-12 YRS	31	2.4	4	<1	1	2	3	5	7	9
13-19 YRS	20	2.2	3	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	66	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	68	2.2	3	<1	1	2	3	4	6	9
1. SINGLE DX	69	1.7	2	<1	<1	1	2	3	3	10
2. MULTIPLE DX	73	2.2	3	<1	1	2	3	4	6	9
A. NOT OPERATED	8	1.4		<1	<1	1	2	2	2	2
B. OPERATED	134	2.0	2	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	1.6		<1	<1	1	2	3	3	3
1-5 YRS	31	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	58	2.0	2	<1	<1	1	3	4	5	9
13-19 YRS	40	2.2	4	<1	<1	2	2	5	7	11
GRAND TOTAL	**142**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	10	1.9	1	1	1	2	3	3	3	3
6-12 YRS	6	2.8	16	<1	<1	1	2	10	11	11
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	70	1.1		<1	<1	<1	1	1	2	2
1-5 YRS	649	1.2		<1	<1	1	1	2	2	2
6-12 YRS	337	1.2		<1	<1	1	1	2	2	3
13-19 YRS	135	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	27	1.4	1	<1	<1	<1	2	3	4	5
6-12 YRS	11	2.4	6	<1	<1	1	2	7	8	8
13-19 YRS	15	4.0	9	<1	1	3	6	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	24	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	273	1.3		<1	<1	1	1	2	2	3
6-12 YRS	120	1.3		<1	<1	1	2	2	2	3
13-19 YRS	63	1.2		<1	<1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.0	4	<1	1	1	2	3	6	11
B. *Operated*	1192	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	54	2.4	5	<1	<1	1	3	6	8	10
B. *Operated*	480	1.2		<1	<1	1	1	2	2	3
1. SINGLE DX	1216	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX	534	1.4	1	<1	<1	1	1	2	2	6
A. NOT OPERATED	78	2.2	5	<1	<1	1	3	5	8	11
B. OPERATED	1672	1.2		<1	<1	1	1	2	2	3
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	98	1.1		<1	<1	1	1	2	2	3
1-5 YRS	959	1.2		<1	<1	1	1	2	2	3
6-12 YRS	474	1.3	1	<1	<1	1	1	2	2	3
13-19 YRS	218	1.4	1	<1	<1	1	1	2	2	8
GRAND TOTAL	**1750**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	3.1	2	1	2	3	4	5	6	7
1-11 MOS	49	2.1	3	<1	<1	1	3	5	7	8
1-5 YRS	115	2.4	3	<1	<1	2	3	5	6	8
6-12 YRS	36	3.0	2	<1	1	3	4	5	6	7
13-19 YRS	41	3.7	7	<1	1	3	4	7	10	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	2.7	4	<1	<1	2	4	6	6	6
1-5 YRS	61	1.7	5	<1	<1	1	2	2	4	14
6-12 YRS	53	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	69	2.1	3	<1	<1	2	2	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	45	3.4	3	1	1	3	4	6	6	8
1-11 MOS	115	3.7	6	1	1	3	5	6	7	15
1-5 YRS	158	3.7	12	<1	1	3	4	7	9	21
6-12 YRS	44	4.0	5	<1	1	4	5	7	8	10
13-19 YRS	43	3.8	3	1	2	4	5	6	6	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	4.3	14	<1	1	3	6	8	12	18
1-5 YRS	41	2.9	7	<1	<1	2	4	6	9	10
6-12 YRS	45	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	58	2.5	5	<1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	2.7	4	<1	<1	2	4	5	6	9
B. *Operated*	193	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	405	3.7	8	1	1	3	5	6	7	13
B. *Operated*	169	2.8	6	<1	1	2	4	6	7	12
1. SINGLE DX	456	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	574	3.4	7	<1	1	3	4	6	7	13
A. NOT OPERATED	668	3.3	6	<1	<1	3	4	6	7	11
B. OPERATED	362	2.3	5	<1	<1	1	3	5	7	10
TOTAL 0-27 DYS	69	3.3	3	1	1	3	4	6	6	8
1-11 MOS	197	3.3	7	<1	<1	3	4	6	7	15
1-5 YRS	375	2.9	8	<1	<1	2	4	6	7	14
6-12 YRS	178	2.7	4	<1	<1	2	4	5	7	9
13-19 YRS	211	2.9	5	<1	1	2	4	6	7	11
GRAND TOTAL	**1030**	**3.0**	**6**	**<1**	**<1**	**2**	**4**	**6**	**7**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	3.4	4	2	2	3	4	5	8	10
1-11 MOS	205	3.6	4	1	2	3	4	6	8	11
1-5 YRS	562	3.1	2	1	2	3	4	5	6	8
6-12 YRS	190	3.4	4	1	1	3	4	6	7	11
13-19 YRS	109	3.5	4	<1	1	3	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.3	8	<1	1	2	4	8	9	10
1-5 YRS	40	2.7	5	<1	<1	2	3	5	8	11
6-12 YRS	32	3.2	11	<1	1	2	4	8	12	13
13-19 YRS	31	3.2	7	<1	<1	2	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	3.9	4	1	2	3	5	7	8	10
1-11 MOS	344	4.0	5	1	2	3	5	7	9	11
1-5 YRS	668	3.9	6	1	2	3	5	7	8	12
6-12 YRS	263	4.2	6	1	2	4	5	7	9	14
13-19 YRS	121	5.0	10	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	25	3.0	7	<1	1	2	3	8	9	10
1-5 YRS	52	4.5	12	<1	1	4	7	11	11	13
6-12 YRS	69	4.6	16	1	1	3	6	10	13	20
13-19 YRS	94	4.7	45	1	1	3	5	10	13	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	3.3	3	1	2	3	4	5	7	10
B. *Operated*	119	3.0	7	<1	1	2	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1423	4.1	6	1	2	3	5	7	9	12
B. *Operated*	243	4.4	25	1	1	3	6	10	12	21
1. SINGLE DX	1202	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	1666	4.1	9	1	2	3	5	7	9	14
A. NOT OPERATED	2506	3.7	5	1	2	3	5	6	8	11
B. OPERATED	362	4.0	20	<1	1	3	5	9	11	17
TOTAL 0-27 DYS	47	3.7	4	1	2	3	5	7	8	10
1-11 MOS	590	3.8	5	1	2	3	5	7	8	11
1-5 YRS	1322	3.5	5	1	2	3	4	6	7	11
6-12 YRS	554	3.9	7	1	1	3	5	7	9	14
13-19 YRS	355	4.3	18	1	1	3	5	8	10	17
GRAND TOTAL	**2868**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	2.6	3	<1	<1	2	4	5	5	5
1-5 YRS	5	2.0	5	<1	<1	<1	2	6	6	6
6-12 YRS	11	2.4	4	<1	<1	2	2	5	8	8
13-19 YRS	3	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	6	2.7	7	1	1	2	2	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.8	10	<1	<1	2	3	8	11	11
1-5 YRS	10	2.0	2	<1	<1	2	2	4	5	5
6-12 YRS	10	2.4	2	1	1	2	3	4	5	5
13-19 YRS	23	2.9	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	28	1	1	3	9	11	11	11
1-5 YRS	11	1.5	1	<1	<1	1	2	3	4	4
6-12 YRS	11	2.0	1	<1	1	2	2	3	4	4
13-19 YRS	13	1.6	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	12	1.9	4	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	52	2.6	4	<1	<1	2	3	5	7	11
B. *Operated*	38	2.0	3	<1	1	2	2	3	4	11
1. SINGLE DX	39	2.3	3	<1	<1	2	3	5	7	8
2. MULTIPLE DX	90	2.3	4	<1	1	2	3	4	6	11
A. NOT OPERATED	79	2.5	4	<1	<1	2	3	5	7	10
B. OPERATED	50	2.0	3	<1	<1	2	2	3	4	11
TOTAL 0-27 DYS										
1-11 MOS	20	3.1	9	<1	<1	2	3	8	11	11
1-5 YRS	30	1.7	2	<1	<1	1	2	3	5	6
6-12 YRS	34	2.2	2	<1	1	2	2	3	5	8
13-19 YRS	45	2.5	3	<1	1	2	3	5	7	8
GRAND TOTAL	**129**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	95	2.9	2	1	2	3	4	4	5	8
1-11 MOS	605	2.5	2	1	1	2	3	4	5	7
1-5 YRS	423	2.5	2	1	1	2	3	4	5	8
6-12 YRS	46	2.9	3	<1	1	2	4	6	7	7
13-19 YRS	19	2.9	3	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	5	2.4	1	<1	<1	3	3	3	3	3
1-11 MOS	132	1.6	2	<1	<1	<1	1	3	4	9
1-5 YRS	1080	1.2	1	<1	<1	<1	<1	1	2	7
6-12 YRS	647	1.3	7	<1	<1	<1	1	2	2	6
13-19 YRS	269	1.3	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	157	3.5	7	1	2	3	4	5	7	11
1-11 MOS	1938	2.9	3	1	1	3	4	5	6	9
1-5 YRS	2349	2.9	4	1	1	3	4	5	6	10
6-12 YRS	287	3.3	6	1	1	3	4	7	8	12
13-19 YRS	96	4.0	13	1	1	3	5	9	10	19
B. *Operated*										
0-27 DYS	11	3.0	2	1	1	3	4	5	6	6
1-11 MOS	169	3.2	11	<1	<1	2	4	6	8	18
1-5 YRS	1876	1.5	3	<1	<1	1	1	2	5	10
6-12 YRS	1315	1.3	2	<1	<1	1	1	2	2	6
13-19 YRS	431	1.6	2	<1	1	1	2	2	3	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	2.5	2	1	1	2	3	4	5	7
B. *Operated*	2133	1.3	3	<1	<1	<1	1	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	4827	3.0	4	1	1	3	4	5	6	10
B. *Operated*	3802	1.5	3	<1	<1	1	1	2	4	10
1. SINGLE DX	3321	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	8629	2.3	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	6015	2.9	4	1	1	3	4	5	6	10
B. OPERATED	5935	1.4	3	<1	<1	1	1	2	3	9
TOTAL 0-27 DYS	268	3.3	5	1	2	3	4	5	6	9
1-11 MOS	2844	2.8	3	<1	1	2	3	5	6	9
1-5 YRS	5728	2.1	4	<1	<1	1	3	4	6	10
6-12 YRS	2295	1.6	4	<1	<1	1	1	3	4	9
13-19 YRS	815	1.8	4	<1	<1	1	2	3	5	10
GRAND TOTAL	**11950**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	2.3	1	1	1	2	3	4	4	4
1-11 MOS	73	2.8	3	1	1	3	4	4	6	10
1-5 YRS	141	3.2	4	1	1	3	4	5	8	10
6-12 YRS	59	3.9	10	1	1	3	4	8	11	16
13-19 YRS	51	4.2	7	2	2	4	5	7	10	16
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	26	2.4	6	<1	<1	1	3	5	9	10
1-5 YRS	144	2.0	5	<1	<1	<1	2	4	6	13
6-12 YRS	105	1.8	3	<1	<1	1	2	3	6	10
13-19 YRS	55	2.7	15	<1	<1	1	2	7	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.1	2	1	3	4	4	6	8	8
1-11 MOS	213	3.3	5	1	1	3	4	5	8	15
1-5 YRS	442	3.5	5	1	1	3	5	6	8	11
6-12 YRS	158	4.3	15	1	2	4	5	7	9	17
13-19 YRS	94	4.3	11	1	2	3	6	7	10	21
B. *Operated*										
0-27 DYS	3	4.7	10	1	1	6	7	7	7	7
1-11 MOS	38	5.6	17	1	2	4	7	13	15	17
1-5 YRS	228	3.2	16	<1	<1	1	4	9	11	21
6-12 YRS	214	2.7	28	<1	<1	1	2	5	8	31
13-19 YRS	140	3.6	35	1	1	2	3	8	13	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.4	5	1	1	3	4	6	8	12
B. *Operated*	332	2.1	6	<1	<1	1	2	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	921	3.7	8	1	1	3	5	6	8	14
B. *Operated*	623	3.3	25	<1	<1	1	3	8	12	26
1. SINGLE DX	664	2.7	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX	1544	3.5	15	<1	1	3	4	7	10	18
A. NOT OPERATED	1253	3.6	7	1	1	3	4	6	8	13
B. OPERATED	955	2.9	19	<1	<1	1	3	7	10	21
TOTAL 0-27 DYS	27	3.6	3	1	1	4	4	6	7	8
1-11 MOS	350	3.4	7	1	1	3	4	6	9	15
1-5 YRS	955	3.2	8	<1	<1	2	4	6	9	14
6-12 YRS	536	3.1	18	<1	<1	2	4	6	9	18
13-19 YRS	340	3.8	21	1	1	2	4	7	12	22
GRAND TOTAL	**2208**	**3.3**	**12**	**<1**	**<1**	**2**	**4**	**6**	**9**	**16**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	9	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	7	2.0	1	<1	<1	2	2	4	4	4
13-19 YRS	23	2.0	2	1	1	1	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.8	2	1	1	1	3	4	4	4
6-12 YRS	7	2.0	5	<1	<1	1	2	6	7	7
13-19 YRS	13	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	9	2.2	2	<1	<1	2	4	4	4	4
6-12 YRS	17	3.1	4	1	1	3	4	6	8	9
13-19 YRS	42	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	3.0	5	1	1	2	4	6	6	6
13-19 YRS	14	3.4	10	<1	1	3	5	6	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.0	1	<1	1	2	3	4	4	5
B. *Operated*	26	2.0	2	<1	1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	72	3.1	4	1	1	3	4	6	8	10
B. *Operated*	19	3.5	8	<1	1	3	5	6	10	13
1. SINGLE DX	68	2.0	2	<1	1	1	3	4	5	7
2. MULTIPLE DX	91	3.2	5	1	1	3	4	6	8	12
A. NOT OPERATED	114	2.7	3	1	1	2	3	5	6	10
B. OPERATED	45	2.6	5	<1	1	2	3	5	6	13
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	3.2	1	2	2	3	4	4	4	4
1-5 YRS	25	2.1	2	<1	<1	1	3	4	5	6
6-12 YRS	35	2.7	4	<1	1	2	3	6	7	9
13-19 YRS	92	2.8	5	1	1	2	4	5	6	12
GRAND TOTAL	**159**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	32	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	1.3	1	1	1	1	1	3	3	3
13-19 YRS	15	1.7		1	1	2	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	40	1.6		<1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	21	1.6		1	1	2	2	3	3	3
1. SINGLE DX	42	1.5		<1	1	2	2	2	2	2
2. MULTIPLE DX	21	1.6		1	1	2	2	3	3	3
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	61	1.6		1	1	2	2	2	2	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	14	1.4		<1	<1	1	2	2	3	3
13-19 YRS	48	1.6		1	1	2	2	2	2	3
GRAND TOTAL	**63**	**1.6**		**1**	**1**	**2**	**2**	**2**	**2**	**3**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	14	2.0	2	<1	<1	1	3	4	5	5
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	11	2.6	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	165	1.3		<1	<1	1	1	2	2	4
6-12 YRS	600	1.2	2	<1	<1	1	1	2	2	3
13-19 YRS	444	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	2.6	2	1	1	2	3	5	5	5
1-5 YRS	33	2.8	7	<1	<1	2	4	6	9	12
6-12 YRS	20	3.4	12	<1	<1	1	6	9	10	11
13-19 YRS	18	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	138	1.9	10	<1	<1	1	2	3	6	18
6-12 YRS	606	1.3	1	<1	1	1	1	2	3	6
13-19 YRS	486	1.4	1	<1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	1212	1.2	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	81	2.8	6	<1	<1	2	4	6	9	12
B. *Operated*	1231	1.4	2	<1	1	1	1	2	3	7
1. SINGLE DX	1243	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1312	1.5	2	<1	1	1	2	2	3	8
A. NOT OPERATED	112	2.7	5	<1	<1	2	3	5	8	11
B. OPERATED	2443	1.3	1	<1	<1	1	1	2	2	5
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	14	2.1	2	<1	<1	2	3	5	5	5
1-5 YRS	350	1.7	5	<1	<1	1	2	3	5	11
6-12 YRS	1230	1.3	1	<1	<1	1	1	2	2	6
13-19 YRS	959	1.3	1	<1	1	1	1	2	3	5
GRAND TOTAL	**2555**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.3	4	1	2	4	6	7	8	8
6-12 YRS	82	6.4	20	2	2	5	9	12	15	22
13-19 YRS	33	7.4	50	2	[illegible]	5	7	15	28	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	2	17.5	145	9	9	17	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	11.2	159	1	2	7	14	25	44	49
6-12 YRS	59	6.8	25	2	3	5	9	14	15	27
13-19 YRS	45	6.7	16	2	2	6	9	12	15	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	3	7.7	58	1	1	6	13	16	16	16
13-19 YRS	4	23.8	248	6	6	25	37	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.4	26	2	2	5	8	12	15	30
B. *Operated*	3	13.3	124	5	5	9	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	117	7.2	37	2	2	5	9	14	16	34
B. *Operated*	9	13.6	206	1	1	6	21	37	38	38
1. SINGLE DX	133	6.5	28	2	2	5	8	12	17	30
2. MULTIPLE DX	126	7.7	50	2	2	6	10	15	17	41
A. NOT OPERATED	247	6.8	31	2	2	5	9	13	16	29
B. OPERATED	12	13.5	173	1	1	8	21	37	38	38
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	31	7.1	79	1	2	5	7	15	19	49
6-12 YRS	144	6.6	22	2	2	5	9	14	15	24
13-19 YRS	84	8.0	54	2	2	6	9	15	27	37
GRAND TOTAL	**259**	**7.1**	**39**	**2**	**2**	**5**	**9**	**14**	**17**	**36**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.7	6	1	1	4	5	6	6	6
13-19 YRS	3	18.7	506	1	1	11	36	44	44	44
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	19	4.3	12	1	1	2	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	11	4.2	2	2	2	4	5	7	7	7
13-19 YRS	15	4.3	13	1	1	3	6	10	12	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.7	42	1	1	8	12	14	14	14
1-5 YRS	6	16.7	716	1	1	6	16	65	70	70
6-12 YRS	13	8.9	178	1	1	7	9	22	46	51
13-19 YRS	20	9.8	201	1	1	7	10	19	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	10.0	237	1	1	4	10	37	44	44
B. *Operated*	25	4.1	11	1	1	2	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*	27	4.1	8	1	1	4	5	8	10	13
B. *Operated*	42	10.4	242	1	1	7	10	18	57	70
1. SINGLE DX	32	5.4	61	1	1	3	7	10	11	44
2. MULTIPLE DX	69	7.9	158	1	1	4	8	15	22	69
A. NOT OPERATED	34	5.3	55	1	1	4	6	10	13	44
B. OPERATED	67	8.0	164	1	1	4	9	15	25	69
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	8.3	30	1	1	9	12	14	14	14
1-5 YRS	8	13.1	555	1	1	3	12	54	70	70
6-12 YRS	31	5.9	80	1	1	4	7	9	15	51
13-19 YRS	57	7.0	108	1	1	4	8	13	20	64
GRAND TOTAL	**101**	**7.1**	**128**	**1**	**1**	**4**	**8**	**13**	**19**	**67**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.7	3	1	1	2	4	5	5	5
1-5 YRS	4	2.5	2	1	1	2	3	4	4	4
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	49	2.7	3	1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	12	1	1	5	7	8	8	8
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	11	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	9.5	85	3	3	9	16	16	16	16
1-11 MOS	19	3.5	4	1	1	3	5	6	8	9
1-5 YRS	23	4.7	9	1	1	5	7	9	11	12
6-12 YRS	35	4.0	10	1	1	3	6	8	10	15
13-19 YRS	78	3.5	5	1	1	3	4	7	8	11
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	7.7	2	6	6	8	9	9	9	9
1-5 YRS	4	14.8	300	1	1	9	25	40	40	40
6-12 YRS	14	2.7	3	1	1	2	3	6	7	7
13-19 YRS	27	6.3	45	1	1	3	8	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.6	2	1	1	2	3	5	6	7
B. *Operated*	16	2.8	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	157	3.9	7	1	1	3	5	7	9	15
B. *Operated*	50	5.9	53	1	1	3	7	11	20	40
1. SINGLE DX	80	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	207	4.4	19	1	1	3	6	8	11	24
A. NOT OPERATED	221	3.5	6	1	1	3	5	7	8	13
B. OPERATED	66	5.2	43	1	1	3	7	10	17	38
TOTAL 0-27 DYS	5	5.4	36	1	1	3	7	16	16	16
1-11 MOS	29	3.7	5	1	1	3	5	8	9	9
1-5 YRS	34	5.6	46	1	1	4	7	10	12	40
6-12 YRS	54	3.5	8	1	1	3	4	7	8	15
13-19 YRS	165	3.6	12	1	1	3	4	7	8	19
GRAND TOTAL	**287**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	3.7	1	3	3	3	5	5	5	5
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	3.6	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	15	3.8	3	<1	1	3	5	6	7	7
B. *Operated*	2	5.5	1	5	5	5	6	6	6	6
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	17	4.0	3	<1	1	4	5	6	7	7
A. NOT OPERATED	16	3.9	3	<1	1	4	5	6	7	7
B. OPERATED	2	5.5	1	5	5	5	6	6	6	6
TOTAL 0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	4.3	2	3	3	4	5	6	6	6
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	9	3.9	3	<1	1	4	5	6	6	6
GRAND TOTAL	**18**	**4.1**	**3**	**<1**	**1**	**4**	**5**	**6**	**7**	**7**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	4	3.5	3	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	6.0	14	1	1	6	7	12	13	13
6-12 YRS	8	3.8	13	1	1	3	4	10	12	12
13-19 YRS	9	2.9	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.2	14	1	1	3	5	10	14	14
1-5 YRS	17	3.4	11	<1	1	2	4	8	12	14
6-12 YRS	31	6.5	60	1	1	3	10	15	15	40
13-19 YRS	35	4.6	14	1	1	3	6	10	13	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	52	99+	99+	99+	99+
1-5 YRS	9	19.4	186	6	6	17	29	41	46	46
6-12 YRS	22	10.5	238	1	1	7	13	18	45	74
13-19 YRS	43	8.2	46	1	1	7	14	19	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	6	2	2	4	5	8	9	9
B. *Operated*	24	4.1	10	1	1	3	5	8	12	13
2. MULTIPLE DX										
A. *Not Operated*	93	5.0	30	1	1	3	6	13	15	30
B. *Operated*	75	10.2	127	1	1	7	14	22	31	93
1. SINGLE DX	32	4.1	9	1	1	3	5	8	12	13
2. MULTIPLE DX	168	7.3	79	1	1	4	9	15	22	69
A. NOT OPERATED	101	4.9	28	1	1	3	5	12	14	28
B. OPERATED	99	8.7	105	1	1	6	13	19	27	87
TOTAL 0-27 DYS										
1-11 MOS	12	4.0	12	1	1	4	5	31	87	99+
1-5 YRS	34	8.4	100	1	1	5	9	18	32	46
6-12 YRS	63	7.5	117	1	1	4	10	15	19	70
13-19 YRS	91	6.1	32	1	1	4	8	14	19	25
GRAND TOTAL	**200**	**6.8**	**69**	**1**	**1**	**4**	**9**	**15**	**20**	**60**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	10.8	21	5	5	12	13	17	17	17
1-11 MOS	17	8.1	11	3	4	8	10	12	15	16
1-5 YRS	6	7.2	5	4	4	7	8	11	11	11
6-12 YRS	2	14.0	128	6	6	22	80	99+	99+	99+
13-19 YRS	14	6.1	11	<1	1	6	9	10	12	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	24.9	650	9	10	17	20	70	82	82
1-5 YRS	1	47.0		47	47	47	47	47	47	47
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	5	8.2	5	6	6	8	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.7	20	3	3	8	11	12	12	12
B. *Operated*	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	44	7.9	17	2	4	7	10	12	18	99+
B. *Operated*	15	18.9	407	6	7	12	18	47	73	82
1. SINGLE DX	5	7.0	19	2	2	8	10	12	12	12
2. MULTIPLE DX	59	10.7	134	2	4	8	12	18	34	98
A. NOT OPERATED	47	7.9	17	2	3	7	10	12	17	99+
B. OPERATED	17	17.4	376	3	6	12	17	42	70	82
TOTAL 0-27 DYS	6	10.2	19	5	5	10	12	17	17	17
1-11 MOS	27	12.0	219	3	3	9	12	18	30	82
1-5 YRS	7	12.9	231	4	4	7	10	40	47	47
6-12 YRS	3	14.0	64	6	6	18	61	99+	99+	99+
13-19 YRS	21	7.0	11	1	2	7	9	12	12	12
GRAND TOTAL	**64**	**10.4**	**126**	**2**	**4**	**8**	**12**	**17**	**28**	**97**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.0	7	1	1	4	5	8	9	9
1-11 MOS	11	3.4	3	1	1	4	5	5	5	5
1-5 YRS	3	6.0	9	3	3	6	8	9	9	9
6-12 YRS										
13-19 YRS	7	3.7	5	1	1	3	6	7	7	7
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	4.9	13	1	1	6	8	10	10	10
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS										
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	28	3.9	5	1	1	4	5	7	9	9
B. *Operated*	12	4.3	9	<1	1	4	6	9	10	10
1. SINGLE DX	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX	40	4.0	6	1	1	4	5	7	9	10
A. NOT OPERATED	30	3.7	5	1	1	4	5	7	9	9
B. OPERATED	14	3.9	8	<1	<1	3	6	8	10	10
TOTAL 0-27 DYS	9	3.3	7	<1	<1	3	4	7	9	9
1-11 MOS	21	3.6	7	1	1	3	5	7	9	10
1-5 YRS	5	5.2	6	3	3	5	7	9	9	9
6-12 YRS										
13-19 YRS	9	3.8	4	1	1	3	5	7	7	7
GRAND TOTAL	**44**	**3.8**	**6**	**<1**	**1**	**3**	**5**	**7**	**9**	**10**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	3.9	7	2	2	3	5	8	10	10
1-11 MOS	31	5.1	11	1	2	4	7	11	12	14
1-5 YRS	9	4.0	2	2	2	3	5	6	6	6
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	7	4.7	5	2	2	4	6	8	9	9
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	10.0	12	6	6	12	12	12	12	12
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	6.7	26	1	1	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	58	4.7	8	2	2	4	6	9	11	14
B. *Operated*	9	6.8	18	1	1	6	11	12	12	12
1. SINGLE DX	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX	67	5.0	9	2	2	4	6	10	12	14
A. NOT OPERATED	62	4.6	8	1	2	4	6	8	11	14
B. OPERATED	9	6.8	18	1	1	6	11	12	12	12
TOTAL 0-27 DYS	10	3.7	7	2	2	3	4	8	10	10
1-11 MOS	36	5.3	13	1	2	4	7	12	12	14
1-5 YRS	12	3.9	2	2	2	4	5	6	6	6
6-12 YRS	3	5.7	4	4	4	5	7	8	8	8
13-19 YRS	10	5.3	10	1	1	5	8	10	11	11
GRAND TOTAL	**71**	**4.9**	**9**	**1**	**2**	**4**	**6**	**10**	**12**	**14**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	4	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	4.5	17	<1	<1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	6	3.5	2	1	1	4	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	7	8.7	49	2	2	7	13	20	21	21
1-11 MOS	8	7.4	70	1	1	5	9	22	26	26
1-5 YRS	6	2.3	2	1	1	2	4	4	4	4
6-12 YRS	7	5.7	26	1	1	3	10	13	13	13
13-19 YRS	4	2.0	4	1	1	1	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	2.4	6	<1	<1	2	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	10	5.1	21	1	1	4	5	12	17	17
B. *Operated*	32	5.7	38	1	1	3	7	14	20	26
1. SINGLE DX	15	2.4	6	<1	<1	2	2	7	8	9
2. MULTIPLE DX	42	5.5	33	1	1	4	7	14	19	26
A. NOT OPERATED	10	5.1	21	1	1	4	5	12	17	17
B. OPERATED	47	4.6	29	<1	1	2	6	12	16	26
TOTAL 0-27 DYS	10	8.4	47	2	2	6	15	19	21	21
1-11 MOS	19	4.5	35	<1	1	3	5	10	20	26
1-5 YRS	11	2.7	4	1	1	2	3	6	8	8
6-12 YRS	8	5.3	24	1	1	3	10	12	13	13
13-19 YRS	9	3.1	10	<1	<1	1	5	8	9	9
GRAND TOTAL	**57**	**4.7**	**28**	**1**	**1**	**2**	**6**	**12**	**16**	**26**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	14	7.0	7	4	4	6	9	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.0	3	5	5	7	8	9	9	9
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	30	9.6	31	3	4	8	11	17	18	30
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.0	43	8	8	12	18	24	24	24
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	15	11.1	34	4	5	12	15	18	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.2	6	4	4	7	9	11	12	12
B. *Operated*	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	37	8.8	28	2	4	7	11	15	18	30
B. *Operated*	20	11.2	40	2	4	11	15	21	23	24
1. SINGLE DX	18	7.4	6	4	4	7	9	11	12	12
2. MULTIPLE DX	57	9.7	33	2	4	8	12	18	21	30
A. NOT OPERATED	53	8.3	22	3	4	7	10	13	17	30
B. OPERATED	22	11.0	36	3	4	10	14	20	23	24
TOTAL 0-27 DYS										
1-11 MOS	9	10.2	32	5	6	8	11	20	24	24
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	4.0	15	1	1	3	7	9	9	9
13-19 YRS	61	9.4	26	4	4	8	12	17	18	29
GRAND TOTAL	**75**	**9.1**	**27**	**3**	**4**	**8**	**11**	**16**	**18**	**28**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	2	15.0	338	2	2	15	28	28	28	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	16.3	617	1	1	3	34	45	45	45
1-5 YRS	9	13.8	233	2	2	4	24	39	43	43
6-12 YRS	17	20.4	235	3	4	15	30	41	50	54
13-19 YRS	30	22.6	191	2	3	26	31	41	46	51
B. *Operated*										
0-27 DYS										
1-11 MOS	1	85.0		85	85	85	85	85	85	85
1-5 YRS	2	39.0	1800	9	9	39	69	69	69	69
6-12 YRS	7	41.3	536	10	11	42	55	73	77	77
13-19 YRS	11	24.3	157	11	12	22	35	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	11.3	209	2	2	4	22	28	28	28
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	59	20.3	224	2	2	18	31	42	46	54
B. *Operated*	21	34.2	532	10	11	34	46	72	81	85
1. SINGLE DX	4	15.8	218	2	2	16	28	29	29	29
2. MULTIPLE DX	80	24.0	337	2	3	20	34	45	55	83
A. NOT OPERATED	62	19.9	224	2	2	17	30	42	45	54
B. OPERATED	22	34.0	508	10	11	31	44	71	80	85
TOTAL 0-27 DYS										
1-11 MOS	4	33.5	1590	1	1	24	65	85	85	85
1-5 YRS	12	17.2	445	2	2	7	27	51	66	69
6-12 YRS	24	26.5	397	3	4	22	41	54	62	77
13-19 YRS	44	22.8	178	2	4	24	31	43	45	51
GRAND TOTAL	**84**	**23.6**	**332**	**2**	**3**	**20**	**34**	**45**	**55**	**82**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	3.1	8	1	1	1	4	8	9	10
1-11 MOS	20	2.4	2	1	1	2	3	4	5	6
1-5 YRS	17	2.1	2	<1	1	2	3	4	5	6
6-12 YRS	18	1.7	1	<1	1	1	2	3	4	4
13-19 YRS	20	2.5	3	<1	<1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	7.1	67	1	1	4	10	20	28	28
1-11 MOS	27	3.9	8	<1	1	3	6	8	9	12
1-5 YRS	24	2.8	5	<1	1	2	4	5	8	10
6-12 YRS	21	2.5	2	<1	1	2	3	4	5	5
13-19 YRS	30	2.3	2	1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.3	3	1	1	2	3	5	6	9
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	112	3.3	11	<1	1	2	4	6	9	18
B. *Operated*	6	2.5	2	1	1	2	4	4	4	4
1. SINGLE DX	92	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	118	3.2	11	<1	1	2	4	6	9	17
A. NOT OPERATED	202	2.8	8	<1	1	2	4	6	7	12
B. OPERATED	8	2.3	2	1	1	2	3	4	4	4
TOTAL 0-27 DYS	25	4.7	34	1	1	3	5	10	16	28
1-11 MOS	47	3.3	6	1	1	3	4	7	8	12
1-5 YRS	43	2.5	4	<1	1	2	4	5	6	10
6-12 YRS	42	2.1	1	<1	1	2	3	4	5	5
13-19 YRS	53	2.4	3	<1	1	2	3	5	6	7
GRAND TOTAL	**210**	**2.8**	**8**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	18	2.0	1	1	1	2	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	12	<1	<1	1	5	7	7	7
1-11 MOS	18	4.0	2	2	2	3	6	6	7	7
1-5 YRS	10	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	24	5.0	18	<1	1	3	8	12	13	15
13-19 YRS	57	2.8	6	<1	<1	2	4	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	41	1	1	3	10	13	13	13
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	10	5.3	15	1	1	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	112	3.4	9	<1	<1	2	4	8	10	13
B. *Operated*	18	4.4	16	1	1	3	8	11	12	13
1. SINGLE DX	25	2.4	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	130	3.6	10	<1	1	3	4	8	11	13
A. NOT OPERATED	136	3.3	8	<1	1	2	4	7	10	13
B. OPERATED	19	4.4	15	1	1	3	8	11	12	13
TOTAL 0-27 DYS	5	3.0	8	<1	<1	1	5	7	7	7
1-11 MOS	23	4.1	6	1	2	3	5	6	9	13
1-5 YRS	11	2.6	3	<1	<1	2	4	5	6	6
6-12 YRS	30	4.6	16	<1	1	3	8	11	12	15
13-19 YRS	86	2.9	7	<1	1	2	4	8	10	11
GRAND TOTAL	**155**	**3.4**	**9**	**<1**	**1**	**2**	**4**	**8**	**10**	**13**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	3.5	6	1	1	3	4	7	8	13
1-11 MOS	46	2.8	6	<1	1	2	4	4	7	15
1-5 YRS	30	3.6	30	<1	1	2	2	8	18	26
6-12 YRS	31	1.9	2	<1	<1	1	3	4	5	6
13-19 YRS	54	2.2	1	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	17	3.7	9	1	1	2	4	9	11	12
13-19 YRS	36	4.3	10	1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	3.5	4	1	1	3	5	7	7	8
1-11 MOS	109	4.4	23	1	1	3	5	9	13	30
1-5 YRS	67	3.4	6	<1	1	3	4	7	8	11
6-12 YRS	61	3.4	9	<1	1	2	4	7	8	18
13-19 YRS	180	3.3	10	1	1	2	4	6	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	18	15.1	493	1	2	8	10	39	74	93
1-5 YRS	29	8.9	235	1	1	4	9	14	47	76
6-12 YRS	31	4.8	26	1	1	3	5	11	19	22
13-19 YRS	66	7.6	192	1	2	4	8	11	19	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.7	8	<1	1	2	3	5	6	17
B. *Operated*	57	4.1	9	1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	445	3.6	12	1	1	3	4	7	9	18
B. *Operated*	144	8.2	206	1	1	4	8	13	24	93
1. SINGLE DX	249	3.0	9	<1	1	2	3	6	9	15
2. MULTIPLE DX	589	4.7	63	1	1	3	5	9	12	39
A. NOT OPERATED	637	3.3	11	1	1	2	4	6	8	18
B. OPERATED	201	7.0	153	1	1	4	8	11	20	84
TOTAL 0-27 DYS	60	3.5	5	1	1	3	5	7	8	13
1-11 MOS	173	5.1	77	1	1	3	5	10	15	42
1-5 YRS	129	4.6	67	1	1	2	5	9	11	51
6-12 YRS	140	3.4	12	<1	1	2	4	7	10	19
13-19 YRS	336	4.1	47	1	1	3	5	8	11	25
GRAND TOTAL	**838**	**4.2**	**47**	**1**	**1**	**3**	**5**	**8**	**11**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	5.0	6	2	2	4	7	8	9	9
1-5 YRS	6	3.0	2	1	1	3	4	5	5	5
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	5.3	16	1	1	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	5.5	14	1	2	5	7	10	15	15
1-11 MOS	194	5.5	23	1	2	4	7	13	14	23
1-5 YRS	118	6.2	29	1	2	5	8	13	16	31
6-12 YRS	39	4.7	9	1	1	4	6	8	11	15
13-19 YRS	78	5.9	23	1	1	4	8	13	15	23
B. *Operated*										
0-27 DYS	8	14.0	38	4	5	14	18	22	24	24
1-11 MOS	45	14.4	248	2	3	9	18	40	66	99+
1-5 YRS	17	7.7	31	1	1	7	12	15	18	19
6-12 YRS	3	19.0	241	3	3	20	30	34	34	34
13-19 YRS	16	12.1	225	2	2	8	16	23	50	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.5	7	1	1	4	6	9	9	9
B. *Operated*	3	4.0	9	<1	<1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	455	5.7	23	1	2	4	7	12	15	24
B. *Operated*	89	12.8	185	2	2	9	16	26	57	87
1. SINGLE DX	23	4.4	7	<1	1	4	7	9	9	9
2. MULTIPLE DX	544	6.9	56	1	2	5	8	14	19	42
A. NOT OPERATED	475	5.7	22	1	2	4	7	12	15	23
B. OPERATED	92	12.5	181	2	2	9	16	26	55	86
TOTAL 0-27 DYS	35	7.3	32	1	2	6	10	16	18	24
1-11 MOS	248	7.1	74	1	2	5	8	14	22	66
1-5 YRS	142	6.2	28	1	2	5	8	13	16	30
6-12 YRS	44	5.8	33	1	2	4	6	11	16	34
13-19 YRS	98	6.9	59	1	1	5	9	14	18	45
GRAND TOTAL	**567**	**6.8**	**54**	**1**	**2**	**5**	**8**	**14**	**19**	**40**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	9	2.7	7	<1	<1	2	3	7	9	9
1-5 YRS	11	3.2	9	1	1	2	4	8	11	11
6-12 YRS	18	3.6	4	<1	1	3	5	6	7	7
13-19 YRS	111	3.5	7	<1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	12	3.6	9	1	1	2	6	8	9	9
1-5 YRS	33	2.9	15	<1	1	2	3	6	7	22
6-12 YRS	36	3.6	8	<1	1	2	6	9	9	9
13-19 YRS	48	3.2	9	<1	1	2	5	7	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.8	25	1	1	5	6	13	16	16
1-11 MOS	39	7.6	49	1	2	6	9	19	22	34
1-5 YRS	67	5.3	22	1	1	4	7	12	14	23
6-12 YRS	64	4.2	15	1	1	3	5	10	12	18
13-19 YRS	208	4.4	16	1	1	4	6	8	10	23
B. *Operated*										
0-27 DYS	4	34.8	790	10	10	33	59	62	62	62
1-11 MOS	33	9.3	127	1	2	6	11	20	37	53
1-5 YRS	88	5.5	37	<1	1	2	8	15	18	28
6-12 YRS	58	5.7	51	1	1	3	8	15	25	94
13-19 YRS	119	9.2	154	1	1	6	11	20	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.5	7	<1	1	3	5	6	8	16
B. *Operated*	129	3.3	10	<1	1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	388	4.9	21	1	1	4	6	10	13	24
B. *Operated*	302	7.8	115	<1	1	4	10	16	28	61
1. SINGLE DX	280	3.4	8	<1	1	2	5	7	9	15
2. MULTIPLE DX	690	6.1	64	1	1	4	7	13	18	42
A. NOT OPERATED	539	4.5	18	1	1	3	6	9	12	21
B. OPERATED	431	6.4	88	<1	1	3	8	14	23	57
TOTAL 0-27 DYS	16	12.7	348	1	1	6	11	52	60	62
1-11 MOS	93	7.2	72	1	1	4	9	16	23	47
1-5 YRS	199	4.9	27	<1	1	3	7	12	16	25
6-12 YRS	176	4.5	25	1	1	3	6	10	14	35
13-19 YRS	486	5.2	52	1	1	3	6	10	14	37
GRAND TOTAL	**970**	**5.3**	**50**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

1473 Hospitals, United States, January-December 1986

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	1	8.0		8	8	8	8	8	8	8
A. NOT OPERATED	1	8.0		8	8	8	8	8	8	8
B. OPERATED										
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	7.3	25	2	2	8	11	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	11	11.6	98	1	2	8	19	27	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.5	5	8	8	9	11	11	11	11
1-5 YRS	2	23.0	800	3	3	23	43	43	43	43
6-12 YRS										
13-19 YRS	4	4.5	6	2	2	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	22.5	481	7	7	22	38	38	38	38
1-5 YRS	3	10.7	65	2	2	12	16	18	18	18
6-12 YRS	5	27.2	1513	3	3	10	38	96	96	96
13-19 YRS	14	19.1	174	7	10	16	23	49	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.3	25	2	2	8	11	12	12	12
B. *Operated*	13	10.5	90	1	2	8	14	26	30	31
2. MULTIPLE DX										
A. *Not Operated*	9	9.6	166	2	2	6	9	30	43	43
B. *Operated*	25	19.6	398	3	6	13	22	49	97	99+
1. SINGLE DX	16	9.9	77	1	2	8	11	25	29	31
2. MULTIPLE DX	34	17.0	350	2	3	11	20	47	84	99+
A. NOT OPERATED	12	9.0	126	2	2	6	10	21	40	43
B. OPERATED	38	16.5	306	2	3	11	21	43	75	99+
TOTAL 0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	5	13.2	203	2	2	8	18	38	38	38
1-5 YRS	5	15.6	278	2	2	12	24	43	43	43
6-12 YRS	6	23.8	1278	3	3	9	19	88	96	96
13-19 YRS	32	13.6	136	2	3	11	20	34	49	99+
GRAND TOTAL	**50**	**14.7**	**270**	**2**	**2**	**10**	**19**	**40**	**49**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	2	19.0	8	17	17	19	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	17.0	16	13	13	17	20	21	21	21
1. SINGLE DX										
2. MULTIPLE DX	3	17.0	16	13	13	17	20	21	21	21
A. NOT OPERATED										
B. OPERATED	3	17.0	16	13	13	17	20	21	21	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	2	19.0	8	17	17	19	21	21	21	21
GRAND TOTAL	**3**	**17.0**	**16**	**13**	**13**	**17**	**20**	**21**	**21**	**21**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	8	5.5	19	<1	<1	5	9	12	12	12
1-5 YRS										
6-12 YRS	3	4.7	16	1	1	4	8	9	9	9
13-19 YRS	4	9.3	113	2	2	5	15	25	25	25
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	14	7.6	52	2	2	5	8	22	24	25
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	5	13.4	25	10	10	12	15	22	22	22
13-19 YRS	11	5.7	4	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	6.2	3	4	4	6	8	8	8	8
1-11 MOS	13	6.8	39	<1	1	6	10	17	20	21
1-5 YRS	7	4.3	49	<1	<1	2	3	17	20	20
6-12 YRS	6	4.0	7	1	1	3	6	8	8	8
13-19 YRS	5	11.4	20	6	6	12	15	17	17	17
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	25	14.4	140	2	4	12	18	29	45	47
1-5 YRS	19	9.1	79	1	2	7	11	15	29	41
6-12 YRS	20	12.9	77	2	4	11	16	24	33	39
13-19 YRS	27	17.4	156	4	5	14	26	32	44	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.7	35	<1	1	4	7	12	20	25
B. *Operated*	33	8.1	37	2	2	7	10	19	22	25
2. MULTIPLE DX										
A. *Not Operated*	37	6.4	30	<1	1	6	9	16	19	21
B. *Operated*	92	13.7	123	3	3	11	18	29	41	49
1. SINGLE DX	51	7.2	37	1	1	6	9	15	22	25
2. MULTIPLE DX	129	11.6	107	1	2	9	15	26	33	48
A. NOT OPERATED	55	6.1	31	<1	1	5	8	14	19	25
B. OPERATED	125	12.2	106	2	3	9	15	27	34	48
TOTAL 0-27 DYS	11	5.9	21	1	2	5	7	12	18	18
1-11 MOS	60	10.0	94	1	1	7	12	22	27	47
1-5 YRS	28	7.7	70	<1	1	5	11	15	22	41
6-12 YRS	34	10.7	65	1	2	10	13	20	27	39
13-19 YRS	47	13.4	124	3	4	9	19	30	34	50
GRAND TOTAL	**180**	**10.4**	**91**	**1**	**2**	**8**	**13**	**23**	**29**	**46**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	19.5	61	14	14	19	25	25	25	25
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	2	29.5	1301	4	4	29	55	55	55	55
B. *Operated*										
0-27 DYS										
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS										
6-12 YRS	1	25.0		25	25	25	25	25	25	25
13-19 YRS	3	9.0	3	8	8	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	19.7	374	2	2	16	25	52	55	55
B. *Operated*	5	15.4	78	8	8	11	25	25	25	25
1. SINGLE DX										
2. MULTIPLE DX	11	17.7	223	2	3	14	25	37	53	55
A. NOT OPERATED	6	19.7	374	2	2	16	25	52	55	55
B. OPERATED	5	15.4	78	8	8	11	25	25	25	25
TOTAL 0-27 DYS										
1-11 MOS	2	13.5	265	2	2	13	25	25	25	25
1-5 YRS	2	19.5	61	14	14	19	25	25	25	25
6-12 YRS	2	21.5	25	18	18	21	25	25	25	25
13-19 YRS	5	17.2	453	4	4	8	22	55	55	55
GRAND TOTAL	**11**	**17.7**	**223**	**2**	**3**	**14**	**25**	**37**	**53**	**55**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	9.5	1	9	9	9	10	10	10	10
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	5.4	7	3	3	5	7	9	9	9
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	2	8.0	98	1	1	8	15	15	15	15
13-19 YRS	5	12.0	266	2	2	6	15	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A: *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	5	6.0	14	1	1	6	9	10	10	10
B. *Operated*	15	7.9	97	1	1	5	8	15	34	41
1. SINGLE DX	3	5.3	26	1	1	4	9	11	11	11
2. MULTIPLE DX	20	7.4	75	1	1	5	9	12	28	41
A. NOT OPERATED	6	5.7	11	1	1	5	9	10	10	10
B. OPERATED	17	7.6	88	1	1	5	9	14	32	41
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	4.7	9	1	1	4	7	9	9	9
1-5 YRS	4	8.3	5	5	5	9	10	10	10	10
6-12 YRS	4	6.5	36	1	1	5	10	15	15	15
13-19 YRS	8	9.5	171	1	1	5	9	32	41	41
GRAND TOTAL	**23**	**7.1**	**68**	**1**	**1**	**5**	**9**	**12**	**24**	**41**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	13.0	242	2	2	13	24	24	24	24
13-19 YRS	4	5.5	16	2	2	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	7.1	56	2	2	4	9	20	24	24
1. SINGLE DX										
2. MULTIPLE DX	8	7.1	56	2	2	4	9	20	24	24
A. NOT OPERATED										
B. OPERATED	8	7.1	56	2	2	4	9	20	24	24
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	13.0	242	2	2	13	24	24	24	24
13-19 YRS	4	5.5	16	2	2	5	9	9	9	9
GRAND TOTAL	**8**	**7.1**	**56**	**2**	**2**	**4**	**9**	**20**	**24**	**24**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	7.0	50	2	2	7	12	12	12	12
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.6	11	3	3	6	8	12	12	12
1-11 MOS	15	8.6	45	2	2	6	11	20	24	25
1-5 YRS	8	10.3	169	1	2	5	11	33	41	41
6-12 YRS	8	5.6	27	1	1	4	7	15	17	17
13-19 YRS	15	10.7	165	1	2	4	13	37	41	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.3	162	2	2	4	20	25	25	25
6-12 YRS	4	15.0	329	3	3	7	25	42	42	42
13-19 YRS	8	7.9	34	2	2	6	13	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.2	19	<1	<1	1	2	11	12	12
B. *Operated*	7	4.0	4	2	2	5	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	51	8.8	91	1	2	5	11	18	36	43
B. *Operated*	15	10.3	120	2	2	7	13	25	38	42
1. SINGLE DX	13	3.6	10	<1	1	2	5	8	11	12
2. MULTIPLE DX	66	9.2	96	2	2	5	12	20	38	43
A. NOT OPERATED	57	8.2	86	1	1	5	11	17	33	43
B. OPERATED	22	8.3	90	2	2	5	8	19	32	42
TOTAL 0-27 DYS	5	6.6	11	3	3	6	8	12	12	12
1-11 MOS	15	8.6	45	2	2	6	11	20	24	25
1-5 YRS	12	9.5	144	<1	1	5	11	30	39	41
6-12 YRS	17	7.7	95	1	2	5	8	16	33	42
13-19 YRS	30	8.1	99	1	1	4	11	17	37	43
GRAND TOTAL	**79**	**8.2**	**86**	**1**	**2**	**5**	**10**	**17**	**32**	**43**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	11	8.4	16	1	3	9	10	13	17	17
1-5 YRS	8	7.3	20	2	2	6	10	14	15	15
6-12 YRS	3	9.3	20	5	5	9	13	14	14	14
13-19 YRS	5	27.2	694	5	5	27	68	97	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	5	8.6	5	6	6	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	12.0	174	2	4	9	14	32	70	99+
B. *Operated*	9	8.2	15	1	3	8	11	13	13	13
1. SINGLE DX										
2. MULTIPLE DX	37	11.1	137	2	3	9	12	20	56	99+
A. NOT OPERATED	28	12.0	174	2	4	9	14	32	70	99+
B. OPERATED	9	8.2	15	1	3	8	11	13	13	13
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	12	8.1	16	1	4	8	10	12	16	17
1-5 YRS	10	7.1	22	1	1	6	11	13	15	15
6-12 YRS	4	10.3	17	5	5	11	13	14	14	14
13-19 YRS	10	17.9	407	5	6	11	33	81	98	99+
GRAND TOTAL	**37**	**11.1**	**137**	**2**	**3**	**9**	**12**	**20**	**56**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	2	1	1	3	4	4	4	4
1-11 MOS	15	4.9	24	1	1	3	6	8	18	21
1-5 YRS	9	2.9	6	1	1	2	3	7	9	9
6-12 YRS	5	4.2	44	1	1	1	5	16	16	16
13-19 YRS	9	3.2	3	1	1	3	4	6	6	6
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	6	3.2	4	1	1	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8		1	1	2	2	2	2	2
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	42	3.8	15	1	1	3	4	7	12	21
B. *Operated*	11	5.2	18	1	1	4	7	12	15	15
1. SINGLE DX	8	1.9		1	1	2	2	2	2	2
2. MULTIPLE DX	53	4.1	16	1	1	3	5	8	14	21
A. NOT OPERATED	47	3.6	14	1	1	2	4	6	10	21
B. OPERATED	14	4.5	16	1	1	3	6	10	14	15
TOTAL 0-27 DYS	5	4.4	11	1	1	4	6	10	10	10
1-11 MOS	17	4.5	22	1	1	3	6	8	16	21
1-5 YRS	10	4.1	20	1	1	2	4	12	15	15
6-12 YRS	7	4.6	30	1	1	2	6	14	16	16
13-19 YRS	22	2.8	2	1	1	2	4	5	6	6
GRAND TOTAL	**61**	**3.8**	**14**	**1**	**1**	**2**	**4**	**7**	**12**	**20**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	5	5.8	26	<1	<1	4	10	13	13	13
1-5 YRS	10	6.4	13	2	2	6	7	12	13	13
6-12 YRS	10	6.7	56	1	1	4	6	20	22	22
13-19 YRS	8	4.8	7	1	2	5	5	9	10	10
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	3	5.7	5	3	3	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	35	5.9	23	1	2	5	7	13	18	22
B. *Operated*	5	8.2	23	3	3	7	10	16	16	16
1. SINGLE DX	9	2.6	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX	40	6.2	23	1	2	5	7	13	17	22
A. NOT OPERATED	42	5.3	21	<1	1	4	6	12	16	22
B. OPERATED	7	6.9	21	2	2	7	8	14	16	16
TOTAL 0-27 DYS	4	7.3	35	3	3	5	11	16	16	16
1-11 MOS	5	5.8	26	<1	<1	4	10	13	13	13
1-5 YRS	11	6.0	14	2	2	6	7	12	13	13
6-12 YRS	13	6.5	43	1	2	4	6	20	22	22
13-19 YRS	16	4.0	6	<1	1	4	5	7	9	10
GRAND TOTAL	**49**	**5.6**	**21**	**1**	**1**	**4**	**7**	**12**	**16**	**22**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	12.4	86	2	2	9	19	26	26	26
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	13.5	1	13	13	13	14	14	14	14
13-19 YRS	2	11.0	162	2	2	11	20	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	13.3	41	6	6	16	17	18	18	18
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	11.4	66	2	2	11	17	23	26	26
B. *Operated*	5	11.6	28	6	6	11	16	18	18	18
1. SINGLE DX										
2. MULTIPLE DX	15	11.5	50	2	2	11	17	20	24	26
A. NOT OPERATED	10	11.4	66	2	2	11	17	23	26	26
B. OPERATED	5	11.6	28	6	6	11	16	18	18	18
TOTAL 0-27 DYS										
1-11 MOS	6	11.5	74	2	2	8	17	25	26	26
1-5 YRS	4	10.8	54	3	3	11	17	18	18	18
6-12 YRS	3	12.7	2	11	11	13	14	14	14	14
13-19 YRS	2	11.0	162	2	2	11	20	20	20	20
GRAND TOTAL	**15**	**11.5**	**50**	**2**	**2**	**11**	**17**	**20**	**24**	**26**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	4	2.5	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	7	5.6	20	1	1	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.0	7	6	6	7	10	11	11	11
1-5 YRS	15	5.2	51	<1	2	3	6	8	24	30
6-12 YRS	12	4.3	15	1	1	3	6	11	13	13
13-19 YRS	13	4.5	18	<1	<1	3	5	9	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	8	7.9	52	1	1	4	14	19	19	19
6-12 YRS	8	24.3	945	2	2	8	46	74	78	78
13-19 YRS	11	16.1	610	<1	1	6	19	49	84	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	3	1	1	1	3	5	5	5
B. *Operated*	13	4.2	14	1	1	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	43	4.9	27	<1	1	3	6	10	14	30
B. *Operated*	28	16.0	524	1	2	6	18	54	79	87
1. SINGLE DX	21	3.4	10	1	1	2	4	9	11	12
2. MULTIPLE DX	71	9.3	249	<1	1	4	9	20	30	85
A. NOT OPERATED	51	4.5	24	<1	1	3	6	9	13	30
B. OPERATED	41	12.3	389	1	1	5	13	25	71	87
TOTAL 0-27 DYS										
1-11 MOS	4	9.8	17	6	6	9	13	15	15	15
1-5 YRS	25	5.9	48	1	1	3	6	18	22	30
6-12 YRS	28	9.3	345	1	1	3	6	23	67	78
13-19 YRS	35	8.1	220	<1	1	4	7	17	22	87
GRAND TOTAL	**92**	**7.9**	**200**	**1**	**1**	**3**	**7**	**17**	**27**	**83**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.7	41	5	5	7	14	17	17	17
1-5 YRS	15	8.3	30	1	2	8	11	12	20	23
6-12 YRS	6	4.7	14	1	1	4	8	9	9	9
13-19 YRS	5	6.6	40	1	1	4	11	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	4	2.8	8	<1	<1	1	4	7	7	7
B. *Operated*	29	7.4	29	1	1	7	10	14	17	23
1. SINGLE DX	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX	33	6.8	28	1	1	7	10	13	17	23
A. NOT OPERATED	4	2.8	8	<1	<1	1	4	7	7	7
B. OPERATED	33	6.7	29	1	1	5	10	13	17	23
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	6.3	35	1	1	6	7	16	17	17
1-5 YRS	17	7.5	32	<1	1	7	11	12	19	23
6-12 YRS	6	4.7	14	1	1	4	8	9	9	9
13-19 YRS	7	5.1	33	1	1	2	8	15	16	16
GRAND TOTAL	**37**	**6.2**	**28**	**1**	**1**	**5**	**10**	**12**	**17**	**23**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	8	15.5	209	2	4	9	20	41	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	13	12.9	147	<1	2	9	14	32	43	46
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	14	12.1	146	<1	<1	9	14	30	42	46
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	14	12.4	140	<1	2	9	14	30	42	46
TOTAL 0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	9.5	41	5	5	9	14	14	14	14
13-19 YRS	9	13.9	206	<1	1	9	17	39	46	46
GRAND TOTAL	**15**	**11.6**	**139**	**<1**	**<1**	**9**	**14**	**28**	**41**	**46**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	3	3.3	16	1	1	1	6	8	8	8
13-19 YRS	6	3.0	10	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	2	13.0	2	12	12	13	14	14	14	14
13-19 YRS	7	7.4	14	2	2	8	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	3.1	9	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	12	7.3	21	1	1	8	11	13	14	14
1. SINGLE DX	11	3.1	9	1	1	2	4	8	9	9
2. MULTIPLE DX	13	6.8	21	1	1	8	10	13	14	14
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	23	5.3	19	1	1	4	9	12	13	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	7	1	1	2	5	7	7	7
6-12 YRS	6	6.3	34	1	1	5	12	14	14	14
13-19 YRS	13	5.4	17	1	1	4	9	10	12	13
GRAND TOTAL	**24**	**5.1**	**19**	**1**	**1**	**3**	**8**	**12**	**13**	**14**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	5	6.8	2	5	5	7	8	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	12	6.8	16	1	2	6	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	4.7	8	3	3	3	7	8	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	10.5	36	4	4	10	15	17	17	17
B. *Operated*										
0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	4	13.0	90	4	4	11	20	25	25	25
1-5 YRS	2	17.5	85	11	11	17	24	24	24	24
6-12 YRS	4	6.5	18	2	2	6	10	11	11	11
13-19 YRS	13	11.2	72	2	4	9	13	23	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.2	2	5	5	7	8	9	9	9
B. *Operated*	13	6.5	16	1	2	6	9	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	9	6.4	33	<1	<1	4	9	16	17	17
B. *Operated*	25	11.5	63	2	4	9	16	24	27	34
1. SINGLE DX	19	6.7	11	1	2	6	9	10	13	16
2. MULTIPLE DX	34	10.1	59	1	2	9	14	20	25	34
A. NOT OPERATED	15	6.7	20	<1	1	7	8	14	16	17
B. OPERATED	38	9.8	52	1	2	9	11	20	25	34
TOTAL 0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	6	10.3	77	<1	<1	8	16	24	25	25
1-5 YRS	6	8.7	67	3	3	6	11	23	24	24
6-12 YRS	5	5.4	19	1	1	4	9	11	11	11
13-19 YRS	34	8.9	40	1	4	7	10	17	19	34
GRAND TOTAL	**53**	**8.9**	**44**	**1**	**2**	**7**	**11**	**18**	**23**	**34**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	29	6.3	19	2	2	5	8	14	15	16
1-5 YRS	162	5.1	13	1	2	4	6	9	11	20
6-12 YRS	45	4.3	10	1	1	4	6	8	10	14
13-19 YRS	17	4.2	6	1	1	4	5	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	16	3.1	6	1	1	2	4	7	8	9
6-12 YRS	11	4.9	16	1	2	4	6	11	16	16
13-19 YRS	13	2.8	3	1	1	2	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	41	6.8	16	1	2	6	9	13	15	17
1-5 YRS	139	5.5	11	2	2	4	7	11	12	14
6-12 YRS	36	6.1	35	1	2	4	7	14	20	28
13-19 YRS	37	3.9	11	1	1	3	5	9	12	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	15.2	466	1	1	5	19	52	67	67
1-5 YRS	24	8.5	34	1	1	10	12	15	20	22
6-12 YRS	15	11.7	160	<1	2	4	20	33	37	39
13-19 YRS	35	7.3	62	1	1	5	10	14	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.0	13	1	1	4	6	9	12	20
B. *Operated*	42	3.4	8	1	1	3	4	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	253	5.5	16	1	2	4	7	11	14	19
B. *Operated*	84	9.3	114	1	1	6	12	22	34	88
1. SINGLE DX	295	4.8	12	1	1	4	6	9	12	19
2. MULTIPLE DX	337	6.5	42	1	2	5	8	13	15	40
A. NOT OPERATED	506	5.3	14	1	2	4	7	10	13	19
B. OPERATED	126	7.3	86	1	1	4	10	16	27	75
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	81	7.4	70	1	2	5	9	14	16	55
1-5 YRS	341	5.4	14	1	2	4	7	11	13	20
6-12 YRS	107	6.0	44	1	1	4	7	14	20	36
13-19 YRS	102	5.0	29	1	1	4	6	11	14	71
GRAND TOTAL	**632**	**5.7**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	7.5	25	4	4	7	11	11	11	11
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	7.3	57	2	2	4	13	16	16	16
13-19 YRS	71	6.1	14	1	2	6	8	11	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.3	42	1	1	7	12	14	14	14
13-19 YRS	52	6.7	18	1	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	10.2	45	4	4	8	15	20	20	20
1-5 YRS	5	8.2	21	5	5	7	10	16	16	16
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	62	7.4	29	2	2	7	9	13	17	29
B. *Operated*										
0-27 DYS	1	34.0		34	34	34	34	34	34	34
1-11 MOS	5	7.6	22	1	1	7	11	13	13	13
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	46	9.5	34	2	3	8	12	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	6.2	15	1	2	6	8	11	12	22
B. *Operated*	55	6.7	19	1	1	6	9	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	77	7.3	29	2	2	7	9	13	19	28
B. *Operated*	53	9.8	43	2	3	8	12	15	19	35
1. SINGLE DX	133	6.5	16	1	2	6	9	11	14	20
2. MULTIPLE DX	130	8.3	36	2	2	7	11	15	19	34
A. NOT OPERATED	155	6.8	22	1	2	6	8	12	14	27
B. OPERATED	108	8.3	33	1	2	8	11	14	16	34
TOTAL 0-27 DYS	4	12.5	208	3	3	6	20	34	34	34
1-11 MOS	12	8.7	28	1	3	7	12	16	19	20
1-5 YRS	6	8.2	17	5	5	7	8	15	16	16
6-12 YRS	10	6.2	33	1	1	3	12	15	16	16
13-19 YRS	231	7.3	24	1	2	7	9	13	15	27
GRAND TOTAL	**263**	**7.4**	**27**	**1**	**2**	**7**	**9**	**13**	**15**	**29**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	39	2.6	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	9.3	16	7	7	7	12	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	15	3.6	11	1	1	4	4	5	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	42	2.7	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	4	7.3	28	1	1	7	11	14	14	14
B. *Operated*	18	4.4	16	1	1	4	5	12	14	14
1. SINGLE DX	42	2.7	3	<1	1	2	3	5	6	7
2. MULTIPLE DX	22	5.0	18	1	1	4	7	14	14	14
A. NOT OPERATED	4	7.3	28	1	1	7	11	14	14	14
B. OPERATED	60	3.2	7	<1	1	2	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS	5	6.4	25	1	1	7	9	14	14	14
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS	2	5.0	32	<1	<1	4	9	9	9	9
13-19 YRS	55	2.9	5	1	1	2	4	5	6	14
GRAND TOTAL	**64**	**3.5**	**9**	**<1**	**1**	**3**	**4**	**7**	**10**	**14**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS	10	2.3	3	<1	<1	1	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	8	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	25	3.2	5	1	1	3	4	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	5.4	79	<1	1	3	5	7	29	38
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	12	4.3	13	1	2	3	4	9	14	15
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	68	3.3	3	1	1	3	4	6	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	38	2.6	4	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	20	4.7	65	<1	1	3	5	6	22	38
B. *Operated*	87	3.5	5	1	2	3	4	6	7	13
1. SINGLE DX	50	2.5	4	<1	<1	2	3	4	5	13
2. MULTIPLE DX	107	3.7	16	1	1	3	4	6	7	25
A. NOT OPERATED	32	3.8	42	<1	<1	2	4	6	7	38
B. OPERATED	125	3.2	5	1	1	3	4	6	7	13
TOTAL 0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	18	3.4	11	<1	1	3	4	6	12	15
1-5 YRS	14	2.2	6	<1	<1	1	2	4	9	10
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	119	3.5	14	1	1	3	4	6	7	21
GRAND TOTAL	**157**	**3.3**	**12**	**<1**	**1**	**3**	**4**	**6**	**7**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.1	2	3	3	5	6	8	8	8
6-12 YRS	24	2.1	2	1	1	2	2	4	5	6
13-19 YRS	80	5.8	13	1	1	6	8	10	12	16
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	6	3.5	32	1	1	1	2	14	15	15
6-12 YRS	29	1.4	1	<1	<1	1	2	3	3	4
13-19 YRS	205	2.8	14	<1	1	1	3	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	3	2	2	2	4	5	5	5
1-11 MOS	13	9.3	74	1	2	6	11	23	27	28
1-5 YRS	24	4.1	8	1	1	3	6	9	10	10
6-12 YRS	32	3.2	4	<1	1	3	4	6	7	7
13-19 YRS	137	4.6	22	1	1	3	6	9	13	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	15	12.8	140	2	3	9	18	29	41	45
1-5 YRS	30	8.4	161	1	1	3	10	18	45	56
6-12 YRS	30	4.9	39	<1	1	2	6	10	13	33
13-19 YRS	132	6.2	64	<1	1	3	9	14	17	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.9	12	1	1	4	7	9	12	16
B. *Operated*	243	2.7	13	<1	1	1	2	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	209	4.6	22	1	1	3	6	9	13	24
B. *Operated*	208	6.8	81	<1	1	4	9	15	20	50
1. SINGLE DX	354	3.4	14	<1	1	2	5	8	10	18
2. MULTIPLE DX	417	5.7	53	1	1	3	7	12	17	45
A. NOT OPERATED	320	4.7	18	1	1	3	6	9	12	21
B. OPERATED	451	4.6	49	<1	1	2	6	11	16	45
TOTAL 0-27 DYS	5	4.0	14	1	1	2	6	10	10	10
1-11 MOS	30	11.0	105	2	2	7	16	25	29	45
1-5 YRS	67	6.1	81	1	1	3	7	12	18	54
6-12 YRS	115	2.9	13	<1	1	2	4	6	7	20
13-19 YRS	554	4.5	29	<1	1	2	6	10	13	22
GRAND TOTAL	**771**	**4.6**	**36**	**<1**	**1**	**2**	**6**	**10**	**14**	**32**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	142	2.5	3	<1	1	2	3	4	5	11
1-11 MOS	1376	2.5	2	1	1	2	3	4	5	9
1-5 YRS	2855	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	636	2.2	2	<1	1	2	3	4	4	8
13-19 YRS	569	2.9	2	1	1	3	3	5	5	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	5.8	12	1	1	6	9	9	9	9
1-5 YRS	133	1.8	3	<1	1	1	2	4	6	8
6-12 YRS	271	1.3	1	<1	1	1	1	2	2	6
13-19 YRS	335	1.5	1	1	1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	235	3.3	6	1	1	3	4	6	7	16
1-11 MOS	2900	3.3	6	1	1	3	4	6	7	13
1-5 YRS	5487	2.9	5	1	1	2	4	5	6	10
6-12 YRS	1658	2.9	3	1	1	2	3	5	6	10
13-19 YRS	1719	3.2	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	2	16.0	392	2	2	16	30	30	30	30
1-11 MOS	37	11.0	137	1	1	6	15	33	44	99+
1-5 YRS	329	3.3	31	1	1	1	3	8	11	27
6-12 YRS	334	1.6	3	1	1	1	2	2	6	9
13-19 YRS	350	2.9	22	1	1	1	3	6	9	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5578	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	745	1.5	1	<1	1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	11999	3.0	5	1	1	3	4	5	7	11
B. *Operated*	1052	2.9	26	1	1	1	2	7	10	31
1. SINGLE DX	6323	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	13051	3.0	6	1	1	3	4	5	7	12
A. NOT OPERATED	17577	2.8	4	1	1	2	3	5	6	10
B. OPERATED	1797	2.3	17	1	1	1	2	5	8	22
TOTAL 0-27 DYS	380	3.1	7	1	1	3	4	5	6	14
1-11 MOS	4318	3.1	6	1	1	3	4	5	7	12
1-5 YRS	8804	2.6	5	1	1	2	3	5	6	10
6-12 YRS	2899	2.4	3	1	1	2	3	4	5	9
13-19 YRS	2973	2.9	6	1	1	2	4	5	6	11
GRAND TOTAL	**19374**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	151	3.6	5	1	2	3	4	6	7	13
1-11 MOS	4604	3.5	3	1	2	3	4	6	7	9
1-5 YRS	2939	2.8	2	1	1	2	4	5	6	8
6-12 YRS	402	2.7	2	1	1	2	3	5	6	8
13-19 YRS	201	3.2	3	1	2	3	4	5	6	9
B. *Operated*										
0-27 DYS	2	9.5	85	3	3	9	16	16	16	16
1-11 MOS	11	3.6	7	1	1	3	6	7	9	9
1-5 YRS	12	4.8	19	1	1	3	6	13	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	9.7	16	6	6	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	236	4.7	15	2	2	4	6	8	9	16
1-11 MOS	7403	4.1	7	1	2	4	5	7	9	13
1-5 YRS	4529	3.5	5	1	2	3	4	6	7	11
6-12 YRS	733	3.6	6	1	2	3	4	6	7	14
13-19 YRS	639	4.0	8	1	2	3	5	7	9	14
B. *Operated*										
0-27 DYS	6	8.3	20	3	3	8	12	13	13	13
1-11 MOS	71	10.5	162	2	3	7	11	22	37	98
1-5 YRS	36	8.4	75	<1	1	6	10	21	29	38
6-12 YRS	5	9.8	220	1	1	3	14	36	36	36
13-19 YRS	12	9.0	47	1	1	8	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8297	3.2	3	1	1	3	4	5	6	9
B. *Operated*	29	5.2	18	1	1	3	7	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	13540	3.9	6	1	2	3	5	7	8	13
B. *Operated*	130	9.6	121	1	2	7	11	21	32	92
1. SINGLE DX	8326	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	13670	4.0	8	1	2	3	5	7	8	13
A. NOT OPERATED	21837	3.6	5	1	2	3	4	6	8	11
B. OPERATED	159	8.8	105	1	2	6	11	20	26	86
TOTAL 0-27 DYS	395	4.3	12	1	2	4	5	7	9	14
1-11 MOS	12089	3.9	7	1	2	3	5	7	8	12
1-5 YRS	7516	3.3	5	1	1	3	4	6	7	10
6-12 YRS	1141	3.3	6	1	1	3	4	5	7	12
13-19 YRS	855	3.9	8	1	2	3	5	6	9	15
GRAND TOTAL	**21996**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	40	1.2		<1	<1	1	1	2	2	3
13-19 YRS	699	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	14	1.5	1	<1	<1	1	1	4	4	4
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	6	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	109	1.4		<1	1	1	2	2	3	4
13-19 YRS	1801	1.5	1	1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	743	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	17	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1921	1.5	1	1	1	1	2	2	3	4
1. SINGLE DX	745	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	1938	1.4	1	1	1	1	2	2	3	4
A. NOT OPERATED	19	1.4	1	<1	<1	1	1	3	4	4
B. OPERATED	2664	1.4	1	1	1	1	2	2	3	4
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	11	1.5	1	<1	<1	1	1	3	4	4
6-12 YRS	152	1.3		<1	<1	1	2	2	3	4
13-19 YRS	2514	1.4	1	1	1	1	2	2	3	5
GRAND TOTAL	**2683**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	9	2.1	2	1	1	1	4	4	4	4
13-19 YRS	31	1.4	1	<1	<1	1	1	2	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	1	1	1	3	3	3	3
6-12 YRS	46	2.2	3	<1	<1	1	3	5	7	8
13-19 YRS	110	2.0	4	<1	1	1	2	3	4	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	44	1.5	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	161	2.0	4	<1	1	1	2	4	5	8
1. SINGLE DX	45	1.5	1	<1	1	1	2	4	4	4
2. MULTIPLE DX	163	2.0	4	<1	1	1	2	4	5	8
A. NOT OPERATED	3	3.0	1	2	2	3	4	4	4	4
B. OPERATED	205	1.9	3	<1	1	1	2	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.6	1	1	1	1	2	3	3	3
6-12 YRS	56	2.2	3	<1	<1	1	3	5	6	8
13-19 YRS	143	1.8	3	<1	1	1	2	3	4	8
GRAND TOTAL	**208**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	33	1.9	1	<1	<1	1	3	3	4	6
6-12 YRS	39	1.3	1	<1	<1	1	1	3	3	4
13-19 YRS	74	1.6	1	1	1	1	2	4	4	5
B. *Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	20	1.1		<1	1	1	1	2	2	2
1-5 YRS	5976	1.2		<1	<1	1	1	2	2	3
6-12 YRS	10895	1.1		<1	1	1	1	2	2	2
13-19 YRS	9121	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	173	1.8	3	<1	<1	1	2	4	6	8
6-12 YRS	140	1.4	1	<1	<1	1	1	3	3	5
13-19 YRS	74	1.8	1	<1	<1	1	3	4	4	5
B. *Operated*										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	35	2.3	9	<1	1	1	2	6	10	14
1-5 YRS	7485	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	7113	1.2		<1	1	1	1	2	2	3
13-19 YRS	2931	1.3	3	1	1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	26015	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	390	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	17568	1.2	1	<1	1	1	1	2	2	4
1. SINGLE DX	26161	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX	17958	1.2	1	<1	1	1	1	2	2	4
A. NOT OPERATED	536	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	43583	1.2	1	<1	1	1	1	2	2	3
TOTAL 0-27 DYS	7	1.3		1	1	1	2	2	2	2
1-11 MOS	58	1.8	6	<1	1	1	2	2	8	14
1-5 YRS	13667	1.2		<1	<1	1	1	2	2	3
6-12 YRS	18187	1.2		<1	1	1	1	2	2	3
13-19 YRS	12200	1.2	2	<1	1	1	1	2	2	4
GRAND TOTAL	**44119**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.9	3	<1	<1	3	4	5	6	6
1-11 MOS	69	2.5	3	1	1	2	3	5	5	11
1-5 YRS	288	2.2	3	<1	<1	2	3	4	5	8
6-12 YRS	256	2.8	3	<1	1	2	4	5	6	7
13-19 YRS	536	2.8	2	1	1	3	3	5	5	8
B. *Operated*										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	35	3.9	20	<1	1	2	5	9	12	22
1-5 YRS	189	2.2	4	<1	<1	2	2	5	7	10
6-12 YRS	301	1.9	3	<1	1	1	2	4	4	9
13-19 YRS	879	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	2.5	3	<1	1	2	3	5	6	7
1-11 MOS	153	3.8	17	1	1	3	4	7	10	24
1-5 YRS	407	3.1	4	1	1	3	4	6	7	11
6-12 YRS	351	3.1	6	1	1	3	4	5	7	10
13-19 YRS	479	3.6	6	1	2	3	4	6	8	13
B. *Operated*										
0-27 DYS	6	9.0	89	1	1	4	16	24	25	25
1-11 MOS	97	10.2	171	1	1	5	13	27	38	62
1-5 YRS	371	3.5	37	<1	1	2	3	8	12	38
6-12 YRS	434	2.5	6	<1	1	2	3	5	8	13
13-19 YRS	921	2.5	9	1	1	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	2.6	2	<1	1	2	3	5	6	8
B. *Operated*	1406	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1412	3.3	7	1	1	3	4	6	7	12
B. *Operated*	1829	3.2	25	1	1	2	3	7	10	28
1. SINGLE DX	2566	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	3241	3.2	17	1	1	2	4	6	9	21
A. NOT OPERATED	2572	3.0	5	1	1	3	4	5	6	11
B. OPERATED	3235	2.7	16	<1	1	2	3	5	8	19
TOTAL 0-27 DYS	41	3.7	20	<1	1	3	4	7	13	25
1-11 MOS	354	5.3	65	1	1	3	5	11	20	47
1-5 YRS	1255	2.9	14	<1	1	2	3	6	7	14
6-12 YRS	1342	2.6	5	<1	1	2	3	5	6	10
13-19 YRS	2815	2.7	5	1	1	2	3	5	6	11
GRAND TOTAL	**5807**	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	295	4.5	5	2	2	4	6	8	9	12
1-11 MOS	4118	3.8	5	1	2	3	5	6	8	11
1-5 YRS	6855	3.4	3	1	2	3	4	6	7	9
6-12 YRS	2845	3.9	4	1	2	3	5	6	8	11
13-19 YRS	1473	4.1	5	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	4	6.8	7	3	3	7	8	9	9	9
1-11 MOS	23	6.7	16	2	3	6	10	11	14	18
1-5 YRS	32	5.2	15	<1	1	4	8	11	13	14
6-12 YRS	18	6.8	32	<1	<1	4	12	16	17	17
13-19 YRS	15	7.0	13	2	3	6	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	423	5.8	11	2	2	5	7	11	12	16
1-11 MOS	7393	4.7	11	2	2	4	6	8	10	16
1-5 YRS	13485	4.1	8	1	2	3	5	7	9	14
6-12 YRS	4188	4.6	10	2	2	4	5	8	11	18
13-19 YRS	2266	5.7	18	2	2	4	7	11	14	22
B. *Operated*										
0-27 DYS	24	11.8	65	3	5	10	14	24	31	37
1-11 MOS	194	14.0	212	2	3	10	17	33	50	99+
1-5 YRS	244	11.3	153	1	2	8	14	24	35	74
6-12 YRS	105	13.7	126	3	4	10	17	30	34	57
13-19 YRS	152	14.7	140	3	4	12	20	29	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15586	3.7	4	1	2	3	5	6	7	10
B. *Operated*	92	6.3	18	1	2	6	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	27755	4.5	10	1	2	4	5	8	10	16
B. *Operated*	719	13.1	161	2	3	10	16	28	39	81
1. SINGLE DX	15678	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	28474	4.7	16	1	2	4	5	8	11	20
A. NOT OPERATED	43341	4.2	8	1	2	4	5	7	9	15
B. OPERATED	811	12.3	149	2	3	9	15	26	36	78
TOTAL 0-27 DYS	746	5.5	12	2	2	5	7	10	11	16
1-11 MOS	11728	4.5	14	2	2	4	5	8	10	17
1-5 YRS	20616	3.9	9	1	2	3	5	7	8	14
6-12 YRS	7156	4.4	11	1	2	4	5	7	10	18
13-19 YRS	3906	5.4	22	2	2	4	6	10	14	24
GRAND TOTAL	**44152**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	11	2	2	3	6	10	11	11
1-11 MOS	57	2.9	4	1	1	2	4	5	7	10
1-5 YRS	110	2.8	3	1	1	3	3	4	7	9
6-12 YRS	121	2.6	2	<1	1	2	3	5	6	7
13-19 YRS	179	2.4	1	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.6	5	2	2	3	5	7	8	8
1-11 MOS	129	3.8	10	1	1	3	5	7	12	15
1-5 YRS	383	3.0	3	1	1	3	4	5	6	10
6-12 YRS	348	3.2	4	1	1	3	4	5	7	11
13-19 YRS	437	3.1	3	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	12.3	261	3	3	3	24	31	31	31
1-5 YRS	7	18.0	521	4	4	7	24	59	66	66
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	7.8	55	2	2	5	9	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	2.6	2	1	1	2	3	4	5	9
B. *Operated*	4	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1304	3.2	4	1	1	3	4	5	7	11
B. *Operated*	17	12.6	271	2	3	7	12	31	54	66
1. SINGLE DX	477	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX	1321	3.3	9	1	1	3	4	6	7	12
A. NOT OPERATED	1777	3.0	4	1	1	3	4	5	7	11
B. OPERATED	21	11.0	229	2	3	6	8	30	47	66
TOTAL 0-27 DYS	13	4.1	8	2	2	3	5	9	11	11
1-11 MOS	189	3.7	12	1	1	3	4	7	10	16
1-5 YRS	501	3.2	13	1	1	3	4	5	7	10
6-12 YRS	470	3.0	4	1	1	3	4	5	6	11
13-19 YRS	625	3.0	4	1	1	3	4	5	6	9
GRAND TOTAL	**1798**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	3.7	1	2	2	4	4	5	6	6
1-11 MOS	316	3.3	4	1	1	3	4	6	7	11
1-5 YRS	469	2.5	3	<1	1	2	3	4	5	9
6-12 YRS	109	2.8	3	1	1	2	4	5	6	8
13-19 YRS	60	3.4	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	10	2.8	9	<1	<1	1	4	8	9	9
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.8	5	1	2	3	5	7	9	10
1-11 MOS	625	3.5	4	1	2	3	4	6	7	11
1-5 YRS	822	3.2	4	1	1	3	4	5	7	10
6-12 YRS	218	3.5	6	1	1	3	4	6	8	14
13-19 YRS	185	4.5	12	1	2	3	5	10	11	15
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	8.9	42	4	4	7	17	77	99+	99+
1-5 YRS	12	3.8	21	<1	<1	2	5	12	14	14
6-12 YRS	10	6.7	35	1	1	5	9	16	20	20
13-19 YRS	16	12.1	334	1	1	7	13	20	60	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	2.9	3	1	1	2	4	5	6	9
B. *Operated*	20	2.3	5	<1	<1	2	2	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	1872	3.5	5	1	1	3	4	6	8	12
B. *Operated*	46	8.2	140	1	1	5	10	19	30	99+
1. SINGLE DX	985	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1918	3.6	9	1	1	3	4	6	8	14
A. NOT OPERATED	2837	3.3	5	1	1	3	4	6	7	11
B. OPERATED	66	6.4	106	1	1	3	8	16	21	96
TOTAL 0-27 DYS	34	3.9	4	2	2	4	5	6	8	10
1-11 MOS	952	3.5	4	1	1	3	4	6	7	11
1-5 YRS	1313	3.0	4	1	1	3	4	5	7	10
6-12 YRS	340	3.4	6	1	1	3	4	6	8	14
13-19 YRS	264	4.6	32	1	2	3	5	9	11	20
GRAND TOTAL	**2903**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	19	1	1	2	7	9	9	9
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	14.3	320	4	4	4	27	35	35	35
1-5 YRS	3	3.3	6	1	1	3	5	6	6	6
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS	2	11.5	85	5	5	11	18	18	18	18
6-12 YRS										
13-19 YRS	12	13.8	80	3	4	13	20	26	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.3	46	2	2	5	12	15	15	15
B. *Operated*	5	4.8	23	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	11	6.5	91	1	2	4	5	18	34	35
B. *Operated*	16	13.6	78	3	4	13	20	25	29	31
1. SINGLE DX	8	5.8	28	1	1	4	10	14	15	15
2. MULTIPLE DX	27	10.7	93	2	3	5	18	25	32	35
A. NOT OPERATED	14	6.6	78	1	2	4	5	17	31	35
B. OPERATED	21	11.5	78	1	2	10	18	24	28	31
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	11.1	138	1	1	5	17	31	35	35
1-5 YRS	6	5.8	39	1	1	4	6	17	18	18
6-12 YRS	3	3.3	4	1	1	4	5	5	5	5
13-19 YRS	16	11.6	77	2	3	10	18	24	29	31
GRAND TOTAL	**35**	**9.6**	**82**	**1**	**2**	**5**	**15**	**24**	**29**	**35**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.0	5	<1	<1	3	4	5	8	10
1-11 MOS	1176	3.4	4	1	1	3	4	6	7	9
1-5 YRS	8763	2.7	2	1	1	2	3	4	5	8
6-12 YRS	6409	2.8	2	1	1	3	3	5	5	7
13-19 YRS	3669	3.0	4	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	5.7	15	2	2	5	10	10	10	10
1-5 YRS	19	3.3	7	1	1	2	3	9	9	9
6-12 YRS	34	3.2	2	1	1	3	4	5	6	6
13-19 YRS	16	4.3	8	1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	4.3	21	1	1	2	4	12	15	16
1-11 MOS	1822	4.2	7	1	2	4	5	7	9	12
1-5 YRS	8636	3.2	4	1	1	3	4	5	7	10
6-12 YRS	4017	3.3	5	1	1	3	4	5	6	9
13-19 YRS	2493	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	8.2	66	1	1	6	11	15	17	43
1-5 YRS	83	6.9	39	1	2	5	8	14	20	35
6-12 YRS	36	6.2	16	1	2	6	8	12	13	14
13-19 YRS	43	6.8	18	1	2	6	9	11	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20033	2.9	3	1	1	3	4	5	6	8
B. *Operated*	75	3.7	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	16980	3.4	5	1	1	3	4	6	7	11
B. *Operated*	192	6.9	34	1	2	6	9	13	17	34
1. SINGLE DX	20108	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	17172	3.5	6	1	1	3	4	6	7	11
A. NOT OPERATED	37013	3.1	4	1	1	3	4	5	6	9
B. OPERATED	267	6.0	28	1	1	5	8	12	15	24
TOTAL 0-27 DYS	29	3.4	11	<1	1	3	4	8	11	16
1-11 MOS	3033	3.9	6	1	2	3	5	7	8	12
1-5 YRS	17501	3.0	4	1	1	3	4	5	6	9
6-12 YRS	10496	3.0	3	1	1	3	4	5	6	8
13-19 YRS	6221	3.3	5	1	1	3	4	6	7	10
GRAND TOTAL	**37280**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.9	1	2	2	3	3	4	5	5
1-5 YRS	7	2.4	1	1	1	2	3	4	4	4
6-12 YRS	12	3.6	4	1	1	3	4	6	9	9
13-19 YRS	7	5.0	14	2	2	4	5	11	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.8	7	<1	<1	3	6	8	8	8
6-12 YRS	6	5.3	21	<1	<1	4	8	12	13	13
13-19 YRS	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.0	10	3	3	5	8	11	11	11
1-11 MOS	27	7.2	78	2	2	4	9	13	19	47
1-5 YRS	21	4.7	11	1	1	3	6	10	12	13
6-12 YRS	13	6.6	9	1	3	7	9	11	11	11
13-19 YRS	18	7.8	23	2	2	8	11	15	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	13.0	48	7	7	13	19	19	19	19
6-12 YRS	8	10.4	16	4	5	10	13	16	17	17
13-19 YRS	6	9.5	76	1	1	5	20	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.5	5	1	2	3	4	5	8	13
B. *Operated*	15	5.3	19	<1	<1	4	8	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	84	6.5	35	2	2	5	9	12	14	37
B. *Operated*	19	10.8	37	2	4	10	16	20	21	21
1. SINGLE DX	50	4.0	10	1	1	3	5	8	13	15
2. MULTIPLE DX	103	7.3	38	2	2	6	10	13	18	33
A. NOT OPERATED	119	5.6	28	2	2	4	7	11	13	26
B. OPERATED	34	8.4	36	<1	1	7	13	19	20	21
TOTAL 0-27 DYS	5	6.0	10	3	3	5	8	11	11	11
1-11 MOS	37	6.3	61	2	2	4	7	13	14	47
1-5 YRS	38	5.0	20	<1	1	3	7	10	16	19
6-12 YRS	39	6.3	16	1	1	5	9	12	14	17
13-19 YRS	34	7.5	31	2	2	5	11	16	19	21
GRAND TOTAL	**153**	**6.2**	**31**	**1**	**2**	**4**	**9**	**13**	**16**	**21**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	127	2.7	5	<1	1	2	3	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	335	6.1	17	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	12.3	161	5	5	5	22	27	27	27
1-5 YRS	7	2.4	2	1	1	2	4	4	4	4
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	46	3.5	6	1	1	3	5	6	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.0	63	2	2	14	16	17	17	17
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	11.6	75	<1	1	10	16	25	27	27
13-19 YRS	148	10.2	60	3	4	8	13	20	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.7	5	1	1	2	3	6	7	11
B. *Operated*	339	6.1	17	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	59	3.8	15	1	1	3	5	7	10	26
B. *Operated*	161	10.2	60	3	3	8	13	21	24	42
1. SINGLE DX	468	5.2	16	1	1	4	7	10	13	18
2. MULTIPLE DX	220	8.5	56	1	2	6	11	18	23	37
A. NOT OPERATED	188	3.0	9	1	1	2	4	6	8	14
B. OPERATED	500	7.5	34	2	3	6	9	14	18	32
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	10	9.0	75	1	1	5	14	22	27	27
1-5 YRS	8	2.8	2	1	1	3	4	5	5	5
6-12 YRS	12	9.7	70	<1	<1	9	12	24	27	27
13-19 YRS	656	6.2	30	1	2	5	8	13	17	31
GRAND TOTAL	**688**	**6.2**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.2	4	1	1	3	4	7	7	7
1-11 MOS	226	3.2	4	1	1	3	4	6	7	10
1-5 YRS	472	2.6	3	1	1	2	3	5	6	10
6-12 YRS	174	2.7	3	1	1	2	3	5	6	12
13-19 YRS	170	3.0	6	<1	1	2	4	5	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS	22	5.0	41	<1	1	2	6	11	19	30
1-5 YRS	96	2.8	14	<1	1	2	3	6	10	23
6-12 YRS	61	4.1	43	<1	1	2	3	13	17	37
13-19 YRS	38	6.9	36	1	1	5	10	17	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	4.9	28	1	1	4	6	9	13	35
1-11 MOS	700	5.2	42	1	1	4	6	10	13	31
1-5 YRS	1060	4.2	20	1	1	3	5	8	12	27
6-12 YRS	411	5.2	30	1	1	4	6	11	14	30
13-19 YRS	448	5.1	43	1	1	3	6	11	14	26
B. *Operated*										
0-27 DYS	5	14.6	255	1	1	13	41	94	99+	99+
1-11 MOS	114	15.0	292	1	2	9	21	43	56	99+
1-5 YRS	288	8.9	162	1	1	4	12	25	34	98
6-12 YRS	113	12.1	210	1	1	7	17	29	46	97
13-19 YRS	170	10.3	128	1	1	7	14	23	29	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	2.8	4	1	1	2	4	5	7	11
B. *Operated*	217	4.1	31	<1	1	2	5	11	17	25
2. MULTIPLE DX										
A. *Not Operated*	2668	4.8	31	1	1	3	5	10	13	29
B. *Operated*	690	10.8	187	1	1	6	15	27	40	99+
1. SINGLE DX	1284	3.0	9	1	1	2	4	6	7	16
2. MULTIPLE DX	3358	6.0	69	1	1	3	7	13	21	47
A. NOT OPERATED	3735	4.2	24	1	1	3	5	8	12	25
B. OPERATED	907	9.2	158	1	1	4	13	23	33	97
TOTAL 0-27 DYS	79	4.9	39	1	1	3	6	9	15	82
1-11 MOS	1062	5.8	71	1	1	4	6	11	20	49
1-5 YRS	1916	4.5	41	1	1	3	4	9	15	33
6-12 YRS	759	5.6	60	1	1	3	6	12	19	40
13-19 YRS	826	5.8	59	1	1	3	7	14	18	33
GRAND TOTAL	**4642**	**5.2**	**54**	**1**	**1**	**3**	**6**	**11**	**17**	**39**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	26	2.8	2	1	1	2	4	5	5	5
6-12 YRS	20	2.5	1	1	1	2	3	4	5	5
13-19 YRS	25	2.8	2	1	1	2	4	5	5	6
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	14	2.1	2	<1	<1	1	3	5	5	5
1-5 YRS	203	1.2	1	<1	<1	<1	1	2	2	4
6-12 YRS	143	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	1961	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	6	3.7	3	2	2	3	4	7	7	7
1-5 YRS	135	3.5	11	1	1	3	4	5	6	25
6-12 YRS	68	3.4	5	<1	1	3	5	6	8	9
13-19 YRS	99	2.7	4	<1	<1	2	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	11	6.3	158	<1	<1	2	4	20	42	44
1-5 YRS	437	1.6	2	<1	<1	1	2	2	3	9
6-12 YRS	342	2.2	7	<1	<1	2	3	4	5	9
13-19 YRS	1892	2.8	4	1	1	3	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.7	2	1	1	2	4	5	5	6
B. *Operated*	2323	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	311	3.2	[illegible]	<1	1	3	4	6	6	12
B. *Operated*	2682	2.6	5	<1	<1	2	3	4	5	9
1. SINGLE DX	2397	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	2993	2.6	5	<1	<1	2	3	5	5	9
A. NOT OPERATED	385	3.1	6	<1	1	3	4	5	6	10
B. OPERATED	5005	2.4	3	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	5	2.8		2	2	3	3	3	3	3
1-11 MOS	34	3.8	53	<1	<1	2	4	5	7	44
1-5 YRS	801	1.9	4	<1	<1	1	2	4	5	10
6-12 YRS	573	2.2	5	<1	<1	2	3	4	5	9
13-19 YRS	3977	2.5	[illegible]	<1	1	2	3	4	5	7
GRAND TOTAL	**5390**	**2.4**	[illegible]	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	29	3.6	4	1	1	3	5	6	6	10
1-5 YRS	93	3.5	4	<1	1	3	4	6	7	12
6-12 YRS	46	3.3	3	1	1	3	4	6	7	10
13-19 YRS	40	3.2	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.6	9	<1	<1	1	3	8	9	9
1-5 YRS	56	2.2	3	<1	<1	2	3	4	5	9
6-12 YRS	86	2.4	4	<1	<1	2	3	5	6	11
13-19 YRS	121	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	91	4.2	6	1	2	4	5	7	9	13
1-5 YRS	293	3.6	5	1	2	3	4	6	7	12
6-12 YRS	87	3.7	4	1	2	3	5	6	7	12
13-19 YRS	88	3.8	5	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	3.5	7	1	1	3	5	8	8	8
1-5 YRS	85	3.7	9	1	1	3	5	8	9	17
6-12 YRS	98	3.7	10	<1	1	3	4	9	10	16
13-19 YRS	93	3.0	4	<1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.4	4	1	1	3	4	6	7	11
B. *Operated*	272	2.3	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	561	3.7	5	1	2	3	5	6	8	12
B. *Operated*	285	3.5	8	1	1	3	4	7	9	14
1. SINGLE DX	482	2.8	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	846	3.6	6	1	1	3	5	7	8	13
A. NOT OPERATED	771	3.6	5	1	2	3	5	6	7	11
B. OPERATED	557	2.9	6	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	5	3.2	4	1	1	3	4	6	6	6
1-11 MOS	137	3.9	6	1	1	3	5	7	9	12
1-5 YRS	527	3.4	5	1	1	3	4	6	8	11
6-12 YRS	317	3.3	6	<1	1	3	4	6	8	12
13-19 YRS	342	3.0	4	<1	1	2	4	5	7	10
GRAND TOTAL	**1328**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	149	2.9	6	1	1	2	3	5	6	14
1-11 MOS	460	2.7	4	1	1	2	3	5	6	11
1-5 YRS	78	2.4	4	1	1	2	3	5	5	13
6-12 YRS	37	2.6	6	<1	<1	2	3	6	7	14
13-19 YRS	73	2.7	3	<1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	66	5.5	32	1	1	4	7	10	15	33
1-5 YRS	77	3.7	9	1	1	2	6	8	9	11
6-12 YRS	55	6.3	90	1	1	5	6	13	28	53
13-19 YRS	59	4.3	20	1	1	2	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	189	3.8	9	1	1	3	5	7	9	16
1-11 MOS	789	4.3	12	1	1	3	5	8	10	16
1-5 YRS	147	4.8	64	1	1	3	5	9	19	76
6-12 YRS	66	4.3	33	1	1	3	5	8	9	40
13-19 YRS	198	3.4	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	11	18.5	478	5	6	11	14	52	79	81
1-11 MOS	210	10.8	110	1	2	7	15	26	36	57
1-5 YRS	256	12.0	154	1	1	8	15	30	37	86
6-12 YRS	144	9.4	134	1	1	7	12	20	24	63
13-19 YRS	143	10.5	155	1	2	7	11	22	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	2.7	4	1	1	2	3	5	6	11
B. *Operated*	259	4.9	35	1	1	3	6	10	14	36
2. MULTIPLE DX										
A. *Not Operated*	1389	4.1	17	1	1	3	5	8	10	20
B. *Operated*	764	11.0	143	1	1	8	14	25	36	70
1. SINGLE DX	1056	3.2	13	1	1	2	4	6	8	16
2. MULTIPLE DX	2153	6.6	73	1	1	4	7	14	22	52
A. NOT OPERATED	2186	3.6	13	1	1	3	4	7	9	16
B. OPERATED	1023	9.4	123	1	1	6	11	22	33	61
TOTAL 0-27 DYS	351	3.9	28	1	1	3	4	7	10	23
1-11 MOS	1525	4.7	30	1	1	3	5	10	14	31
1-5 YRS	558	7.6	106	1	1	4	9	19	30	69
6-12 YRS	302	6.9	94	1	1	4	8	15	22	54
13-19 YRS	473	5.5	63	1	1	3	6	10	18	54
GRAND TOTAL	**3209**	**5.5**	**55**	**1**	**1**	**3**	**6**	**11**	**18**	**40**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS	22	2.8	3	<1	1	2	3	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	4	9.3	40	3	3	8	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	7	2.3	1	1	1	2	3	3	3	3
13-19 YRS	29	3.6	2	1	2	4	4	6	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	11.5	61	6	6	11	17	17	17	17
13-19 YRS	9	7.2	52	2	2	4	8	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.8	3	<1	1	2	3	5	7	7
B. *Operated*	5	7.8	41	2	2	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	42	3.6	3	1	2	3	4	6	7	9
B. *Operated*	14	7.3	42	2	3	5	7	18	23	24
1. SINGLE DX	29	3.7	12	1	1	3	4	7	9	18
2. MULTIPLE DX	56	4.6	15	1	2	4	5	7	12	24
A. NOT OPERATED	66	3.3	3	1	1	3	4	6	7	9
B. OPERATED	19	7.4	39	2	2	5	9	18	21	24
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	4.0	3	2	2	4	5	7	7	7
1-5 YRS	5	4.8	6	3	3	4	5	9	9	9
6-12 YRS	9	4.3	25	1	1	3	4	13	17	17
13-19 YRS	64	4.2	14	1	1	3	5	7	10	23
GRAND TOTAL	**85**	**4.3**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**22**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	8	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	4.9	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	221	6	6	16	27	27	27	27
1-11 MOS	5	5.6	7	3	3	5	7	10	10	10
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	6	3.2	6	1	1	2	5	7	7	7
13-19 YRS	19	3.6	2	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	59.0		59	59	59	59	59	59	59
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	4	10.5	38	5	5	9	15	18	18	18
6-12 YRS	6	7.8	42	1	1	6	14	17	17	17
13-19 YRS	12	7.3	68	2	2	4	9	21	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.1	3	1	1	3	5	5	5	5
B. *Operated*	9	4.9	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	35	4.5	19	1	1	4	5	6	9	27
B. *Operated*	26	9.7	147	1	2	5	13	18	35	59
1. SINGLE DX	20	3.9	5	1	1	4	5	7	8	8
2. MULTIPLE DX	61	6.7	79	1	1	4	6	15	22	56
A. NOT OPERATED	46	4.2	16	1	1	4	5	6	8	27
B. OPERATED	35	8.4	114	2	2	5	8	17	26	59
TOTAL 0-27 DYS	3	30.7	712	6	6	27	51	59	59	59
1-11 MOS	9	5.3	5	3	3	5	6	9	10	10
1-5 YRS	7	7.1	38	1	1	5	11	17	18	18
6-12 YRS	14	5.1	25	1	1	3	7	14	16	17
13-19 YRS	48	4.7	21	1	2	4	5	8	12	29
GRAND TOTAL	**81**	**6.0**	**62**	**1**	**1**	**4**	**6**	**12**	**18**	**50**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	29	2.9	2	1	1	3	4	5	6	6
13-19 YRS	118	2.9	3	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	9	4.7	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	3	2	2	4	5	7	7	7
1-5 YRS	4	6.0	11	4	4	5	8	11	11	11
6-12 YRS	31	3.2	3	1	1	3	4	6	6	7
13-19 YRS	142	3.8	9	1	1	3	5	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	19	1	1	2	7	9	9	9
13-19 YRS	17	5.3	7	1	2	5	7	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.9	3	1	1	2	4	5	6	7
B. *Operated*	12	4.7	5	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	183	3.8	7	1	1	3	5	6	8	14
B. *Operated*	20	5.1	8	1	1	5	7	9	9	10
1. SINGLE DX	163	3.0	3	1	1	3	4	6	6	8
2. MULTIPLE DX	203	3.9	8	1	1	3	5	7	8	14
A. NOT OPERATED	334	3.4	5	1	1	3	4	6	7	11
B. OPERATED	32	4.9	7	1	2	5	7	8	9	10
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	4.4	3	2	2	4	5	7	7	7
1-5 YRS	6	5.0	10	2	2	4	5	10	11	11
6-12 YRS	65	3.1	3	1	1	3	4	6	6	9
13-19 YRS	286	3.5	6	1	1	3	5	6	8	12
GRAND TOTAL	**366**	**3.5**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	6	3.8	2	2	2	4	5	6	6	6
13-19 YRS	68	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS										
13-19 YRS	14	6.6	9	3	4	6	8	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	6	4.0	2	2	2	4	4	6	6	6
1-5 YRS	4	4.0	9	1	1	4	6	7	7	7
6-12 YRS	15	4.9	20	1	2	3	6	9	16	19
13-19 YRS	93	3.9	4	1	2	4	5	6	7	11
B. *Operated*										
0-27 DYS	2	13.0	32	9	9	13	17	17	17	17
1-11 MOS	3	6.0	13	3	3	5	9	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	23	9.3	32	3	4	8	11	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.4	4	1	1	3	4	6	7	10
B. *Operated*	18	6.7	8	3	4	6	8	9	13	15
2. MULTIPLE DX										
A. *Not Operated*	120	4.0	6	1	2	4	5	7	8	13
B. *Operated*	28	9.2	31	3	3	8	11	18	20	25
1. SINGLE DX	95	4.0	6	1	1	3	5	8	8	13
2. MULTIPLE DX	148	5.0	15	1	2	4	6	9	11	20
A. NOT OPERATED	197	3.8	5	1	1	3	5	6	7	11
B. OPERATED	46	8.2	23	3	4	7	9	15	19	25
TOTAL 0-27 DYS	5	8.0	33	3	3	8	11	17	17	17
1-11 MOS	11	5.0	5	2	3	4	6	9	10	10
1-5 YRS	8	4.0	7	1	1	3	6	8	8	8
6-12 YRS	21	4.6	15	1	2	3	6	8	13	19
13-19 YRS	198	4.5	11	1	2	4	6	8	10	20
GRAND TOTAL	**243**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.8	4	2	2	4	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	22.5	545	6	6	22	39	39	39	39
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	7	4.4	7	2	2	4	6	9	9	9
B. *Operated*	5	15.8	177	6	6	11	20	39	39	39
1. SINGLE DX	5	4.8	6	2	2	5	6	8	8	8
2. MULTIPLE DX	12	9.2	102	2	2	6	10	21	36	39
A. NOT OPERATED	11	4.3	5	2	2	4	6	8	9	9
B. OPERATED	6	14.5	152	6	6	10	14	36	39	39
TOTAL 0-27 DYS										
1-11 MOS	5	12.6	222	3	3	6	16	39	39	39
1-5 YRS	2	11.0	18	8	8	11	14	14	14	14
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	9	4.4	9	2	2	4	5	9	11	11
GRAND TOTAL	**17**	**7.9**	**76**	**2**	**2**	**6**	**9**	**13**	**30**	**39**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	68	2.0	1	<1	1	2	3	4	4	82
1-5 YRS	157	2.0	1	<1	1	2	2	3	4	6
6-12 YRS	219	2.2	2	1	1	2	3	4	4	6
13-19 YRS	466	2.5	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	3.2	9	1	1	2	3	6	12	13
13-19 YRS	22	4.0	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	3.7	8	2	2	2	4	9	11	11
1-11 MOS	197	3.0	4	1	1	3	3	4	6	13
1-5 YRS	684	2.4	2	1	1	2	3	4	5	8
6-12 YRS	632	2.5	2	1	1	2	3	4	5	8
13-19 YRS	969	3.0	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS	4	2.8	2	<1	<1	3	4	4	4	4
1-11 MOS	8	6.5	41	1	1	5	8	17	21	21
1-5 YRS	13	6.8	19	<1	2	7	11	24	83	99+
6-12 YRS	25	5.6	47	1	2	4	6	11	18	35
13-19 YRS	82	5.1	33	1	2	4	6	8	9	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	914	2.3	2	1	1	2	3	4	5	6
B. *Operated*	35	3.7	7	1	1	3	4	7	11	13
2. MULTIPLE DX										
A. *Not Operated*	2495	2.7	3	1	1	2	3	5	6	10
B. *Operated*	132	5.4	34	1	2	4	6	9	14	58
1. SINGLE DX	949	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2627	2.8	5	1	1	2	3	5	6	10
A. NOT OPERATED	3409	2.6	3	1	1	2	3	4	5	9
B. OPERATED	167	5.0	28	1	2	4	6	9	13	47
TOTAL 0-27 DYS	21	3.2	5	1	2	2	4	6	9	11
1-11 MOS	273	2.8	5	1	1	2	3	4	6	17
1-5 YRS	854	2.4	2	1	1	2	3	4	5	9
6-12 YRS	889	2.5	4	1	1	2	3	4	5	10
13-19 YRS	1539	2.9	5	1	1	2	4	5	6	10
GRAND TOTAL	**3576**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.9	1	<1	<1	2	2	3	3	3
1-11 MOS	20	3.0	3	<1	1	3	3	6	7	7
1-5 YRS	23	2.4	2	<1	1	2	3	4	5	5
6-12 YRS	51	2.4	3	1	1	2	3	4	5	12
13-19 YRS	83	2.8	3	<1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	30	3.5	2	2	2	3	4	5	8	8
1-11 MOS	106	3.5	2	2	2	3	4	5	6	10
1-5 YRS	13	5.2	35	1	1	3	5	13	21	23
6-12 YRS	3	8.0	7	6	6	7	10	11	11	11
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.5	1	<1	<1	2	3	4	4	4
1-11 MOS	65	2.8	4	1	1	2	3	6	7	10
1-5 YRS	120	3.4	41	1	1	2	3	5	7	29
6-12 YRS	134	3.3	11	1	1	2	4	6	8	21
13-19 YRS	186	4.3	71	1	1	3	4	7	10	49
B. *Operated*										
0-27 DYS	12	8.1	43	3	3	5	12	19	20	20
1-11 MOS	59	4.3	3	2	2	4	5	7	8	8
1-5 YRS	27	11.8	293	1	1	5	15	31	48	81
6-12 YRS	18	16.9	707	1	1	5	14	70	79	83
13-19 YRS	27	8.1	66	1	1	6	9	15	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.6	3	<1	1	2	3	5	5	8
B. *Operated*	154	3.8	6	2	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	511	3.6	39	1	1	2	4	6	8	23
B. *Operated*	143	8.3	173	1	2	5	8	16	28	81
1. SINGLE DX	340	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	654	4.6	72	1	1	3	5	7	12	58
A. NOT OPERATED	697	3.3	29	1	1	2	4	6	7	16
B. OPERATED	297	6.0	91	1	2	4	5	10	17	69
TOTAL 0-27 DYS	57	4.1	15	1	2	3	4	7	14	20
1-11 MOS	250	3.5	3	1	2	3	4	6	7	8
1-5 YRS	183	4.6	80	1	1	2	4	7	14	61
6-12 YRS	206	4.4	82	1	1	2	4	7	11	68
13-19 YRS	298	4.2	53	1	1	3	4	7	11	35
GRAND TOTAL	**994**	**4.1**	**49**	**1**	**1**	**3**	**4**	**7**	**9**	**33**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	37	2.0	1	<1	1	2	3	3	4	5
13-19 YRS	88	2.1	2	<1	1	2	3	3	4	8
B. *Operated*										
0-27 DYS	4	4.8	24	2	2	3	7	12	12	12
1-11 MOS	15	2.9	2	1	2	2	4	4	6	7
1-5 YRS	418	3.2	3	1	2	3	4	5	6	9
6-12 YRS	5098	3.0	3	1	2	3	3	4	5	8
13-19 YRS	8276	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	22	1.9	1	<1	1	2	2	3	4	4
13-19 YRS	51	2.2	3	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	103	5.0	12	2	2	4	7	9	13	17
6-12 YRS	936	4.2	8	2	2	3	5	7	9	16
13-19 YRS	1678	4.1	7	2	2	4	5	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	2.0	1	<1	1	2	3	3	4	7
B. *Operated*	13811	3.1	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	78	2.1	2	<1	1	2	3	4	5	9
B. *Operated*	2721	4.2	8	2	2	4	5	7	9	16
1. SINGLE DX	13938	3.1	2	1	2	3	4	4	5	8
2. MULTIPLE DX	2799	4.1	8	2	2	3	5	7	9	16
A. NOT OPERATED	205	2.1	2	<1	1	2	3	3	4	8
B. OPERATED	16532	3.2	3	2	2	3	4	5	6	9
TOTAL 0-27 DYS	5	4.2	19	2	2	2	5	12	12	12
1-11 MOS	18	3.1	2	1	2	3	4	6	7	[illegible]
1-5 YRS	528	3.5	5	1	2	3	4	6	8	14
6-12 YRS	6093	3.2	4	1	2	3	4	5	6	9
13-19 YRS	10093	3.2	3	2	2	3	4	5	6	9
GRAND TOTAL	**16737**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.3	6	2	2	5	7	9	9	9
6-12 YRS	15	7.0	10	1	3	7	9	11	12	12
13-19 YRS	16	7.2	14	1	2	7	10	12	13	14
B. *Operated*										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	312	6.8	7	3	4	6	8	10	11	14
6-12 YRS	1292	6.2	8	2	3	6	8	9	11	16
13-19 YRS	1272	6.0	8	2	3	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.3	50	<1	<1	6	13	15	15	15
6-12 YRS	14	6.5	10	1	3	6	8	11	12	12
13-19 YRS	5	6.8	11	4	4	5	9	12	12	12
B. *Operated*										
0-27 DYS	2	8.0		8	8	8	77	99+	99+	99+
1-11 MOS	3	7.7		7	7	8	8	8	8	8
1-5 YRS	281	9.4	30	4	4	8	11	15	20	29
6-12 YRS	873	9.1	33	4	4	8	10	16	20	33
13-19 YRS	993	8.3	21	3	4	7	10	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.8	11	1	2	7	9	11	12	14
B. *Operated*	2880	6.2	8	2	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	22	6.7	13	1	2	6	8	12	13	15
B. *Operated*	2152	8.8	27	3	4	8	10	15	19	29
1. SINGLE DX	2918	6.2	8	2	3	6	8	10	11	15
2. MULTIPLE DX	2174	8.7	27	3	4	8	10	15	18	29
A. NOT OPERATED	60	6.7	11	1	2	7	9	11	12	15
B. OPERATED	5032	7.3	18	3	3	7	9	12	15	24
TOTAL 0-27 DYS	4	8.5	1	8	8	8	32	99+	99+	99+
1-11 MOS	5	6.8	2	5	5	7	8	8	8	8
1-5 YRS	603	8.0	19	3	4	7	9	12	15	24
6-12 YRS	2194	7.3	20	3	3	7	9	12	15	25
13-19 YRS	2286	7.0	15	3	3	6	8	11	14	21
GRAND TOTAL	**5092**	**7.3**	**18**	**3**	**3**	**7**	**9**	**12**	**15**	**24**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	11	<1	<1	4	7	9	9	9
6-12 YRS	47	1.9	2	<1	<1	1	2	3	5	8
13-19 YRS	101	2.0	2	<1	1	2	2	4	5	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	30	3.2	3	1	1	3	4	6	6	8
6-12 YRS	308	3.0	2	1	2	3	3	4	5	8
13-19 YRS	581	3.4	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	35	2.3	4	<1	1	2	3	3	7	11
13-19 YRS	61	2.1	2	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	18	5.2	33	2	2	3	4	11	21	26
6-12 YRS	170	4.3	21	2	2	3	5	7	8	16
13-19 YRS	364	4.2	6	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	2.0	2	<1	1	2	2	4	5	8
B. *Operated*	922	3.2	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	100	2.2	3	1	1	2	3	4	5	9
B. *Operated*	554	4.3	11	2	2	4	5	7	8	15
1. SINGLE DX	1074	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	654	4.0	10	1	2	3	5	6	8	15
A. NOT OPERATED	252	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	1476	3.6	6	2	2	3	4	6	7	11
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.5	6	2	2	4	6	7	7	7
1-5 YRS	56	3.9	14	1	1	3	4	6	9	25
6-12 YRS	560	3.3	8	1	1	3	4	5	7	11
13-19 YRS	1107	3.5	4	1	2	3	4	6	7	10
GRAND TOTAL	**1728**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	16	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	16	1.1		<1	<1	1	1	1	2	2
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	36	1.3		<1	1	1	2	2	2	3
1-11 MOS	1056	1.3		<1	<1	1	1	2	2	4
1-5 YRS	974	1.3		<1	<1	1	1	2	2	3
6-12 YRS	556	1.3		<1	<1	1	1	2	2	4
13-19 YRS	1297	1.7	2	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	92	1.6	2	<1	<1	1	2	3	6	8
1-5 YRS	84	1.2		<1	<1	1	1	2	3	4
6-12 YRS	10	1.1		<1	<1	1	1	2	2	2
13-19 YRS	16	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-27 DYS	26	4.2	115	<1	1	1	3	5	19	56
1-11 MOS	1087	1.8	3	<1	<1	1	2	3	4	12
1-5 YRS	876	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	326	1.5	1	<1	<1	1	2	3	3	5
13-19 YRS	419	2.0	3	<1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	3919	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	204	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	2734	1.7	4	<1	<1	1	2	3	4	8
1. SINGLE DX	3961	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	2938	1.7	3	<1	<1	1	2	3	4	8
A. NOT OPERATED	246	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	6653	1.6	2	<1	<1	1	2	3	3	6
TOTAL 0-27 DYS	66	2.4	47	<1	1	1	2	3	4	49
1-11 MOS	2251	1.6	2	<1	<1	1	2	2	3	8
1-5 YRS	1950	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	897	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	1735	1.8	2	<1	1	1	2	3	4	5
GRAND TOTAL	**6899**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	1.2		<1	<1	1	1	2	2	2
1-5 YRS	12	1.2		<1	<1	1	1	2	3	3
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	40	1.8	2	<1	1	1	2	3	5	9
1-11 MOS	413	1.6	1	<1	1	1	2	3	3	6
1-5 YRS	287	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	45	1.4		1	1	1	2	2	2	3
13-19 YRS	118	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	22	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	10	1.1		<1	<1	1	1	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	43	2.4	4	1	1	2	3	5	7	8
1-11 MOS	421	2.4	5	<1	1	2	3	4	6	12
1-5 YRS	192	2.4	42	<1	1	1	2	4	5	12
6-12 YRS	23	2.0	2	<1	<1	2	3	4	5	6
13-19 YRS	39	2.8	3	1	1	3	4	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.2		<1	<1	1	1	2	2	3
B. *Operated*	903	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	36	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	718	2.4	14	<1	1	2	3	4	6	11
1. SINGLE DX	928	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	754	2.4	14	<1	1	2	3	4	5	11
A. NOT OPERATED	61	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	1621	2.0	7	<1	1	1	2	4	5	8
TOTAL 0-27 DYS	84	2.2	3	1	1	1	3	4	7	9
1-11 MOS	868	2.0	3	<1	1	1	2	4	5	8
1-5 YRS	501	1.8	17	<1	<1	1	2	3	4	7
6-12 YRS	69	1.6	1	1	1	1	2	3	3	6
13-19 YRS	160	2.3	2	1	1	2	3	4	5	7
GRAND TOTAL	**1682**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	10	1.1		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	3	5.0	9	2	2	5	7	8	8	8
1-11 MOS	53	1.5	1	<1	<1	1	2	3	3	5
1-5 YRS	247	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	113	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	60	2.1	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.4	8	<1	<1	1	2	7	10	10
1-5 YRS	12	1.1		<1	<1	1	1	2	2	2
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	3	10.3	56	6	6	13	59	99+	99+	99+
1-11 MOS	27	2.3	7	<1	1	1	2	7	9	12
1-5 YRS	88	1.9	3	<1	<1	1	2	4	6	9
6-12 YRS	51	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	17	2.5	2	<1	1	2	4	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.1		<1	<1	1	1	2	2	2
B. *Operated*	476	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	27	1.7	3	<1	<1	1	2	2	6	10
B. *Operated*	186	2.1	5	<1	<1	1	2	4	6	16
1. SINGLE DX	490	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	213	2.0	4	<1	<1	1	2	4	6	15
A. NOT OPERATED	41	1.5	2	<1	<1	1	1	2	4	10
B. OPERATED	662	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	7.7	35	2	3	6	16	84	99+	99+
1-11 MOS	94	1.8	3	<1	<1	1	2	3	5	11
1-5 YRS	357	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	167	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	79	2.1	2	<1	<1	2	3	4	5	8
GRAND TOTAL	**703**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	42	2.3	3	<1	<1	1	3	5	6	7
6-12 YRS	39	1.5	2	<1	<1	1	1	2	4	8
13-19 YRS	75	1.8	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	3.0	6	1	1	3	5	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	19	3.2	3	<1	1	3	5	6	7	7
1-5 YRS	31	4.0	12	1	1	3	5	8	14	15
6-12 YRS	12	2.6	13	<1	<1	1	2	6	13	14
13-19 YRS	29	3.9	36	<1	1	3	4	5	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	165	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	92	3.6	18	<1	1	3	4	7	13	25
1. SINGLE DX	165	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	101	3.5	17	<1	1	3	4	6	11	23
A. NOT OPERATED	9	2.2	3	<1	<1	1	3	5	6	6
B. OPERATED	257	2.5	8	<1	<1	2	3	5	7	15
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	30	2.7	3	<1	<1	2	4	6	6	7
1-5 YRS	77	3.0	7	<1	<1	2	4	7	8	15
6-12 YRS	52	1.7	4	<1	<1	1	2	3	4	14
13-19 YRS	106	2.4	11	<1	<1	2	3	4	5	22
GRAND TOTAL	**266**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	6.7	4	5	5	6	8	9	9	9
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	3.6	6	<1	<1	5	5	6	6	6
6-12 YRS	5	4.0	6	1	1	3	6	7	7	7
13-19 YRS	10	4.0	4	2	2	4	5	7	8	8
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	15	9.2	61	4	5	7	10	16	30	35
1-5 YRS	14	10.4	123	2	2	6	12	26	38	41
6-12 YRS	9	11.9	62	4	5	9	14	26	28	28
13-19 YRS	7	9.7	20	5	5	9	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	6	6.5	2	5	5	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	24	3.6	4	1	1	3	5	6	7	8
B. *Operated*	46	10.4	70	3	4	7	11	22	29	41
1. SINGLE DX	8	5.6	4	3	3	6	7	8	9	9
2. MULTIPLE DX	70	8.0	58	2	2	6	9	17	24	40
A. NOT OPERATED	26	3.5	4	1	1	3	5	6	7	8
B. OPERATED	52	9.9	64	3	4	7	11	21	28	41
TOTAL 0-27 DYS	4	7.3	57	2	2	5	12	18	18	18
1-11 MOS	18	8.2	56	2	3	6	9	14	27	35
1-5 YRS	22	8.4	86	1	2	6	8	22	31	41
6-12 YRS	16	8.3	53	1	3	7	10	21	26	28
13-19 YRS	18	6.3	17	2	2	5	8	14	16	16
GRAND TOTAL	**78**	**7.8**	**53**	**2**	**2**	**6**	**9**	**16**	**23**	**39**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	6	3.2	12	1	1	2	3	9	10	10
13-19 YRS	9	2.2	1	1	1	2	3	52	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	6	3.7	4	1	1	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	23	2.5	4	<1	1	2	3	5	37	99+
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	7	1	1	3	5	8	8	8
B. *Operated*	13	3.4	6	<1	<1	3	5	7	8	8
1. SINGLE DX	25	2.4	4	<1	<1	2	3	5	28	99+
2. MULTIPLE DX	18	3.4	6	<1	1	3	4	8	8	8
A. NOT OPERATED	7	3.1	6	<1	<1	3	4	7	8	8
B. OPERATED	36	2.8	5	<1	1	2	4	7	9	99+
TOTAL 0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	4	3.3	1	2	2	3	4	4	4	4
1-5 YRS	10	1.7	2	<1	<1	1	2	4	4	4
6-12 YRS	10	3.0	11	<1	<1	1	3	9	10	10
13-19 YRS	17	2.8	2	1	1	3	4	6	63	99+
GRAND TOTAL	**43**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**7**	**9**	**99+**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	5	2.4	2	1	1	3	3	4	4	4
1-11 MOS	12	2.4	6	<1	<1	1	3	7	8	8
1-5 YRS	28	2.7	12	<1	<1	2	3	7	8	18
6-12 YRS	16	2.5	3	1	1	2	3	5	6	7
13-19 YRS	40	2.9	5	<1	1	2	3	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4	2.0	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS	4	5.5	10	1	1	6	7	8	8	8
1-11 MOS	14	5.3	12	1	2	4	7	11	13	13
1-5 YRS	16	8.6	103	1	2	4	11	19	35	41
6-12 YRS	12	5.4	18	1	2	4	7	12	15	15
13-19 YRS	26	6.7	44	1	1	5	9	12	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	101	2.7	6	<1	1	2	3	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	9	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	72	6.6	44	1	1	4	9	12	19	38
1. SINGLE DX	109	2.6	6	<1	1	2	3	6	7	13
2. MULTIPLE DX	81	6.0	42	1	1	4	8	12	17	37
A. NOT OPERATED	17	1.5	1	<1	<1	1	2	3	3	3
B. OPERATED	173	4.3	26	1	1	3	5	9	12	27
TOTAL 0-27 DYS	9	3.8	7	1	1	3	6	8	8	8
1-11 MOS	28	3.8	11	1	1	3	5	8	11	13
1-5 YRS	53	4.3	45	<1	1	2	4	11	17	40
6-12 YRS	29	3.7	11	1	1	3	4	8	11	15
13-19 YRS	71	4.2	22	<1	1	3	5	9	11	28
GRAND TOTAL	**190**	**4.0**	**24**	**<1**	**1**	**2**	**4**	**9**	**12**	**26**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	3	1	1	1	2	5	5	5
1-11 MOS	137	1.9	2	<1	<1	2	2	4	5	7
1-5 YRS	181	2.2	3	<1	1	2	3	4	6	9
6-12 YRS	56	2.8	6	<1	1	2	4	5	8	12
13-19 YRS	149	3.3	4	1	1	3	4	7	7	10
B. *Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	178	4.9	22	2	2	4	6	9	10	19
1-5 YRS	102	5.3	20	2	2	4	6	9	10	29
6-12 YRS	50	7.1	6	4	4	7	8	11	12	13
13-19 YRS	102	7.6	7	4	5	7	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.4	11	<1	<1	4	6	10	11	11
1-11 MOS	102	2.8	4	<1	1	2	3	6	7	9
1-5 YRS	150	4.2	34	1	1	3	4	8	11	45
6-12 YRS	88	3.6	15	1	1	3	4	6	8	26
13-19 YRS	145	4.2	8	1	2	4	5	8	9	13
B. *Operated*										
0-27 DYS	11	8.7	14	4	6	8	11	43	92	99+
1-11 MOS	176	9.2	101	2	3	6	10	18	29	59
1-5 YRS	132	10.0	129	3	3	7	10	17	30	63
6-12 YRS	93	9.7	48	4	5	8	12	16	18	45
13-19 YRS	168	11.9	153	4	5	9	12	19	28	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	434	5.9	17	2	3	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	494	3.8	16	1	1	3	5	7	9	18
B. *Operated*	580	10.2	113	3	4	7	11	18	27	63
1. SINGLE DX	962	4.0	13	1	1	3	6	8	10	13
2. MULTIPLE DX	1074	7.3	79	1	2	5	8	14	19	57
A. NOT OPERATED	1022	3.1	10	1	1	2	4	6	8	12
B. OPERATED	1014	8.4	77	2	3	6	9	14	20	58
TOTAL 0-27 DYS	27	6.0	18	1	1	6	8	12	26	99+
1-11 MOS	593	5.1	46	1	1	3	6	10	13	36
1-5 YRS	565	5.1	52	1	1	3	6	10	13	42
6-12 YRS	287	6.0	30	1	1	5	8	12	15	26
13-19 YRS	564	6.9	62	1	2	5	8	12	17	47
GRAND TOTAL	**2036**	**5.7**	**50**	**1**	**1**	**4**	**7**	**11**	**15**	**42**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	201	2.8	4	1	1	3	3	5	6	10
1-11 MOS	1528	2.7	3	1	1	2	3	5	6	8
1-5 YRS	2261	2.3	2	1	1	2	3	4	5	7
6-12 YRS	1757	1.9	1	1	1	2	2	3	4	6
13-19 YRS	2154	2.0	2	<1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	6.2	48	1	1	5	7	17	23	23
1-5 YRS	22	4.4	19	1	1	3	5	9	14	21
6-12 YRS	63	3.1	2	1	2	3	4	5	7	8
13-19 YRS	139	3.8	6	2	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	356	3.7	5	1	2	3	4	6	8	11
1-11 MOS	5404	3.3	5	1	1	3	4	5	7	11
1-5 YRS	9094	2.8	3	1	1	2	3	5	5	8
6-12 YRS	3007	2.5	2	1	1	2	3	4	5	8
13-19 YRS	2401	2.6	3	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	6	6.2	27	2	2	4	8	15	16	16
1-11 MOS	94	10.6	210	1	2	6	10	35	48	94
1-5 YRS	108	6.8	45	1	2	5	8	16	21	36
6-12 YRS	69	5.6	74	1	2	4	6	9	13	61
13-19 YRS	159	5.4	28	2	2	4	6	9	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7901	2.2	2	1	1	2	3	4	5	7
B. *Operated*	234	3.8	5	1	2	3	4	6	8	21
2. MULTIPLE DX										
A. *Not Operated*	20262	2.9	4	1	1	2	3	5	6	9
B. *Operated*	436	6.9	82	2	2	4	7	12	21	53
1. SINGLE DX	8135	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	20698	3.0	6	1	1	3	4	5	6	10
A. NOT OPERATED	28163	2.7	3	1	1	2	3	5	6	9
B. OPERATED	670	5.8	59	2	2	4	6	10	17	48
TOTAL 0-27 DYS	564	3.4	5	1	1	3	4	6	8	11
1-11 MOS	7035	3.3	8	1	1	3	4	5	7	11
1-5 YRS	11485	2.7	4	1	1	2	3	5	5	9
6-12 YRS	4896	2.3	3	1	1	2	3	4	5	8
13-19 YRS	4853	2.4	4	1	1	2	3	4	5	9
GRAND TOTAL	**28833**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	6	7.0	18	2	2	7	11	12	12	12
1-5 YRS	7	11.4	67	3	3	11	19	22	22	22
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	8.3	10	6	6	7	11	12	12	12
1-5 YRS	4	10.0	13	7	7	10	13	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	13	6.5	19	2	2	5	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.0	15	4	4	6	10	12	12	12
B. *Operated*	6	5.2	11	1	1	5	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	17	8.5	40	2	3	5	12	20	22	22
B. *Operated*	22	7.9	20	2	3	7	12	14	15	17
1. SINGLE DX	10	5.9	12	1	2	5	8	11	12	12
2. MULTIPLE DX	39	8.2	28	2	3	7	12	15	19	22
A. NOT OPERATED	21	8.2	35	2	3	5	12	17	21	22
B. OPERATED	28	7.3	19	2	2	6	11	14	15	17
TOTAL 0-27 DYS	5	10.4	23	4	4	11	13	17	17	17
1-11 MOS	11	7.5	15	2	3	7	11	12	12	12
1-5 YRS	13	9.5	48	1	2	7	14	21	22	22
6-12 YRS	4	5.3	2	4	4	5	6	7	7	7
13-19 YRS	16	6.1	16	2	2	5	9	13	14	14
GRAND TOTAL	**49**	**7.7**	**25**	**2**	**3**	**6**	**11**	**14**	**17**	**22**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.6		1	1	2	2	2	2	2
1-11 MOS	13	2.2	2	1	1	2	3	4	6	6
1-5 YRS	5	2.6	5	1	1	1	4	6	6	6
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	11	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	82	2.5	12	<1	<1	2	3	4	8	23
1-5 YRS	36	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	34	2.1	2	<1	1	2	3	4	5	8
13-19 YRS	170	2.5	4	1	1	2	3	4	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.8	20	1	1	2	4	10	16	17
1-11 MOS	13	2.2	3	<1	<1	2	3	5	6	6
1-5 YRS	13	7.5	99	<1	1	4	7	28	30	30
6-12 YRS	11	3.7	6	1	1	3	5	8	8	8
13-19 YRS	25	3.0	5	<1	1	2	3	6	8	10
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	40	3.1	5	<1	1	2	4	6	8	11
1-5 YRS	23	3.2	15	<1	<1	2	4	7	11	19
6-12 YRS	18	3.3	8	<1	1	2	4	8	10	11
13-19 YRS	154	3.9	23	1	1	3	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	2	<1	1	2	3	4	6	6
B. *Operated*	323	2.4	6	<1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	74	3.9	25	<1	1	2	4	8	12	30
B. *Operated*	237	3.7	18	1	1	3	4	7	9	19
1. SINGLE DX	359	2.4	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	311	3.7	20	1	1	3	4	7	9	24
A. NOT OPERATED	110	3.3	18	<1	1	2	3	6	8	29
B. OPERATED	560	2.9	11	<1	1	2	3	5	8	17
TOTAL 0-27 DYS	20	3.0	13	1	1	2	3	5	12	17
1-11 MOS	148	2.6	9	<1	<1	2	3	5	7	11
1-5 YRS	77	3.2	25	<1	<1	2	3	6	11	29
6-12 YRS	65	2.7	5	<1	1	2	3	5	8	11
13-19 YRS	360	3.1	13	1	1	2	4	6	8	17
GRAND TOTAL	**670**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.8	2	1	1	2	4	5	5	5
1-11 MOS	62	2.7	8	1	1	2	3	5	7	17
1-5 YRS	173	2.3	5	<1	1	2	3	4	6	14
6-12 YRS	309	2.5	4	<1	1	2	3	5	6	10
13-19 YRS	497	3.7	8	1	1	3	5	7	8	15
B. *Operated*										
0-27 DYS	2	12.0	18	9	9	12	15	15	15	15
1-11 MOS	20	5.2	41	1	1	3	7	9	19	30
1-5 YRS	79	4.0	21	<1	1	2	5	10	14	23
6-12 YRS	108	5.0	14	1	1	4	7	10	11	20
13-19 YRS	267	6.7	38	1	2	5	8	14	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	4.6	14	1	1	3	6	10	13	16
1-11 MOS	114	4.0	14	1	1	3	4	8	12	21
1-5 YRS	333	3.5	20	<1	1	2	4	7	11	24
6-12 YRS	477	3.6	17	1	1	2	4	7	10	17
13-19 YRS	758	4.6	16	1	1	4	6	9	13	20
B. *Operated*										
0-27 DYS	7	8.3	56	1	1	6	13	21	22	22
1-11 MOS	68	10.2	151	1	2	7	13	30	75	99+
1-5 YRS	152	8.4	169	1	1	4	9	19	30	90
6-12 YRS	219	8.6	81	1	2	6	10	17	31	47
13-19 YRS	602	11.1	109	2	2	8	14	26	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1053	3.0	7	1	1	2	4	6	8	14
B. *Operated*	476	5.8	31	1	1	4	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	1703	4.1	17	1	1	3	5	8	12	20
B. *Operated*	1048	10.1	115	1	2	7	12	24	31	55
1. SINGLE DX	1529	3.9	16	1	1	3	5	8	10	20
2. MULTIPLE DX	2751	6.4	63	1	1	4	8	14	21	44
A. NOT OPERATED	2756	3.7	13	1	1	3	4	7	10	18
B. OPERATED	1524	8.8	93	1	2	6	11	19	28	49
TOTAL 0-27 DYS	42	5.0	22	1	1	4	6	12	16	22
1-11 MOS	264	5.4	58	1	1	3	6	13	19	96
1-5 YRS	737	4.3	52	<1	1	2	4	10	14	36
6-12 YRS	1113	4.4	30	1	1	3	5	9	12	32
13-19 YRS	2124	6.5	52	1	1	4	8	14	21	36
GRAND TOTAL	**4280**	**5.5**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**36**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	3	8.3	4	6	6	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	7.5	9	3	3	8	10	11	11	11
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX	7	6.6	14	1	1	6	10	11	11	11
A. NOT OPERATED	7	8.6	16	3	4	9	11	14	15	15
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	4	6.5	16	1	1	7	9	10	10	10
GRAND TOTAL	**8**	**7.6**	**21**	**1**	**2**	**8**	**10**	**14**	**15**	**15**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	6.0	61	1	1	2	12	15	15	15
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	4	1.8	1	<1	<1	1	2	3	3	3
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
B. Operated										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	1.6	2	1	1	1	2	4	6	6
6-12 YRS	15	1.7	1	<1	1	1	2	3	4	4
13-19 YRS	12	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	3.8	4	1	1	3	6	7	7	7
1-5 YRS	11	3.0	4	<1	<1	3	4	6	7	7
6-12 YRS	14	3.6	12	<1	<1	2	5	8	12	13
13-19 YRS	24	4.8	24	1	1	4	6	10	16	22
B. Operated										
0-27 DYS										
1-11 MOS	7	15.0	371	1	1	9	15	49	57	57
1-5 YRS	21	8.2	431	1	1	2	5	13	53	97
6-12 YRS	21	13.8	572	1	1	4	14	54	81	83
13-19 YRS	38	4.6	29	1	1	2	4	13	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	14	<1	<1	2	3	6	13	15
B. Operated	39	1.7	1	1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	60	4.0	14	<1	1	3	6	7	11	21
B. Operated	87	8.5	289	1	1	3	8	17	40	92
1. SINGLE DX	52	2.0	5	1	1	1	2	3	5	15
2. MULTIPLE DX	147	6.7	181	1	1	3	6	14	21	83
A. NOT OPERATED	73	3.8	14	<1	1	3	5	7	12	20
B. OPERATED	126	6.4	209	1	1	2	4	15	21	86
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	7.9	146	1	1	5	8	15	34	57
1-5 YRS	46	4.9	203	<1	1	2	4	7	12	97
6-12 YRS	54	6.9	251	<1	1	2	5	14	33	83
13-19 YRS	77	4.1	23	1	1	2	4	9	16	22
GRAND TOTAL	**199**	**5.5**	**139**	**1**	**1**	**2**	**5**	**11**	**17**	**81**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	3.8	6	<1	<1	3	6	7	8	8
6-12 YRS	25	3.5	2	1	1	3	4	6	6	6
13-19 YRS	69	3.3	4	1	1	3	4	6	7	11
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	26	1	1	4	9	11	11	11
1-5 YRS	7	6.9	80	1	1	4	8	22	26	26
6-12 YRS	8	5.0	7	1	2	4	7	9	9	9
13-19 YRS	12	5.1	24	1	1	4	8	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	17	6.6	85	2	2	4	6	14	32	40
1-5 YRS	24	3.4	11	<1	<1	2	5	6	10	16
6-12 YRS	41	4.2	13	1	2	3	4	7	9	23
13-19 YRS	93	4.6	11	1	2	4	6	9	11	20
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	13	10.2	267	1	1	3	11	26	55	62
1-5 YRS	24	4.8	16	1	1	4	8	11	38	99+
6-12 YRS	25	10.4	159	1	2	4	16	33	38	49
13-19 YRS	30	12.2	242	1	1	6	16	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	3.4	4	1	1	3	4	6	7	10
B. Operated	31	5.4	29	1	1	4	8	10	17	26
2. MULTIPLE DX										
A. Not Operated	177	4.6	19	1	2	4	5	7	11	24
B. Operated	93	9.6	165	1	1	5	11	27	41	87
1. SINGLE DX	135	3.8	10	1	1	3	4	7	9	18
2. MULTIPLE DX	270	6.3	74	1	1	4	6	13	23	59
A. NOT OPERATED	281	4.1	13	1	1	3	5	7	9	21
B. OPERATED	124	8.5	134	1	1	4	10	21	34	78
TOTAL 0-27 DYS	4	7.3	36	3	3	5	11	16	16	16
1-11 MOS	34	7.7	144	1	2	4	6	16	35	62
1-5 YRS	64	4.4	19	<1	1	3	6	8	16	89
6-12 YRS	99	5.6	53	1	2	4	5	10	21	42
13-19 YRS	204	5.3	51	1	1	4	6	10	15	39
GRAND TOTAL	**405**	**5.5**	**54**	**1**	**1**	**4**	**6**	**10**	**17**	**45**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	93	2.3	1	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	6	8.2	15	4	4	8	10	14	14	14
1-11 MOS	13	5.0	6	2	2	5	6	9	10	10
1-5 YRS	5	3.6	3	1	1	4	5	5	5	5
6-12 YRS	22	5.6	9	2	3	5	6	9	13	16
13-19 YRS	784	4.9	4	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	9	4.6	8	2	2	4	7	9	9	9
6-12 YRS	8	2.9	2	1	1	3	4	5	5	5
13-19 YRS	123	2.9	4	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	4	9.0	13	4	4	10	11	12	12	12
1-11 MOS	21	8.0	7	4	5	8	9	12	13	13
1-5 YRS	19	7.6	26	1	3	6	10	16	19	20
6-12 YRS	33	7.8	15	3	4	7	10	14	16	17
13-19 YRS	664	6.5	13	3	3	6	8	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.3	1	<1	1	2	3	4	5	6
B. *Operated*	830	5.0	4	2	3	5	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	143	3.0	4	<1	1	2	4	6	8	10
B. *Operated*	741	6.6	13	3	3	6	8	11	13	19
1. SINGLE DX	926	4.7	5	2	2	4	6	7	8	11
2. MULTIPLE DX	884	6.0	14	2	2	5	8	10	12	18
A. NOT OPERATED	239	2.7	3	<1	1	2	3	5	6	9
B. OPERATED	1571	5.7	9	3	3	5	7	9	11	16
TOTAL 0-27 DYS	11	8.3	12	4	4	9	11	13	14	14
1-11 MOS	37	6.5	9	2	3	6	9	11	12	13
1-5 YRS	33	6.2	20	1	2	5	9	11	17	20
6-12 YRS	65	6.2	14	1	2	5	8	12	15	17
13-19 YRS	1664	5.2	9	2	2	5	6	9	10	14
GRAND TOTAL	**1810**	**5.3**	**10**	**2**	**2**	**5**	**6**	**9**	**11**	**15**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	2	3	3	5	6	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	58	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	5.0	2	3	3	5	6	6	6	6
13-19 YRS	72	4.8	6	2	3	4	6	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.0	7	1	1	2	5	7	7	7
1-5 YRS	6	6.2	32	<1	<1	4	12	14	14	14
6-12 YRS	6	5.0	48	1	1	2	3	17	19	19
13-19 YRS	60	3.0	3	1	1	3	3	6	7	8
B. *Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	4	5.8	14	1	1	6	8	10	10	10
1-5 YRS	3	11.7	12	8	8	12	14	15	15	15
6-12 YRS	6	6.8	15	3	3	6	7	13	14	14
13-19 YRS	77	6.3	12	2	3	5	8	10	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.3	4	1	1	3	5	6	8	10
B. *Operated*	79	4.8	6	1	3	4	6	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	77	3.4	9	1	1	3	4	7	8	18
B. *Operated*	92	6.5	13	2	3	6	8	10	12	22
1. SINGLE DX	143	4.1	6	1	1	4	5	7	8	11
2. MULTIPLE DX	169	5.1	13	1	2	4	7	9	12	19
A. NOT OPERATED	141	3.4	7	1	1	3	4	7	8	14
B. OPERATED	171	5.7	10	2	3	5	7	9	11	19
TOTAL 0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	13	4.6	8	1	1	5	6	8	10	10
1-5 YRS	12	6.3	31	<1	<1	4	12	14	15	15
6-12 YRS	18	5.4	21	1	1	4	6	12	17	19
13-19 YRS	267	4.5	9	1	2	4	6	8	9	18
GRAND TOTAL	**312**	**4.6**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	2.7	1	2	2	3	3	4	4	4
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	36	7.1	10	1	3	7	9	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	7	5.0	18	2	2	4	6	12	14	14
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	14.0	109	7	7	17	63	99+	99+	99+
1-5 YRS	2	8.5	13	6	6	8	11	11	11	11
6-12 YRS	2	15.0	72	9	9	15	21	21	21	21
13-19 YRS	53	9.8	45	5	6	8	11	15	16	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	1	2	2	3	3	4	4	4
B. *Operated*	40	6.9	10	1	3	7	9	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	9	5.3	15	2	2	4	7	12	14	14
B. *Operated*	61	10.2	46	5	6	9	11	16	23	94
1. SINGLE DX	51	6.0	11	1	2	6	9	10	12	14
2. MULTIPLE DX	70	9.6	45	3	5	8	11	16	21	90
A. NOT OPERATED	20	3.9	9	2	2	3	4	7	11	14
B. OPERATED	101	8.9	34	3	4	8	10	14	18	74
TOTAL 0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	5	10.4	79	4	4	8	26	93	99+	99+
1-5 YRS	4	8.0	6	6	6	8	10	11	11	11
6-12 YRS	3	11.3	76	4	4	9	18	21	21	21
13-19 YRS	107	7.9	32	2	3	7	10	13	15	33
GRAND TOTAL	**121**	**8.1**	**33**	**2**	**3**	**7**	**10**	**14**	**16**	**65**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.9	23	2	2	6	9	14	16	16
1-5 YRS	7	9.9	59	4	4	6	17	21	21	21
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	5	6.4	64	<1	<1	3	10	20	20	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	11.4	87	2	2	10	14	27	27	27
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	29	10.8	89	2	2	8	13	28	34	37
1-5 YRS	26	8.3	19	2	2	8	10	15	16	16
6-12 YRS	14	5.1	5	1	2	5	6	8	10	10
13-19 YRS	15	3.8	6	2	2	2	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	20	20.0	287	2	6	15	21	52	62	62
1-5 YRS	14	14.8	233	4	4	10	14	41	54	58
6-12 YRS	3	31.3	814	2	2	33	52	59	59	59
13-19 YRS	9	9.7	72	2	2	6	13	23	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.5	37	<1	2	6	8	20	21	21
B. *Operated*	8	7.9	73	2	2	5	10	22	27	27
2. MULTIPLE DX										
A. *Not Operated*	86	7.7	44	2	2	6	10	15	18	36
B. *Operated*	46	17.1	267	2	4	12	17	42	60	62
1. SINGLE DX	32	7.6	44	<1	2	6	9	20	21	27
2. MULTIPLE DX	132	11.0	141	2	2	7	13	21	37	62
A. NOT OPERATED	110	7.7	43	1	2	6	9	16	21	35
B. OPERATED	54	15.8	248	2	2	11	16	39	59	62
TOTAL 0-27 DYS	4	2.8	5	1	1	2	4	6	6	6
1-11 MOS	62	13.3	162	2	3	10	16	31	39	62
1-5 YRS	48	10.3	92	2	4	7	13	16	23	58
6-12 YRS	20	9.3	181	1	2	5	8	21	46	59
13-19 YRS	30	5.9	39	<1	2	4	7	13	20	29
GRAND TOTAL	**164**	**10.3**	**124**	**2**	**2**	**7**	**12**	**21**	**33**	**61**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	3.8	3	3	3	3	4	7	7	7
1-5 YRS	11	6.4	13	1	2	6	8	12	13	13
6-12 YRS	31	4.7	6	1	2	4	7	8	9	10
13-19 YRS	160	4.2	9	1	2	4	5	7	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.0	12	8	8	8	13	14	14	14
6-12 YRS	12	9.7	83	1	1	7	15	22	30	31
13-19 YRS	21	8.5	28	1	2	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	8.5	71	1	2	6	10	24	26	26
1-5 YRS	21	5.3	24	1	1	4	6	12	18	20
6-12 YRS	48	7.4	61	1	2	5	9	20	27	36
13-19 YRS	217	5.2	12	1	2	5	6	9	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	9	24.4	276	3	5	19	41	47	48	48
6-12 YRS	12	12.8	130	<1	1	8	19	32	35	35
13-19 YRS	50	16.7	287	3	3	11	21	37	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.4	9	1	2	4	6	7	9	14
B. *Operated*	36	9.0	43	1	1	8	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	298	5.7	23	1	2	5	7	9	15	26
B. *Operated*	72	16.9	260	1	3	12	21	37	46	80
1. SINGLE DX	244	5.1	17	1	2	4	6	9	13	22
2. MULTIPLE DX	370	7.9	89	1	2	5	8	17	25	46
A. NOT OPERATED	506	5.2	18	1	2	4	6	9	12	25
B. OPERATED	108	14.3	201	1	2	9	18	35	40	79
TOTAL 0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	17	7.2	50	2	3	3	8	21	25	26
1-5 YRS	44	9.8	124	1	2	6	12	20	42	48
6-12 YRS	103	7.5	59	1	2	5	9	18	28	35
13-19 YRS	448	6.3	56	1	2	5	7	12	16	37
GRAND TOTAL	**614**	**6.8**	**62**	**1**	**2**	**5**	**7**	**13**	**21**	**39**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	2.1	1	1	1	2	3	4	4	4
1-11 MOS	41	2.1	1	1	1	2	2	3	5	6
1-5 YRS	44	2.5	2	1	1	2	3	5	6	7
6-12 YRS	34	2.7	2	<1	1	3	3	5	5	6
13-19 YRS	79	2.7	4	<1	<1	2	3	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.2	4	1	1	3	5	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.1	4	1	1	3	4	6	7	7
1-11 MOS	86	4.3	15	1	1	3	5	8	11	22
1-5 YRS	117	3.6	20	1	1	3	4	6	9	26
6-12 YRS	86	3.0	5	1	1	3	4	5	7	11
13-19 YRS	243	3.5	22	1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	13	4.9	6	2	3	4	6	9	10	10
1-5 YRS	13	13.0	181	4	5	7	16	28	49	54
6-12 YRS	23	4.9	14	1	2	3	7	11	12	13
13-19 YRS	39	10.9	250	1	1	6	9	38	55	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.5	2	<1	1	2	3	5	6	8
B. *Operated*	12	2.7	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	551	3.6	17	1	1	3	4	6	8	19
B. *Operated*	88	8.8	150	1	2	5	9	15	51	60
1. SINGLE DX	233	2.5	2	<1	1	2	3	5	6	7
2. MULTIPLE DX	639	4.3	38	1	1	3	4	8	11	40
A. NOT OPERATED	772	3.3	13	1	1	2	4	6	8	16
B. OPERATED	100	8.0	136	1	2	5	8	14	36	59
TOTAL 0-27 DYS	42	2.5	2	1	1	2	3	5	6	7
1-11 MOS	140	3.7	11	1	1	3	4	7	10	19
1-5 YRS	180	4.0	32	1	1	3	4	7	11	34
6-12 YRS	144	3.3	6	1	1	3	4	6	9	12
13-19 YRS	366	4.1	47	1	1	3	4	7	9	53
GRAND TOTAL	**872**	**3.8**	**29**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	2.6	2	1	1	3	3	4	6	6
1-11 MOS	67	3.1	3	1	1	3	4	6	7	9
1-5 YRS	19	4.0	6	<1	<1	4	6	8	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.0	50	9	9	14	19	19	19	19
1-5 YRS	7	11.3	150	1	1	6	20	31	33	33
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	4.8	29	1	1	3	5	8	15	30
1-11 MOS	131	5.5	41	1	2	4	6	10	19	41
1-5 YRS	69	7.1	111	1	2	4	7	20	69	99+
6-12 YRS	10	3.1	2	<1	1	3	3	5	6	6
13-19 YRS	29	2.3	8	1	1	1	2	6	7	14
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	17	24.5	499	2	3	25	46	92	99+	99+
1-5 YRS	25	11.2	193	1	2	8	15	49	64	99+
6-12 YRS	5	3.2	3	1	1	3	5	5	5	5
13-19 YRS	4	5.8	8	4	4	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.2	3	<1	1	3	4	6	7	9
B. *Operated*	11	10.2	110	1	1	6	17	27	32	33
2. MULTIPLE DX										
A. *Not Operated*	274	5.4	54	1	1	3	6	12	20	92
B. *Operated*	52	14.4	305	1	2	9	20	52	95	99+
1. SINGLE DX	114	3.9	17	1	1	3	4	7	9	27
2. MULTIPLE DX	326	6.8	104	1	1	4	6	18	39	99+
A. NOT OPERATED	377	4.8	41	1	1	3	5	9	18	64
B. OPERATED	63	13.6	271	1	2	8	19	48	85	99+
TOTAL 0-27 DYS	49	4.4	23	1	1	3	4	8	12	30
1-11 MOS	217	6.3	93	1	2	4	6	13	28	87
1-5 YRS	120	7.7	117	1	2	4	9	20	53	99+
6-12 YRS	16	3.2	2	<1	1	3	4	5	6	6
13-19 YRS	38	2.7	8	1	1	1	4	6	9	14
GRAND TOTAL	**440**	**6.0**	**83**	**1**	**1**	**3**	**6**	**15**	**25**	**99+**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	3	2	2	3	5	6	6	6
1-5 YRS	125	4.5	12	1	1	3	6	9	10	17
6-12 YRS	74	4.7	13	1	1	4	6	11	14	16
13-19 YRS	40	4.3	12	<1	1	3	6	10	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	39	3.1	9	1	1	2	3	7	12	13
6-12 YRS	65	2.7	9	1	1	2	3	5	6	19
13-19 YRS	96	3.1	13	1	1	2	3	6	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	6.1	36	2	2	4	6	15	22	23
1-5 YRS	127	5.6	18	1	2	4	8	11	15	22
6-12 YRS	120	4.7	9	1	2	4	6	9	11	15
13-19 YRS	81	4.6	15	1	1	3	6	9	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.2	44	1	1	10	12	19	19	19
1-5 YRS	42	9.1	114	1	2	7	13	16	20	67
6-12 YRS	49	6.8	51	2	2	4	8	19	25	99+
13-19 YRS	107	4.8	17	1	1	3	7	12	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	4.5	12	1	1	3	6	9	11	15
B. *Operated*	201	3.0	11	1	1	2	3	6	10	20
2. MULTIPLE DX										
A. *Not Operated*	339	5.1	15	1	2	4	7	10	13	21
B. *Operated*	203	6.3	48	1	1	4	8	14	17	50
1. SINGLE DX	444	3.8	12	1	1	2	5	8	11	16
2. MULTIPLE DX	542	5.5	27	1	2	4	7	12	15	24
A. NOT OPERATED	582	4.8	14	1	1	4	6	9	12	20
B. OPERATED	404	4.6	32	1	1	2	6	12	15	24
TOTAL 0-27 DYS										
1-11 MOS	21	6.1	32	1	2	4	7	14	21	23
1-5 YRS	333	5.3	29	1	1	4	7	11	14	22
6-12 YRS	308	4.6	18	1	1	3	6	9	13	24
13-19 YRS	324	4.2	15	1	1	3	5	9	13	20
GRAND TOTAL	**986**	**4.7**	**21**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	27	3.8	4	1	1	3	5	7	8	8
6-12 YRS	34	5.1	6	2	2	4	7	8	10	11
13-19 YRS	21	3.7	4	1	1	4	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.3	56	1	1	8	14	16	16	16
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	5.1	24	1	1	3	8	12	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	39	4.5	6	1	2	4	5	9	10	10
6-12 YRS	68	5.0	7	2	2	5	6	9	10	12
13-19 YRS	32	5.2	16	1	2	4	8	11	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	12.2	180	<1	1	5	18	33	42	42
6-12 YRS	15	7.3	30	1	1	7	11	16	17	17
13-19 YRS	8	11.8	175	1	1	7	20	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.3	5	1	2	4	6	8	8	11
B. *Operated*	15	5.5	28	1	1	3	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	141	4.9	8	1	2	4	6	9	10	13
B. *Operated*	33	9.8	108	1	1	6	14	26	34	42
1. SINGLE DX	97	4.5	9	1	2	4	6	8	9	17
2. MULTIPLE DX	174	5.8	31	1	2	4	7	10	16	33
A. NOT OPERATED	223	4.7	7	1	2	4	6	8	10	12
B. OPERATED	48	8.5	86	1	1	5	11	18	31	42
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	79	5.4	34	1	1	4	6	9	17	37
6-12 YRS	118	5.3	10	1	2	5	7	10	11	16
13-19 YRS	72	5.5	34	1	1	4	7	10	16	33
GRAND TOTAL	**271**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**12**	**30**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	5	3.0	4	1	1	2	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	4	4.0	2	2	2	4	5	5	5	5
6-12 YRS	12	3.9	4	<1	1	4	6	7	7	7
13-19 YRS	23	7.7	39	1	2	4	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	5.3	38	1	1	3	7	15	21	21
1-5 YRS	28	6.9	91	1	2	3	8	15	24	49
6-12 YRS	49	5.3	74	1	1	2	6	13	20	55
13-19 YRS	51	2.7	8	<1	1	2	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	7	14.4	239	2	2	14	16	41	47	47
1-5 YRS	42	15.3	296	2	2	11	22	45	95	99+
6-12 YRS	87	13.4	136	2	3	10	18	31	42	83
13-19 YRS	183	12.2	112	2	2	9	17	28	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*	40	6.0	27	<1	1	4	7	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	138	4.7	52	1	1	2	5	9	16	50
B. *Operated*	319	13.0	145	2	3	9	18	30	39	99+
1. SINGLE DX	51	5.3	24	<1	1	4	6	13	17	23
2. MULTIPLE DX	457	10.5	131	1	1	6	14	26	36	89
A. NOT OPERATED	149	4.5	48	1	1	2	5	9	15	49
B. OPERATED	359	12.2	136	2	2	9	17	29	38	99
TOTAL 0-27 DYS										
1-11 MOS	19	8.4	122	<1	1	4	13	19	35	47
1-5 YRS	77	11.1	215	1	2	6	14	29	54	99+
6-12 YRS	150	9.8	121	1	1	6	14	26	33	56
13-19 YRS	262	9.8	98	1	1	6	14	24	33	51
GRAND TOTAL	**508**	**9.9**	**123**	**1**	**1**	**6**	**14**	**25**	**35**	**72**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	5.8	57	1	1	2	10	17	17	17
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	5.1	16	1	1	5	8	10	11	11
1-5 YRS	19	4.1	7	<1	1	4	6	7	10	11
6-12 YRS	7	4.9	24	1	1	4	6	13	15	15
13-19 YRS	20	5.8	77	1	1	4	6	8	25	42
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	6	10.8	61	1	1	10	17	21	22	22
1-5 YRS	7	17.9	34	13	13	16	21	28	29	29
6-12 YRS	8	18.4	229	6	6	12	32	41	41	41
13-19 YRS	26	12.7	110	3	3	9	19	30	33	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	25	<1	<1	2	3	12	17	17
B. *Operated*	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	55	4.9	35	1	1	4	6	8	11	41
B. *Operated*	48	14.5	115	3	3	12	20	30	40	43
1. SINGLE DX	13	3.5	18	<1	1	2	3	8	15	17
2. MULTIPLE DX	103	9.4	95	1	1	6	13	23	30	42
A. NOT OPERATED	64	4.8	33	<1	1	3	6	8	12	38
B. OPERATED	52	13.6	117	2	3	11	19	29	39	43
TOTAL 0-27 DYS	4	9.3	175	1	1	3	16	29	29	29
1-11 MOS	14	7.5	40	1	1	6	11	17	21	22
1-5 YRS	31	7.5	50	<1	1	5	12	17	22	29
6-12 YRS	16	11.4	168	1	1	6	16	38	41	41
13-19 YRS	51	8.9	101	1	2	5	10	23	31	43
GRAND TOTAL	**116**	**8.7**	**89**	**1**	**1**	**5**	**11**	**22**	**30**	**42**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	4.0	6	1	1	4	6	8	8	8
1-5 YRS	132	3.7	4	1	2	3	5	6	7	11
6-12 YRS	194	3.5	3	2	2	3	4	5	6	11
13-19 YRS	597	3.6	3	1	2	3	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	6	5.2	2	4	4	5	7	7	7	7
13-19 YRS	18	4.7	4	1	2	4	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.8	14	3	3	6	8	13	13	13
1-11 MOS	74	5.4	11	2	2	4	7	10	12	19
1-5 YRS	319	4.3	5	2	2	4	5	7	9	12
6-12 YRS	369	4.3	7	2	2	4	5	7	10	15
13-19 YRS	1110	4.3	5	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	4	6.3	18	2	2	5	9	12	12	12
1-11 MOS	18	9.9	18	4	5	10	12	14	19	22
1-5 YRS	40	7.1	14	3	4	6	9	12	15	20
6-12 YRS	42	6.1	16	2	3	5	8	10	13	24
13-19 YRS	88	6.4	18	3	3	5	8	11	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.6	3	1	2	3	4	6	7	10
B. *Operated*	27	4.6	4	1	2	4	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1877	4.3	6	2	2	4	5	7	9	12
B. *Operated*	192	6.8	17	3	3	6	8	11	14	23
1. SINGLE DX	972	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX	2069	4.6	7	2	2	4	6	8	9	14
A. NOT OPERATED	2822	4.1	5	2	2	4	5	7	8	11
B. OPERATED	219	6.5	16	2	3	5	8	11	14	23
TOTAL 0-27 DYS	10	6.4	12	2	2	6	7	12	13	13
1-11 MOS	113	5.8	14	2	2	5	8	11	13	21
1-5 YRS	494	4.4	6	2	2	4	5	7	10	14
6-12 YRS	611	4.2	7	2	2	4	5	7	9	14
13-19 YRS	1813	4.2	5	2	2	4	5	7	8	11
GRAND TOTAL	**3041**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**9**	**13**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	31	4.2	4	2	2	4	6	7	8	8
1-5 YRS	112	3.5	4	2	2	3	4	6	7	12
6-12 YRS	135	3.5	3	1	2	3	4	6	6	10
13-19 YRS	375	3.5	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.5	6	2	2	6	7	7	7	7
1-5 YRS	9	7.0	22	2	2	5	11	14	14	14
6-12 YRS	21	5.4	11	1	1	5	8	9	12	14
13-19 YRS	17	5.1	6	2	3	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	12	2	2	5	8	10	10	10
1-11 MOS	72	5.3	8	2	2	5	7	10	11	14
1-5 YRS	227	4.1	5	2	2	3	5	7	9	11
6-12 YRS	228	4.3	6	1	2	4	5	8	9	12
13-19 YRS	666	4.1	5	1	2	4	5	7	8	13
B. *Operated*										
0-27 DYS	3	8.0	12	4	4	10	10	10	10	10
1-11 MOS	19	9.6	80	2	3	7	12	15	30	43
1-5 YRS	61	7.9	25	3	4	7	8	14	19	27
6-12 YRS	50	6.6	17	1	2	6	8	12	16	21
13-19 YRS	99	7.4	24	2	3	6	9	15	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	3.5	3	1	2	3	4	6	7	9
B. *Operated*	51	5.6	11	1	2	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	1197	4.2	6	1	2	4	5	7	9	12
B. *Operated*	232	7.5	27	2	3	6	9	14	17	25
1. SINGLE DX	704	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1429	4.8	11	2	2	4	6	8	10	17
A. NOT OPERATED	1850	4.0	5	1	2	4	5	7	8	11
B. OPERATED	283	7.2	25	2	3	6	9	13	16	25
TOTAL 0-27 DYS	7	6.6	12	2	2	6	10	10	10	10
1-11 MOS	126	5.7	20	2	2	5	7	10	12	22
1-5 YRS	409	4.6	10	2	2	4	6	8	10	17
6-12 YRS	434	4.4	7	1	2	4	5	8	10	14
13-19 YRS	1157	4.2	7	1	2	4	5	7	9	15
GRAND TOTAL	**2133**	**4.4**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	6	2.7	2	1	1	2	3	5	5	5
6-12 YRS	20	2.1	1	<1	1	2	3	4	5	5
13-19 YRS	132	2.0	1	<1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	3.3	3	1	1	3	4	6	6	6
6-12 YRS	8	5.8	24	1	1	3	10	13	14	14
13-19 YRS	42	4.7	14	1	1	4	6	8	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.6	18	<1	<1	2	5	11	11	11
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	13	2.8	4	1	1	2	3	6	8	8
13-19 YRS	146	2.3	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	9	9.3	29	3	4	8	11	18	22	22
6-12 YRS	13	4.4	9	1	1	3	6	9	11	11
13-19 YRS	52	5.9	20	1	2	5	8	13	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	2.0	1	<1	1	2	3	4	4	6
B. *Operated*	59	4.5	14	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	168	2.4	3	1	1	2	3	5	6	8
B. *Operated*	77	6.0	20	1	2	5	8	12	14	22
1. SINGLE DX	220	2.7	6	<1	1	2	3	5	7	14
2. MULTIPLE DX	245	3.5	11	1	1	2	4	8	11	15
A. NOT OPERATED	329	2.2	2	1	1	2	3	4	5	7
B. OPERATED	136	5.4	18	1	1	4	7	11	14	22
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	3.5	15	<1	<1	2	3	11	12	12
1-5 YRS	26	5.0	21	1	1	3	7	11	13	22
6-12 YRS	54	3.4	9	1	1	2	4	8	10	14
13-19 YRS	372	3.0	8	1	1	2	4	6	8	14
GRAND TOTAL	**465**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**14**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	30	1.9	2	1	1	1	2	4	4	6
13-19 YRS	502	1.9	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	4	5.0	5	2	2	5	6	7	7	7
6-12 YRS	23	3.9	4	1	2	3	6	6	7	7
13-19 YRS	271	3.7	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.2	3	1	1	2	3	5	5	5
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	19	1.8	1	1	1	1	2	4	4	4
13-19 YRS	238	2.2	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	5	6.4	23	2	2	4	9	14	14	14
1-5 YRS	10	2.9	3	<1	<1	2	5	6	6	6
6-12 YRS	23	4.5	9	1	1	4	6	8	10	12
13-19 YRS	139	4.3	9	1	1	4	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	1.9	1	1	1	2	2	3	4	6
B. *Operated*	303	3.7	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	264	2.2	2	1	1	2	3	4	5	6
B. *Operated*	179	4.3	9	1	1	4	6	8	9	14
1. SINGLE DX	845	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	443	3.0	6	1	1	2	4	6	8	13
A. NOT OPERATED	806	2.0	2	1	1	2	2	4	4	6
B. OPERATED	482	3.9	7	1	1	3	5	7	9	13
TOTAL 0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	23	2.8	9	1	1	2	3	6	10	14
1-5 YRS	17	3.2	4	<1	1	3	5	6	7	7
6-12 YRS	95	3.0	5	1	1	2	4	6	8	11
13-19 YRS	1150	2.7	5	1	1	2	3	5	6	10
GRAND TOTAL	**1288**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.6	14	1	1	2	5	10	10	10
1-11 MOS	12	5.2	47	<1	1	3	6	13	24	26
1-5 YRS	25	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	16	2.8	5	1	1	2	4	7	8	8
13-19 YRS	26	2.0	2	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	41	4.4	5	<1	1	4	5	8	9	10
1-5 YRS	315	5.4	6	1	2	5	7	8	9	11
6-12 YRS	337	5.9	6	2	3	6	7	9	11	14
13-19 YRS	139	5.6	9	1	1	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.7	72	2	2	7	18	23	24	24
1-11 MOS	60	4.7	12	<1	1	4	6	11	12	15
1-5 YRS	63	3.5	11	<1	1	2	5	7	11	18
6-12 YRS	39	2.6	4	<1	1	2	4	5	7	10
13-19 YRS	73	3.0	10	<1	1	2	4	7	8	18
B. *Operated*										
0-27 DYS	9	7.0	32	2	2	5	10	16	19	19
1-11 MOS	104	7.1	29	1	2	6	9	13	16	30
1-5 YRS	461	6.8	17	1	2	6	9	12	14	22
6-12 YRS	366	6.6	16	1	2	6	8	11	14	21
13-19 YRS	288	7.2	44	1	2	7	9	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.8	10	1	1	2	4	5	7	21
B. *Operated*	834	5.6	5	1	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	241	3.7	13	<1	1	2	4	8	11	19
B. *Operated*	1228	6.9	24	1	2	6	9	12	14	23
1. SINGLE DX	918	5.4	7	1	1	5	7	9	10	13
2. MULTIPLE DX	1469	6.4	24	1	1	6	8	11	14	21
A. NOT OPERATED	325	3.5	12	<1	1	2	4	8	10	19
B. OPERATED	2062	6.4	17	1	2	6	8	10	13	19
TOTAL 0-27 DYS	22	6.8	41	1	1	5	9	18	21	24
1-11 MOS	217	5.8	22	1	1	5	8	11	15	28
1-5 YRS	864	5.9	13	1	1	6	8	10	12	18
6-12 YRS	758	6.0	12	1	2	6	8	10	12	19
13-19 YRS	526	6.0	31	1	1	6	8	10	13	18
GRAND TOTAL	**2387**	**6.0**	**18**	**1**	**1**	**6**	**8**	**10**	**12**	**19**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	19	2.3	4	<1	1	2	2	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	8	2	2	2	6	7	7	7
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	10	2.6	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	2	<1	<1	2	3	4	4	4
13-19 YRS	11	2.2	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	9	1	1	4	6	7	7	7
6-12 YRS	5	8.2	88	1	1	3	15	23	23	23
13-19 YRS	27	5.6	25	1	1	3	9	13	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.3	3	<1	1	2	2	6	7	7
B. *Operated*	16	2.6	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	35	5.9	31	1	1	3	9	13	18	23
1. SINGLE DX	38	2.4	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX	51	4.7	25	1	1	2	6	12	15	23
A. NOT OPERATED	38	2.2	3	<1	1	2	2	5	6	7
B. OPERATED	51	4.8	24	<1	1	3	7	12	15	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.8	7	1	1	3	7	7	7	7
6-12 YRS	16	3.9	33	<1	1	2	3	11	20	23
13-19 YRS	67	3.7	14	<1	1	2	4	9	12	18
GRAND TOTAL	**89**	**3.7**	**17**	**<1**	**1**	**2**	**4**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	2.2	1	1	1	2	3	3	4	5
6-12 YRS	25	2.3	1	<1	1	2	3	4	4	5
13-19 YRS	51	2.4	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	13	2.9	4	1	1	3	4	6	6	6
6-12 YRS	10	1.9	2	<1	<1	1	3	4	4	4
13-19 YRS	31	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.3	2	1	1	3	4	4	4	4
1-11 MOS	12	5.6	8	2	2	5	7	9	12	12
1-5 YRS	57	3.5	7	1	1	3	4	6	10	15
6-12 YRS	57	2.8	3	1	1	2	3	4	6	9
13-19 YRS	88	3.3	7	1	1	3	4	6	7	16
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	31	3.2	6	<1	<1	2	5	7	8	10
6-12 YRS	37	3.3	6	<1	<1	3	5	6	8	11
13-19 YRS	80	4.0	6	<1	1	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.3	2	1	1	2	3	4	5	7
B. *Operated*	55	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	219	3.3	6	1	1	3	4	6	7	14
B. *Operated*	152	3.6	6	<1	1	3	5	7	8	11
1. SINGLE DX	159	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	371	3.5	6	1	1	3	4	6	8	13
A. NOT OPERATED	323	3.0	5	1	1	3	4	6	7	12
B. OPERATED	207	3.3	5	<1	<1	3	4	6	8	11
TOTAL 0-27 DYS	7	2.7	1	1	1	3	4	4	4	4
1-11 MOS	15	5.2	7	2	2	5	7	8	11	12
1-5 YRS	129	3.1	5	1	1	3	4	6	7	13
6-12 YRS	129	2.8	3	<1	1	2	4	5	6	10
13-19 YRS	250	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**530**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	160	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	127	1.5	1	<1	<1	1	1	3	4	7
13-19 YRS	84	2.4	9	<1	<1	2	3	5	6	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	5	1.6	2	<1	<1	<1	2	4	4	4
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	129	2.0	4	<1	<1	1	2	5	7	9
6-12 YRS	135	2.1	7	<1	<1	1	2	4	8	13
13-19 YRS	112	2.9	6	<1	<1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	375	1.6	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	16	1.3	1	<1	<1	<1	1	2	3	4
B. *Operated*	378	2.3	6	<1	<1	1	3	5	8	11
1. SINGLE DX	380	1.6	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	394	2.3	5	<1	<1	1	3	5	8	11
A. NOT OPERATED	21	1.3	1	<1	<1	1	1	2	3	4
B. OPERATED	753	2.0	4	<1	<1	1	2	4	6	10
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	3	<1	<1	1	3	5	5	5
1-5 YRS	297	1.5	2	<1	<1	<1	1	3	4	8
6-12 YRS	270	1.8	4	<1	<1	1	2	3	5	11
13-19 YRS	201	2.7	7	<1	<1	2	3	5	8	13
GRAND TOTAL	**774**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.6	7	1	1	3	4	6	11	13
1-11 MOS	173	3.3	4	1	1	3	4	6	7	11
1-5 YRS	257	2.7	2	1	1	2	3	5	6	7
6-12 YRS	232	2.6	2	1	1	2	3	5	6	7
13-19 YRS	306	2.5	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	5	5.0	6	3	3	4	7	8	8	8
1-11 MOS	16	5.1	6	<1	1	5	7	8	9	9
1-5 YRS	132	2.3	6	<1	<1	1	3	5	7	13
6-12 YRS	151	2.2	3	<1	<1	1	3	4	6	9
13-19 YRS	113	2.5	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	181	5.4	14	2	2	4	7	10	11	22
1-11 MOS	807	4.2	7	1	2	3	5	7	9	13
1-5 YRS	1110	4.0	6	1	2	3	5	7	8	13
6-12 YRS	651	3.5	6	1	1	3	4	6	8	14
13-19 YRS	955	3.7	6	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS	29	7.9	46	2	2	7	9	11	25	35
1-11 MOS	126	7.4	60	1	3	6	8	12	17	49
1-5 YRS	304	4.8	23	<1	<1	3	7	10	13	22
6-12 YRS	253	4.4	23	<1	<1	3	6	9	13	23
13-19 YRS	277	4.7	23	1	1	3	6	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	2.7	3	1	1	2	3	5	6	8
B. *Operated*	417	2.4	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3704	3.9	7	1	1	3	5	7	9	13
B. *Operated*	989	5.1	30	<1	<1	4	7	10	14	25
1. SINGLE DX	1411	2.6	3	<1	1	2	3	5	6	10
2. MULTIPLE DX	4693	4.2	12	1	1	3	5	8	10	16
A. NOT OPERATED	4698	3.7	6	1	1	3	4	7	8	13
B. OPERATED	1406	4.3	24	<1	<1	3	6	9	12	22
TOTAL 0-27 DYS	241	5.5	17	2	2	4	7	10	11	25
1-11 MOS	1122	4.4	13	1	2	4	5	8	10	16
1-5 YRS	1803	3.8	9	1	1	3	5	7	9	15
6-12 YRS	1287	3.3	9	<1	1	3	4	7	9	15
13-19 YRS	1651	3.5	9	1	1	3	4	7	9	14
GRAND TOTAL	**6104**	**3.8**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	2.5	5	<1	<1	2	4	4	4	4
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	6	6.2	18	2	2	6	6	13	14	14
1-11 MOS	16	4.9	4	3	3	4	6	8	9	9
1-5 YRS	4	5.5	6	4	4	5	7	9	9	9
6-12 YRS	3	3.3	10	1	1	2	6	7	7	7
13-19 YRS	4	6.3	11	4	4	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	6	3.7	5	<1	<1	4	5	6	6	6
B. *Operated*	33	5.2	8	2	2	5	6	9	11	14
1. SINGLE DX	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX	39	5.0	7	1	2	5	6	8	10	14
A. NOT OPERATED	6	3.7	5	<1	<1	4	5	6	6	6
B. OPERATED	37	5.0	7	2	2	4	6	9	10	14
TOTAL 0-27 DYS	8	5.5	15	2	2	5	6	12	14	14
1-11 MOS	19	4.7	4	3	3	4	6	8	9	9
1-5 YRS	5	5.6	4	4	4	5	7	9	9	9
6-12 YRS	6	3.2	5	<1	<1	3	4	7	7	7
13-19 YRS	5	5.2	14	1	1	4	7	11	11	11
GRAND TOTAL	**43**	**4.8**	**7**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	21	3.6	3	1	2	3	5	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	12	4.0	10	<1	1	3	5	8	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.5	2	1	1	2	3	5	6	6
B. *Operated*	7	2.7	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	23	3.7	3	1	2	3	5	6	7	8
B. *Operated*	14	4.8	19	<1	1	3	5	13	15	16
1. SINGLE DX	24	2.6	2	1	1	2	4	5	5	6
2. MULTIPLE DX	37	4.1	9	1	2	3	5	6	11	16
A. NOT OPERATED	40	3.2	3	1	1	3	4	6	6	8
B. OPERATED	21	4.1	14	<1	1	3	4	9	14	16
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	6.7	66	1	1	3	13	16	16	16
13-19 YRS	54	3.4	4	1	1	3	4	6	6	13
GRAND TOTAL	**61**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**16**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	43	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	153	1.2		<1	<1	1	1	2	2	3
6-12 YRS	70	1.9	13	<1	<1	1	2	2	3	26
13-19 YRS	111	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	15	1.1		<1	<1	1	1	2	2	2
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	51	2.1	4	<1	<1	1	2	5	6	11
1-5 YRS	154	1.4		<1	<1	1	2	2	3	[illegible]
6-12 YRS	53	1.4	1	<1	<1	1	2	2	3	4
13-19 YRS	65	1.8	2	<1	1	1	2	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.3		<1	<1	1	2	2	2	2
B. *Operated*	378	1.5	3	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	28	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	323	1.6	1	<1	<1	1	2	3	4	7
1. SINGLE DX	394	1.5	3	<1	<1	1	2	2	3	5
2. MULTIPLE DX	351	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	44	1.3		<1	<1	1	2	2	3	4
B. OPERATED	701	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	103	1.7	2	<1	<1	1	2	3	5	9
1-5 YRS	327	1.3		<1	<1	1	1	2	3	3
6-12 YRS	126	1.7	7	<1	<1	1	2	2	3	11
13-19 YRS	187	1.7	1	<1	1	1	2	3	4	6
GRAND TOTAL	**745**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	3.2	4	1	1	3	4	6	6	6
1-5 YRS	6	3.5	2	1	1	4	4	5	5	5
6-12 YRS	54	3.2	6	1	1	2	4	6	8	13
13-19 YRS	196	3.9	5	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	7	1.9		1	1	2	2	3	3	3
6-12 YRS	30	2.5	7	<1	1	2	2	6	10	12
13-19 YRS	67	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	19	4.7	8	1	1	4	7	9	11	11
13-19 YRS	96	3.8	5	1	1	3	5	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.5	6	2	2	3	5	7	7	7
1-5 YRS	4	5.0	15	2	2	4	8	10	10	10
6-12 YRS	14	3.6	13	<1	1	2	5	8	12	13
13-19 YRS	50	4.2	9	1	1	3	6	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.7	6	1	1	3	5	7	8	11
B. *Operated*	107	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	116	3.9	6	1	1	3	5	7	9	11
B. *Operated*	72	4.1	10	1	1	3	6	8	11	14
1. SINGLE DX	369	3.4	5	1	1	3	4	6	8	11
2. MULTIPLE DX	188	4.0	7	1	1	3	5	8	9	13
A. NOT OPERATED	378	3.8	6	1	1	3	5	7	8	11
B. OPERATED	179	3.1	7	1	1	2	4	7	9	13
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	13	2.8	3	1	1	2	3	6	7	7
1-5 YRS	17	3.2	5	1	1	2	4	6	9	10
6-12 YRS	117	3.3	8	1	1	2	4	7	10	13
13-19 YRS	409	3.7	6	1	1	3	5	7	8	11
GRAND TOTAL	**557**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	8	1.3	1	1	1	1	1	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	44	1.2		<1	<1	<1	1	1	2	4
1-5 YRS	372	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	122	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	85	1.3		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	23	1.3		<1	<1	<1	1	2	3	4
6-12 YRS	4	2.5	4	<1	<1	2	4	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	26	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	130	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	39	1.4	1	<1	<1	1	1	3	3	5
13-19 YRS	31	1.9	2	<1	<1	1	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	623	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	32	1.4	1	<1	<1	1	1	3	4	5
B. *Operated*	226	1.5	1	<1	<1	1	1	3	4	5
1. SINGLE DX	637	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	258	1.4	1	<1	<1	1	1	3	4	5
A. NOT OPERATED	46	1.4	1	<1	<1	1	1	3	4	5
B. OPERATED	849	1.2		<1	<1	<1	1	2	2	4
TOTAL 0-27 DYS	4	1.0		<1	<1	1	1	1	1	1
1-11 MOS	76	1.3	1	<1	<1	1	1	2	4	4
1-5 YRS	533	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	166	1.2		<1	<1	<1	1	2	2	5
13-19 YRS	116	1.5	1	<1	<1	1	2	2	4	6
GRAND TOTAL	**895**	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	3	4.0	9	1	1	4	6	7	7	7
1-5 YRS	23	1.7	1	<1	<1	2	2	3	3	3
6-12 YRS	36	1.6	1	<1	1	1	2	3	4	5
13-19 YRS	48	2.1	3	<1	1	1	3	5	6	8
B. *Operated*										
0-27 DYS	9	1.3		<1	<1	1	2	2	2	2
1-11 MOS	22	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	128	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	498	1.3	1	<1	<1	1	1	2	2	5
13-19 YRS	1013	1.6	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	11	3.3	2	1	1	3	4	5	6	6
1-5 YRS	39	3.4	7	<1	1	3	4	6	10	13
6-12 YRS	25	2.8	5	<1	1	2	3	6	8	9
13-19 YRS	27	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-27 DYS	7	1.6	1	1	1	1	2	4	4	4
1-11 MOS	24	1.7	1	1	1	1	2	3	4	5
1-5 YRS	121	1.9	3	<1	<1	1	2	3	6	9
6-12 YRS	188	1.8	3	<1	<1	1	2	4	5	7
13-19 YRS	338	2.3	6	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	1670	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	105	2.9	5	<1	1	2	4	5	7	11
B. *Operated*	678	2.1	4	<1	1	1	2	4	5	10
1. SINGLE DX	1782	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	783	2.2	4	<1	1	1	3	4	6	10
A. NOT OPERATED	217	2.4	4	<1	1	2	3	5	6	10
B. OPERATED	2348	1.7	2	<1	1	1	2	3	4	8
TOTAL 0-27 DYS	21	1.9	1	<1	1	1	3	4	4	4
1-11 MOS	60	2.1	2	1	1	2	3	4	5	7
1-5 YRS	311	1.8	3	<1	<1	1	2	3	5	10
6-12 YRS	747	1.5	1	<1	<1	1	2	2	3	7
13-19 YRS	1426	1.8	3	<1	1	1	2	3	4	8
GRAND TOTAL	**2565**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	58	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	1.7	2	<1	<1	1	2	2	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	60	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	19	1.7	2	<1	<1	1	2	2	5	7
1. SINGLE DX	60	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	21	1.8	2	<1	<1	1	2	3	5	7
A. NOT OPERATED	2	2.5	5	1	1	2	4	4	4	4
B. OPERATED	79	1.6	1	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	75	1.6	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**81**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	5.5	17	2	2	4	6	12	14	14
1-11 MOS	8	3.3	3	2	2	3	4	6	7	7
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	4	5.3	7	3	3	5	7	8	8	8
13-19 YRS	23	3.8	8	<1	1	3	6	7	9	12
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	6	1.8	1	1	1	2	2	3	3	3
6-12 YRS	34	1.9	3	<1	1	1	2	3	5	11
13-19 YRS	843	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	33	2.3	3	<1	<1	1	3	5	7	7
B. *Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	8	4.5	8	1	1	4	6	8	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	4.6	27	1	1	3	4	13	18	19
13-19 YRS	259	2.6	3	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.0	9	1	1	3	6	7	11	14
B. *Operated*	890	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	4	<1	<1	2	3	6	7	9
B. *Operated*	281	2.8	4	1	1	3	3	4	6	12
1. SINGLE DX	939	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	322	2.8	4	<1	1	3	3	4	6	11
A. NOT OPERATED	90	3.4	7	<1	<1	3	5	7	8	13
B. OPERATED	1171	2.3	2	1	1	2	3	4	4	7
TOTAL 0-27 DYS	19	4.4	11	1	1	4	5	9	13	14
1-11 MOS	22	3.7	4	1	2	3	5	7	8	9
1-5 YRS	12	2.6	5	1	1	2	3	5	8	9
6-12 YRS	50	2.8	10	<1	1	2	3	6	9	19
13-19 YRS	1158	2.3	2	1	1	2	3	4	4	7
GRAND TOTAL	**1261**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	65	2.0	1	1	1	2	2	3	4	5
13-19 YRS	875	2.1	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	4.0		4	4	4	4	4	4	4
1-5 YRS	6	3.3	1	2	2	3	4	5	5	5
6-12 YRS	35	3.3	2	1	1	3	4	6	6	7
13-19 YRS	997	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	26	2.4	2	1	1	2	3	5	6	6
13-19 YRS	611	2.4	2	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	3	6.0	3	4	4	7	7	7	7	7
1-11 MOS	7	4.0	3	1	1	4	6	6	6	6
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	34	4.4	4	3	3	4	5	6	9	12
13-19 YRS	1126	4.1	4	1	2	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	2.1	1	1	1	2	3	4	4	6
B. *Operated*	1042	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	637	2.4	2	1	1	2	3	4	6	7
B. *Operated*	1173	4.1	4	1	2	4	5	7	8	11
1. SINGLE DX	1984	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	1810	3.5	4	1	1	3	5	6	7	10
A. NOT OPERATED	1579	2.2	2	1	1	2	3	4	5	7
B. OPERATED	2215	3.8	4	1	1	4	5	6	7	10
TOTAL 0-27 DYS	5	5.2	3	3	3	5	7	7	7	7
1-11 MOS	11	3.7	3	1	1	4	5	6	6	6
1-5 YRS	9	3.2	2	1	1	3	4	5	5	5
6-12 YRS	160	2.9	3	1	1	2	4	5	6	10
13-19 YRS	3609	3.1	4	1	1	3	4	6	7	9
GRAND TOTAL	**3794**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**9**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	5	2	2	4	5	8	8	8
1-5 YRS										
6-12 YRS	13	6.3	17	2	2	5	10	12	14	14
13-19 YRS	2243	3.7	4	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	8	5.3	5	3	3	5	7	9	9	9
13-19 YRS	387	4.4	6	<1	2	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.6	2	3	3	5	5	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	4.1	5	2	2	4	5	7	9	9
13-19 YRS	1787	4.4	6	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	20	7.4	16	2	3	6	9	13	16	19
13-19 YRS	911	5.5	11	1	2	5	7	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2262	3.8	4	1	2	3	5	6	7	10
B. *Operated*	398	4.4	6	<1	2	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	1806	4.4	6	1	2	4	5	7	9	14
B. *Operated*	936	5.6	11	1	2	5	7	10	12	18
1. SINGLE DX	2660	3.9	4	1	2	3	5	6	8	11
2. MULTIPLE DX	2742	4.8	8	1	2	4	6	8	10	15
A. NOT OPERATED	4068	4.0	5	1	2	4	5	7	8	12
B. OPERATED	1334	5.2	10	1	2	5	7	9	11	16
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	17	4.3	3	2	2	5	5	6	7	8
1-5 YRS	5	5.8	10	2	2	5	8	10	10	10
6-12 YRS	50	6.2	13	2	3	5	8	12	13	19
13-19 YRS	5328	4.3	6	1	2	4	5	7	9	14
GRAND TOTAL	**5402**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.9	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.2		4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	93	3.1	5	<1	<1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	3.1	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	12	5.2	3	2	3	5	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	171	3.8	6	<1	1	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	2	1	1	3	4	5	6	7
B. *Operated*	98	3.2	4	<1	<1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	21	3.1	4	1	1	3	4	5	7	9
B. *Operated*	185	3.9	6	<1	1	4	5	7	8	12
1. SINGLE DX	129	3.1	4	<1	<1	3	4	5	6	10
2. MULTIPLE DX	206	3.9	6	<1	1	4	5	7	8	12
A. NOT OPERATED	52	3.0	3	1	1	3	4	5	6	9
B. OPERATED	283	3.7	6	<1	<1	4	5	6	8	12
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	17	4.9	2	3	4	4	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	316	3.5	5	<1	<1	3	5	6	8	12
GRAND TOTAL	**335**	**3.6**	**5**	**<1**	**<1**	**3**	**5**	**6**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	12	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.9	2	1	1	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	5	2.6	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	13	2.4	1	1	1	2	3	4	4	4
B. *Operated*	9	3.2	2	1	1	3	4	5	5	5
1. SINGLE DX	6	2.8	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX	22	2.7	2	1	1	3	4	4	5	5
A. NOT OPERATED	14	2.5	1	1	1	2	3	4	4	4
B. OPERATED	14	3.0	2	<1	<1	3	4	5	5	5
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	23	2.6	2	<1	1	3	4	4	5	5
GRAND TOTAL	**28**	**2.8**	**2**	**<1**	**1**	**3**	**4**	**4**	**5**	**5**

1473 Hospitals, United States, January-December 1986

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	18	3.7	7	<1	<1	3	4	8	10	10
6-12 YRS	5	2.2	1	1	1	2	3	3	3	3
13-19 YRS	68	3.0	2	1	1	3	4	4	5	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3	3	1	1	3	4	5	5	5
13-19 YRS	109	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	8.5	41	4	4	8	13	13	13	13
1-5 YRS	10	3.2	5	<1	<1	3	5	6	7	7
6-12 YRS	14	2.8	3	<1	1	2	4	5	7	7
13-19 YRS	140	3.9	7	1	2	4	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	221	<1	<1	11	22	22	22	22
1-5 YRS	3	8.7	86	1	1	6	16	19	19	19
6-12 YRS	4	9.3	41	4	4	8	14	17	17	17
13-19 YRS	93	3.4	7	1	1	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.1	3	1	1	3	4	5	6	10
B. *Operated*	114	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	167	3.9	7	1	1	4	5	6	7	13
B. *Operated*	102	3.9	14	1	1	3	5	8	12	20
1. SINGLE DX	206	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	269	3.9	10	1	1	3	5	7	9	19
A. NOT OPERATED	259	3.6	5	1	1	3	4	6	7	12
B. OPERATED	216	2.9	9	<1	1	2	4	6	8	18
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	9.0	73	<1	<1	5	15	22	22	22
1-5 YRS	31	4.0	14	<1	<1	3	5	8	10	19
6-12 YRS	27	3.7	13	<1	1	3	4	7	13	17
13-19 YRS	410	3.1	5	1	1	3	4	6	7	12
GRAND TOTAL	**475**	**3.3**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	7.3	1	6	6	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	5	5.8	2	5	5	5	6	8	8	8
1-11 MOS	7	5.9	2	4	4	6	7	72	99+	99+
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	4.3	12	1	1	4	7	8	8	8
13-19 YRS	10	5.2	3	2	2	5	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	5.6	5	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	26	5.4	3	2	3	6	7	8	22	99+
1. SINGLE DX	7	5.6	5	2	2	6	7	8	8	8
2. MULTIPLE DX	27	5.5	3	2	3	6	7	8	17	99+
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	33	5.5	3	2	3	6	7	8	8	99+
TOTAL 0-27 DYS	6	6.0	2	5	5	6	7	8	8	8
1-11 MOS	10	5.6	2	4	4	6	7	45	95	99+
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	3.8	10	1	1	3	6	8	8	8
13-19 YRS	13	5.7	4	2	3	6	7	8	8	8
GRAND TOTAL	**34**	**5.5**	**3**	**2**	**3**	**6**	**7**	**8**	**8**	**99+**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.1		1	1	1	1	2	2	2
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	1.6	2	<1	<1	1	1	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.2	5	<1	<1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.1		1	1	1	1	2	2	2
B. Operated	10	1.6	2	<1	<1	1	1	4	6	6
2. MULTIPLE DX										
A. Not Operated	7	1.4	1	<1	<1	1	1	3	4	4
B. Operated	6	3.2	5	<1	<1	2	5	7	7	7
1. SINGLE DX	18	1.4	1	<1	<1	1	1	2	4	6
2. MULTIPLE DX	13	2.2	4	<1	<1	1	3	5	7	7
A. NOT OPERATED	15	1.3	1	<1	1	1	1	2	3	4
B. OPERATED	16	2.2	4	<1	<1	1	2	6	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	1.7	2	<1	<1	1	2	4	6	7
GRAND TOTAL	**31**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**6**	**7**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6		2	2	3	3	3	3	3
13-19 YRS	126	1.7	1	<1	<1	1	2	3	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.0	1	1	1	2	3	3	3	3
13-19 YRS	157	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	2.4	2	<1	1	2	3	5	6	6
13-19 YRS	210	2.5	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	3.2	5	1	1	3	4	7	9	9
13-19 YRS	267	2.6	3	<1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	1.8	1	<1	<1	1	2	3	4	6
B. Operated	163	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	228	2.5	2	1	1	2	3	4	5	8
B. Operated	280	2.6	3	<1	1	2	3	5	7	9
1. SINGLE DX	294	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	508	2.5	3	1	1	2	3	5	6	9
A. NOT OPERATED	359	2.2	2	<1	1	2	3	4	5	8
B. OPERATED	443	2.2	3	<1	<1	2	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	42	2.6	3	1	1	2	3	5	6	9
13-19 YRS	760	2.2	2	<1	<1	2	3	4	5	8
GRAND TOTAL	**802**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX										
2. MULTIPLE DX	3	4.3	4	2	2	5	6	6	6	6
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	1	6.0		6	6	6	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.3	4	2	2	5	6	6	6	6
GRAND TOTAL	**3**	**4.3**	**4**	**2**	**2**	**5**	**6**	**6**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	1.6	2	<1	<1	<1	1	4	5	5
6-12 YRS	9	1.8	1	1	1	1	2	4	4	4
13-19 YRS	86	2.1	1	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	4	3.0	16	<1	<1	1	5	9	9	9
1-5 YRS	4	4.5	19	<1	<1	3	8	10	10	10
6-12 YRS	23	3.8	4	<1	1	4	5	7	8	9
13-19 YRS	196	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	13	2.5	3	<1	1	2	3	4	7	8
13-19 YRS	76	2.5	4	<1	1	2	3	4	5	13
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	12	4.0	17	<1	<1	2	6	9	14	15
1-5 YRS	12	6.4	84	1	1	4	6	15	32	35
6-12 YRS	42	4.4	7	1	2	4	5	8	10	14
13-19 YRS	250	4.0	7	1	1	4	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.0	1	<1	1	2	3	4	5	6
B. *Operated*	229	2.9	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	96	2.4	4	<1	1	2	3	4	5	12
B. *Operated*	318	4.1	10	1	1	4	5	7	9	15
1. SINGLE DX	334	2.6	3	<1	<1	2	4	5	6	9
2. MULTIPLE DX	414	3.7	9	1	1	3	5	6	8	15
A. NOT OPERATED	201	2.2	3	<1	1	2	3	4	5	7
B. OPERATED	547	3.6	8	<1	1	3	5	6	8	14
TOTAL 0-27 DYS	5	3.6	5	1	1	4	5	7	7	7
1-11 MOS	20	3.5	13	<1	<1	2	5	8	12	15
1-5 YRS	28	4.1	42	<1	<1	2	5	6	12	35
6-12 YRS	87	3.7	6	1	1	3	4	7	8	13
13-19 YRS	608	3.1	5	<1	1	3	4	6	7	11
GRAND TOTAL	**748**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	51	1.7	1	1	1	1	2	3	4	5
13-19 YRS	387	1.7	1	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS										
6-12 YRS	9	2.1	3	<1	<1	2	2	5	6	6
13-19 YRS	157	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	14	1.9	2	1	1	1	2	4	6	6
13-19 YRS	325	2.3	7	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	10	5.9	16	<1	<1	6	8	11	13	13
1-5 YRS										
6-12 YRS	9	3.6	4	1	1	4	5	6	7	7
13-19 YRS	186	3.1	5	<1	<1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	169	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	342	2.3	7	<1	1	2	3	4	5	7
B. *Operated*	207	3.3	6	<1	1	3	4	6	7	12
1. SINGLE DX	611	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	549	2.7	6	<1	1	2	3	5	6	10
A. NOT OPERATED	784	1.9	3	<1	1	2	2	3	4	6
B. OPERATED	376	2.8	5	<1	<1	2	4	6	7	11
TOTAL 0-27 DYS	4	3.8	12	<1	<1	3	6	8	8	8
1-11 MOS	15	4.7	14	<1	<1	3	7	10	12	13
1-5 YRS	3	3.3	5	2	2	2	5	6	6	6
6-12 YRS	83	2.0	2	1	1	1	2	4	5	7
13-19 YRS	1055	2.2	4	<1	1	2	3	4	5	7
GRAND TOTAL	**1160**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	1.9	1	<1	<1	2	2	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	437	3.8	2	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	425	4.4	4	2	3	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	1	<1	<1	2	2	4	4	5
B. *Operated*	437	3.8	2	2	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	14	1.4		<1	<1	1	2	2	2	2
B. *Operated*	425	4.4	4	2	3	4	5	6	7	11
1. SINGLE DX	457	3.7	2	1	2	4	5	5	6	7
2. MULTIPLE DX	439	4.3	4	2	2	4	5	6	7	11
A. NOT OPERATED	34	1.7	1	<1	<1	1	2	3	4	5
B. OPERATED	862	4.1	3	2	2	4	5	6	7	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	896	4.0	3	1	2	4	5	6	6	9
GRAND TOTAL	**896**	**4.0**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	39	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	718	1.4	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	35	2.6	2	<1	1	2	3	4	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	778	1.4	3	<1	<1	<1	<1	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	720	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	36	2.6	2	<1	1	2	4	5	6	6
B. *Operated*	781	1.4	3	<1	<1	<1	<1	2	3	7
1. SINGLE DX	759	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	817	1.4	3	<1	<1	<1	1	2	3	7
A. NOT OPERATED	75	2.1	2	<1	<1	2	3	4	5	6
B. OPERATED	1501	1.4	2	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	1.8	3	<1	<1	1	2	5	5	5
13-19 YRS	1570	1.4	2	<1	<1	<1	1	2	3	6
GRAND TOTAL	**1576**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	2	4.0		4	4	4	4	4	4	4
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	3	4.3		4	4	4	5	5	5	5
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	3	4.3		4	4	4	5	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.5		4	4	4	5	5	5	5
GRAND TOTAL	**4**	**4.5**		**4**	**4**	**4**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	530	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3391	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	1.9	2	<1	1	1	2	3	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	700	2.0	3	<1	<1	1	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	3393	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	172	1.9	2	<1	1	1	2	3	5	9
B. *Operated*	703	2.0	3	<1	<1	1	2	4	5	9
1. SINGLE DX	3923	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	875	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	702	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	4096	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	3	<1	<1	1	3	5	5	5
13-19 YRS	4793	1.4	1	<1	<1	1	2	2	3	6
GRAND TOTAL	**4798**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	173	2.4	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	439	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	90	2.9	4	1	1	2	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	215	2.7	8	<1	1	2	3	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.4	2	<1	1	2	3	4	5	7
B. *Operated*	439	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	90	2.9	4	1	1	2	4	5	6	11
B. *Operated*	216	2.7	8	<1	1	2	3	6	7	9
1. SINGLE DX	613	1.8	2	<1	<1	1	2	4	4	7
2. MULTIPLE DX	306	2.7	7	<1	1	2	4	6	7	9
A. NOT OPERATED	264	2.6	3	<1	1	2	4	5	5	8
B. OPERATED	655	2.0	4	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	917	2.1	4	<1	<1	2	3	4	5	8
GRAND TOTAL	**919**	**2.1**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	484	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	139	2.2	3	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.5	6	1	1	1	3	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	20	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	139	2.2	3	<1	1	2	3	4	5	9
B. *Operated*	16	2.5	6	1	1	1	3	7	8	9
1. SINGLE DX	504	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	155	2.3	3	<1	1	2	3	4	5	9
A. NOT OPERATED	623	1.8	1	<1	<1	1	2	3	4	5
B. OPERATED	36	2.2	4	<1	1	1	3	5	7	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	659	1.8	1	<1	<1	1	2	3	4	6
GRAND TOTAL	**659**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	1.6		<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	19	1.6		<1	<1	1	2	3	3	3
B. *Operated*	2	1.0		1	1	1	1	1	1	1
1. SINGLE DX	43	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	21	1.5		<1	<1	1	2	3	3	3
A. NOT OPERATED	62	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	2	1.0		1	1	1	1	1	1	1
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	1.6	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**64**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	739	2.8	5	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	3.3	9	<1	1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	254	3.0	7	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	3.6	12	<1	<1	2	4	8	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	740	2.8	5	<1	1	2	3	5	7	10
B. *Operated*	64	3.3	9	<1	1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	254	3.0	7	<1	1	2	4	5	7	12
B. *Operated*	53	3.6	12	<1	<1	2	4	8	9	19
1. SINGLE DX	804	2.9	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	307	3.1	8	<1	<1	2	4	6	8	14
A. NOT OPERATED	994	2.9	6	<1	1	2	3	5	7	11
B. OPERATED	117	3.4	10	<1	<1	2	4	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1110	2.9	6	<1	1	2	3	5	7	12
GRAND TOTAL	**1111**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	924	3.0	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	7	3.7	3	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	605	3.1	5	1	1	3	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	4.0	4	1	1	4	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.0	4	1	1	3	4	5	7	9
B. *Operated*	8	4.0	3	1	1	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	605	3.1	5	1	1	3	4	5	7	12
B. *Operated*	21	4.0	4	1	1	4	5	7	8	8
1. SINGLE DX	932	3.0	4	1	1	3	4	5	7	9
2. MULTIPLE DX	626	3.2	5	1	1	3	4	5	7	11
A. NOT OPERATED	1529	3.1	4	1	1	3	4	5	7	10
B. OPERATED	29	4.0	4	1	1	4	5	7	7	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1557	3.1	4	1	1	3	4	5	7	10
GRAND TOTAL	**1558**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

1473 Hospitals, United States, January-December 1986

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3079	1.1		<1	<1	<1	1	1	2	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	425	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	402	1.5	2	<1	<1	1	1	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	60	1.8	5	<1	<1	1	2	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3079	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	425	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	402	1.5	2	<1	<1	1	1	3	4	6
B. *Operated*	60	1.8	5	<1	<1	1	2	4	5	15
1. SINGLE DX	3504	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	462	1.5	2	<1	<1	1	1	3	4	7
A. NOT OPERATED	3481	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	485	1.2	1	<1	<1	<1	1	1	2	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3966	1.1	1	<1	<1	<1	1	1	2	4
GRAND TOTAL	**3966**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	81	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	3.6	30	<1	<1	2	3	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	4.4	66	1	1	3	4	6	8	54
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.8	4	2	2	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	8	3.6	30	<1	<1	2	3	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	42	4.4	66	1	1	3	4	6	8	54
B. *Operated*	4	4.8	4	2	2	5	6	6	6	6
1. SINGLE DX	89	2.5	5	<1	<1	2	3	5	6	13
2. MULTIPLE DX	46	4.4	60	1	1	3	5	6	8	54
A. NOT OPERATED	123	3.0	25	<1	1	2	4	6	7	22
B. OPERATED	12	4.0	20	<1	<1	2	5	9	16	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	3.1	24	<1	<1	2	4	6	7	23
GRAND TOTAL	**135**	**3.1**	**24**	**<1**	**<1**	**2**	**4**	**6**	**7**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	319	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.9	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	169	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	2.1	2	<1	<1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	27	1.9	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	169	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	10	2.1	2	<1	<1	2	3	4	4	4
1. SINGLE DX	346	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	179	2.0	3	<1	<1	1	3	4	5	8
A. NOT OPERATED	488	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	37	1.9	4	<1	<1	1	2	4	5	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	525	1.8	2	<1	<1	1	2	4	5	7
GRAND TOTAL	**525**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	573	2.9	3	<1	<1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1637	3.2	4	<1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	3.7	7	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573	2.9	3	<1	<1	3	4	5	6	8
B. *Operated*	52	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1638	3.2	4	<1	1	3	4	5	6	9
B. *Operated*	82	3.7	7	1	1	3	5	7	8	15
1. SINGLE DX	625	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	1720	3.2	4	<1	1	3	4	6	6	9
A. NOT OPERATED	2211	3.1	4	<1	1	3	4	5	6	9
B. OPERATED	134	3.2	6	<1	1	3	4	6	8	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2344	3.1	4	<1	1	3	4	5	6	9
GRAND TOTAL	**2345**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	217	2.9	10	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1432	2.9	12	<1	<1	2	4	5	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	3.5	11	1	1	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	2.9	10	<1	1	2	3	5	7	13
B. *Operated*	20	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1433	2.9	12	<1	<1	2	4	5	7	14
B. *Operated*	164	3.5	11	1	1	3	4	7	10	15
1. SINGLE DX	237	2.9	10	<1	1	2	3	5	7	12
2. MULTIPLE DX	1597	3.0	12	<1	<1	2	4	6	8	14
A. NOT OPERATED	1650	2.9	12	<1	<1	2	4	5	7	13
B. OPERATED	184	3.3	11	<1	1	2	4	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1833	3.0	11	<1	<1	2	4	6	8	14
GRAND TOTAL	**1834**	**3.0**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**14**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	1	<1	<1	2	3	3	3	3
13-19 YRS	3115	2.0	5	<1	<1	1	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	782	2.4	9	<1	<1	1	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1645	2.9	12	<1	<1	2	3	5	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	522	3.1	22	<1	<1	2	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3120	2.0	5	<1	<1	1	2	4	5	10
B. *Operated*	782	2.4	9	<1	<1	1	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	1645	2.9	12	<1	<1	2	3	5	8	17
B. *Operated*	522	3.1	22	<1	<1	2	4	6	8	18
1. SINGLE DX	3902	2.0	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2167	2.9	14	<1	<1	2	3	6	8	17
A. NOT OPERATED	4765	2.3	8	<1	<1	1	3	4	6	14
B. OPERATED	1304	2.7	15	<1	<1	1	3	5	7	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	1	<1	<1	2	3	3	3	3
13-19 YRS	6064	2.4	9	<1	<1	1	3	4	6	15
GRAND TOTAL	**6069**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**4**	**6**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	336	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	161	3.2	7	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	634	2.7	2	1	2	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	833	4.0	17	1	2	3	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	2.4	1	1	1	2	3	3	4	5
B. *Operated*	161	3.2	7	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	635	2.7	2	1	2	2	3	4	4	7
B. *Operated*	833	4.0	17	1	2	3	4	7	9	20
1. SINGLE DX	497	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1468	3.4	11	1	2	3	4	5	7	15
A. NOT OPERATED	971	2.6	2	1	1	2	3	4	4	6
B. OPERATED	994	3.9	15	1	2	3	4	6	9	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1964	3.2	9	1	2	3	4	5	6	13
GRAND TOTAL	**1965**	**3.2**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0	1	1	1	2	3	3	3	3
13-19 YRS	17614	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.8	1	1	1	3	4	4	4	4
13-19 YRS	4932	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	723	2.5	2	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	500	2.7	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17621	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4938	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	725	2.5	2	1	1	2	3	4	4	6
B. *Operated*	501	2.7	3	1	1	2	3	4	5	9
1. SINGLE DX	22559	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX	1226	2.6	2	1	1	2	3	4	4	8
A. NOT OPERATED	18346	2.3	1	1	1	2	3	3	4	4
B. OPERATED	5439	2.3	1	1	1	2	3	3	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	2.5	1	1	1	2	3	4	4	4
13-19 YRS	23769	2.3	1	1	1	2	3	3	4	4
GRAND TOTAL	**23785**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	2.5	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	84	6.6	60	2	2	5	6	13	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	30	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	11	2.5	2	1	1	2	3	5	6	6
B. *Operated*	84	6.6	60	2	2	5	6	13	21	48
1. SINGLE DX	34	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX	95	6.2	55	2	2	4	6	10	20	45
A. NOT OPERATED	15	2.3	2	1	1	2	3	4	5	6
B. OPERATED	114	6.1	46	2	2	5	6	9	19	38
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	129	5.6	42	2	2	4	5	8	19	33
GRAND TOTAL	**129**	**5.6**	**42**	**2**	**2**	**4**	**5**	**8**	**19**	**33**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	92	3.5	2	1	1	3	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	105	2.4	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	331	4.5	14	2	2	4	5	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.2	1	1	1	2	3	3	4	5
B. *Operated*	92	3.5	2	1	1	3	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	105	2.4	2	<1	1	2	3	4	5	7
B. *Operated*	331	4.5	14	2	2	4	5	7	10	16
1. SINGLE DX	156	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX	436	4.0	12	1	1	4	5	6	8	15
A. NOT OPERATED	169	2.3	1	1	1	2	3	4	4	7
B. OPERATED	423	4.2	12	1	2	4	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	592	3.7	10	1	1	3	4	6	7	14
GRAND TOTAL	**592**	**3.7**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	1.9	1	1	1	2	2	3	3	3
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.5	1	1	2	2	3	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	155	2.6	2	1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.9	1	1	1	2	2	3	3	3
B. Operated	172	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	18	2.5	1	1	2	2	3	4	4	4
B. Operated	155	2.6	2	1	1	2	3	4	4	8
1. SINGLE DX	189	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	173	2.6	2	1	1	2	3	4	4	8
A. NOT OPERATED	35	2.2	1	1	1	2	3	3	4	4
B. OPERATED	327	2.4	1	1	1	2	3	4	4	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	362	2.4	1	1	1	2	3	4	4	6
GRAND TOTAL	**362**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	2.4	1	1	1	2	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	2.5	1	1	1	2	3	4	5	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	2.6	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	2.4	1	1	1	2	3	4	4	5
B. Operated	69	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	97	2.5	1	1	1	2	3	4	5	6
B. Operated	123	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	204	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	220	2.5	1	1	1	2	3	4	5	7
A. NOT OPERATED	232	2.4	1	1	1	2	3	4	4	5
B. OPERATED	192	2.6	2	1	1	2	3	4	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	424	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**424**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.9	2	1	1	3	4	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.8	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	3.8	21	1	1	2	4	5	15	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	209	6.2	53	2	2	5	6	10	14	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	2	1	1	3	4	4	6	7
B. *Operated*	19	3.8	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	3.8	21	1	1	2	4	5	15	23
B. *Operated*	209	6.2	53	2	2	5	6	10	14	47
1. SINGLE DX	50	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	234	5.9	50	2	2	4	6	10	14	46
A. NOT OPERATED	56	3.3	10	1	1	3	4	5	7	22
B. OPERATED	228	6.0	49	2	2	5	6	10	13	47
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	284	5.5	42	1	2	4	6	9	13	42
GRAND TOTAL	**284**	**5.5**	**42**	**1**	**2**	**4**	**6**	**9**	**13**	**42**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	37	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	679	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.1	5	1	1	2	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	846	4.8	5	2	3	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.2	1	1	1	2	3	3	4	4
B. *Operated*	679	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	33	3.1	5	1	1	2	4	6	8	11
B. *Operated*	847	4.8	5	2	3	4	5	7	8	13
1. SINGLE DX	716	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	880	4.7	5	2	3	4	5	7	8	13
A. NOT OPERATED	70	2.6	3	1	1	2	3	4	6	10
B. OPERATED	1526	4.5	3	2	3	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1595	4.4	3	2	3	4	5	6	7	11
GRAND TOTAL	**1596**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	153	2.2	1	1	1	2	3	3	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	342	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	147	2.3	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1498	3.8	3	1	2	4	5	6	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.2	1	1	1	2	3	3	4	5
B. Operated	342	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	147	2.3	1	1	1	2	3	4	4	4
B. Operated	1500	3.8	3	1	2	4	5	6	6	10
1. SINGLE DX	495	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	1647	3.7	3	1	2	4	5	6	6	10
A. NOT OPERATED	300	2.3	1	1	1	2	3	4	4	5
B. OPERATED	1842	3.7	3	1	2	4	5	6	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2140	3.5	3	1	2	3	4	5	6	9
GRAND TOTAL	**2142**	**3.5**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.8	1	1	1	3	3	4	5	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1053	4.6	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	4.1	3	2	2	4	5	6	7	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	3145	5.0	4	3	3	5	6	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.8	1	1	1	3	3	4	5	5
B. Operated	1053	4.6	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	14	4.1	3	2	2	4	5	6	7	7
B. Operated	3148	5.0	4	3	3	5	6	7	8	12
1. SINGLE DX	1062	4.5	2	3	3	4	5	6	7	8
2. MULTIPLE DX	3162	5.0	4	3	3	5	6	7	8	12
A. NOT OPERATED	23	3.6	2	1	2	3	5	6	7	7
B. OPERATED	4201	4.9	3	3	3	5	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	4221	4.9	3	3	3	5	5	7	8	11
GRAND TOTAL	**4224**	**4.9**	**3**	**3**	**3**	**5**	**5**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	383	2.5	1	1	1	2	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	661	3.6	2	1	2	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	329	2.6	2	1	1	3	3	4	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1941	4.1	4	2	2	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	383	2.5	1	1	1	2	3	4	4	5
B. Operated	663	3.6	2	1	2	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	329	2.6	2	1	1	3	3	4	4	6
B. Operated	1942	4.1	4	2	2	4	5	6	7	11
1. SINGLE DX	1046	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2271	3.9	4	1	2	4	5	6	7	11
A. NOT OPERATED	712	2.6	1	1	1	2	3	4	4	6
B. OPERATED	2605	4.0	4	2	2	4	5	6	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3		4	4	4	5	5	5	5
13-19 YRS	3314	3.7	4	1	2	3	5	6	7	10
GRAND TOTAL	**3317**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	2.2	1	<1	1	2	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	134	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	36	2.5	3	<1	1	2	3	4	6	10
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	423	4.7	4	2	3	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.2	1	<1	1	2	3	4	4	5
B. Operated	134	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	36	2.5	3	<1	1	2	3	4	6	10
B. Operated	423	4.7	4	2	3	4	5	7	8	13
1. SINGLE DX	180	3.6	3	1	1	4	5	6	6	9
2. MULTIPLE DX	459	4.5	5	2	2	4	5	7	8	13
A. NOT OPERATED	82	2.3	2	<1	1	2	3	4	5	9
B. OPERATED	557	4.5	4	2	2	4	5	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	639	4.2	4	1	2	4	5	6	8	12
GRAND TOTAL	**639**	**4.2**	**4**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	2.1	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1078	4.2	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.9	3	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	984	4.7	2	3	3	4	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.1	1	1	1	2	3	3	4	5
B. *Operated*	1078	4.2	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	3	1	1	2	4	5	7	9
B. *Operated*	985	4.7	2	3	3	4	5	6	7	10
1. SINGLE DX	1120	4.2	1	2	3	4	5	6	6	7
2. MULTIPLE DX	1005	4.6	3	3	3	4	5	6	7	10
A. NOT OPERATED	62	2.4	2	1	1	2	3	4	5	9
B. OPERATED	2063	4.4	2	3	3	4	5	6	6	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2124	4.4	2	2	3	4	5	6	6	8
GRAND TOTAL	**2125**	**4.4**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	572	2.6	2	1	1	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	433	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	565	3.3	10	1	1	3	4	5	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	1556	4.1	11	1	2	3	5	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	2.6	2	1	1	3	3	4	4	7
B. *Operated*	433	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	566	3.3	10	1	1	3	4	5	6	15
B. *Operated*	1558	4.1	11	1	2	3	5	7	8	16
1. SINGLE DX	1005	2.7	2	1	1	3	3	4	4	7
2. MULTIPLE DX	2124	3.9	11	1	2	3	5	6	8	16
A. NOT OPERATED	1138	3.0	6	1	1	3	3	4	5	12
B. OPERATED	1991	3.8	9	1	2	3	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3	16	2	2	2	7	9	9	9
13-19 YRS	3126	3.5	8	1	2	3	4	6	7	14
GRAND TOTAL	**3129**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1875	2.2	1	1	1	2	3	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1054	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	619	2.3	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1268	2.6	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1876	2.2	1	1	1	2	3	3	3	4
B. *Operated*	1054	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	620	2.3	1	1	1	2	3	3	4	5
B. *Operated*	1268	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	2930	2.2	1	1	1	2	3	3	3	5
2. MULTIPLE DX	1888	2.5	2	1	1	2	3	4	5	7
A. NOT OPERATED	2496	2.2	1	1	1	2	3	3	4	5
B. OPERATED	2322	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	4816	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**4818**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	451	2.2	2	1	1	2	3	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3647	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	273	2.7	12	1	1	2	3	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	2187	2.5	3	1	1	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	2.2	2	1	1	2	3	3	3	4
B. *Operated*	3648	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	274	2.7	12	1	1	2	3	4	4	8
B. *Operated*	2189	2.5	3	1	1	2	3	4	4	7
1. SINGLE DX	4100	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	2463	2.5	4	1	1	2	3	4	4	7
A. NOT OPERATED	726	2.4	6	1	1	2	3	3	4	6
B. OPERATED	5837	2.3	2	1	1	2	3	3	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	4	<1	<1	2	4	5	6	6
13-19 YRS	6558	2.3	2	1	1	2	3	3	4	5
GRAND TOTAL	**6563**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	179	2.3	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2845	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	107	2.9	3	1	2	3	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3	2	2	2	3	4	5	5	5
13-19 YRS	2238	2.8	3	1	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.3	1	1	1	2	3	3	4	5
B. *Operated*	2847	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	107	2.9	3	1	2	3	3	5	6	10
B. *Operated*	2242	2.8	3	1	2	3	3	4	5	7
1. SINGLE DX	3026	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2349	2.8	3	1	2	3	3	4	5	7
A. NOT OPERATED	286	2.5	2	1	1	2	3	4	4	9
B. OPERATED	5089	2.6	2	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0	1	2	2	3	3	5	5	5
13-19 YRS	5369	2.6	2	1	1	2	3	4	4	6
GRAND TOTAL	**5375**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	207	2.1	1	1	1	2	3	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1022	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	129	2.7	3	1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	900	2.7	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.1	1	1	1	2	3	3	3	4
B. *Operated*	1022	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	129	2.7	3	1	1	2	3	4	6	11
B. *Operated*	901	2.7	2	1	1	2	3	4	5	7
1. SINGLE DX	1229	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1030	2.7	2	1	1	2	3	4	5	7
A. NOT OPERATED	336	2.3	1	1	1	2	3	3	4	7
B. OPERATED	1923	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2258	2.4	1	1	1	2	3	4	4	6
GRAND TOTAL	**2259**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3791	2.4	2	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6745	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2935	2.8	6	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	3.9	4	1	1	3	6	6	6	6
13-19 YRS	12635	3.8	8	1	2	3	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3793	2.4	2	1	1	2	3	4	4	7
B. *Operated*	6745	2.8	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2936	2.8	6	1	1	2	3	4	5	10
B. *Operated*	12644	3.8	8	1	2	3	5	6	8	14
1. SINGLE DX	10538	2.7	2	1	1	2	3	4	5	8
2. MULTIPLE DX	15580	3.6	8	1	2	3	4	6	8	14
A. NOT OPERATED	6729	2.6	4	1	1	2	3	4	5	9
B. OPERATED	19389	3.5	6	1	2	3	4	6	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	3.7	3	1	2	3	5	6	6	6
13-19 YRS	26106	3.2	6	1	1	3	4	5	7	12
GRAND TOTAL	**26118**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	190	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.8	5	<1	<1	3	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	101	3.8	5	1	2	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	5.6	16	1	1	4	7	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	3.2	2	1	2	3	4	5	6	8
B. *Operated*	13	2.8	5	<1	<1	3	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	101	3.8	5	1	2	3	4	6	8	13
B. *Operated*	21	5.6	16	1	1	4	7	11	15	16
1. SINGLE DX	203	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX	122	4.1	7	1	2	3	5	8	8	15
A. NOT OPERATED	291	3.4	3	1	2	3	4	5	6	8
B. OPERATED	34	4.5	13	<1	1	4	6	9	14	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	325	3.5	4	1	2	3	4	6	8	13
GRAND TOTAL	**325**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	74	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.0	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	74	2.2	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	74	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	20	2.0	1	1	1	2	3	4	4	5
B. *Operated*	74	2.2	2	1	1	2	3	4	5	9
1. SINGLE DX	105	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	94	2.2	2	1	1	2	3	4	5	8
A. NOT OPERATED	51	1.6	1	<1	<1	1	2	3	4	5
B. OPERATED	148	1.9	2	<1	1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	199	1.8	1	<1	1	1	2	3	4	6
GRAND TOTAL	**199**	**1.8**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	44	3.8	9	1	1	3	4	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	75	3.2	14	1	1	2	3	6	8	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	4.3	13	1	1	3	4	10	14	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	78	3.9	14	1	1	3	4	8	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	9	1	1	3	4	8	10	15
B. *Operated*	76	3.1	13	1	1	2	3	6	8	25
2. MULTIPLE DX										
A. *Not Operated*	54	4.3	13	1	1	3	4	10	14	16
B. *Operated*	79	3.9	14	1	1	3	4	8	14	19
1. SINGLE DX	120	3.4	12	1	1	2	4	7	9	19
2. MULTIPLE DX	133	4.0	14	1	1	3	4	9	14	18
A. NOT OPERATED	98	4.1	12	1	1	3	4	9	13	16
B. OPERATED	155	3.5	14	1	1	2	4	7	11	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	251	3.7	13	1	1	3	4	8	12	17
GRAND TOTAL	**253**	**3.7**	**13**	**1**	**1**	**3**	**4**	**8**	**12**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.8	3	1	2	4	5	5	7	9
1-11 MOS	140	3.7	4	2	2	3	4	6	8	11
1-5 YRS	564	3.3	4	1	2	3	4	6	7	10
6-12 YRS	602	3.5	5	1	2	3	4	6	7	10
13-19 YRS	630	3.7	5	1	2	3	4	7	8	12
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	57	3.5	4	1	1	4	5	6	6	10
1-5 YRS	246	4.0	7	1	1	3	5	8	9	13
6-12 YRS	209	4.7	9	1	2	4	6	9	10	16
13-19 YRS	278	4.5	9	1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	36	6.3	33	1	2	4	9	11	19	28
1-11 MOS	300	4.5	9	2	2	4	5	8	10	13
1-5 YRS	869	4.0	7	1	2	3	5	7	8	14
6-12 YRS	735	4.0	6	1	2	3	5	7	9	14
13-19 YRS	876	4.3	6	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	4	4.0	3	2	2	4	5	6	6	6
1-11 MOS	92	7.2	22	2	2	6	10	13	16	24
1-5 YRS	320	6.0	33	1	2	5	7	12	15	32
6-12 YRS	294	6.0	19	1	2	5	8	10	15	20
13-19 YRS	457	6.4	34	1	2	5	8	13	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1962	3.5	5	1	2	3	4	6	7	11
B. *Operated*	792	4.3	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2816	4.2	7	2	2	4	5	7	9	14
B. *Operated*	1167	6.2	29	1	2	5	8	12	15	29
1. SINGLE DX	2754	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	3983	4.8	14	1	2	4	6	9	11	19
A. NOT OPERATED	4778	3.9	6	1	2	3	5	7	8	13
B. OPERATED	1959	5.5	21	1	2	4	7	10	14	23
TOTAL 0-27 DYS	68	5.1	20	2	2	4	6	10	12	27
1-11 MOS	589	4.6	10	2	2	4	5	9	11	16
1-5 YRS	1999	4.1	11	1	2	3	5	7	9	15
6-12 YRS	1840	4.3	9	1	2	3	5	7	10	15
13-19 YRS	2241	4.6	13	1	2	4	5	8	11	17
GRAND TOTAL	**6737**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	58	3.3	3	1	2	3	4	7	8	8
1-11 MOS	62	3.8	4	1	2	3	5	7	8	9
1-5 YRS	234	4.0	5	1	2	4	5	7	8	10
6-12 YRS	108	3.7	5	1	2	3	5	7	9	12
13-19 YRS	125	3.8	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS	4	2.8	6	<1	<1	2	4	6	6	6
1-11 MOS	31	4.4	8	1	1	4	7	9	10	11
1-5 YRS	85	3.7	8	<1	<1	3	5	8	9	13
6-12 YRS	87	5.0	25	<1	1	3	7	9	15	31
13-19 YRS	113	3.5	12	<1	1	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	58	3.7	6	1	2	3	5	7	9	12
1-11 MOS	122	4.5	6	2	2	4	6	8	10	13
1-5 YRS	363	4.0	5	1	2	3	5	7	8	10
6-12 YRS	205	4.0	7	1	2	3	5	7	8	16
13-19 YRS	185	4.2	6	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	65	6.9	18	1	2	6	9	14	15	19
1-5 YRS	129	5.7	17	1	2	5	7	11	13	21
6-12 YRS	85	5.6	31	1	1	4	7	12	16	31
13-19 YRS	142	5.9	27	1	2	4	6	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.8	5	1	2	3	5	7	8	10
B. *Operated*	326	4.0	14	<1	1	3	5	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	933	4.1	6	1	2	3	5	7	9	13
B. *Operated*	424	5.9	23	1	2	5	7	12	15	25
1. SINGLE DX	913	3.9	8	1	1	3	5	7	9	13
2. MULTIPLE DX	1357	4.7	12	1	2	4	6	8	11	19
A. NOT OPERATED	1520	4.0	5	1	2	3	5	7	8	12
B. OPERATED	750	5.1	20	1	1	4	7	10	14	24
TOTAL 0-27 DYS	123	3.5	4	1	2	3	4	6	8	11
1-11 MOS	280	4.9	10	1	2	4	6	9	11	15
1-5 YRS	811	4.2	7	1	2	4	5	8	9	13
6-12 YRS	485	4.4	15	1	2	3	5	8	10	22
13-19 YRS	571	4.4	13	1	1	3	5	8	11	21
GRAND TOTAL	**2270**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	18	3.6	12	<1	<1	2	5	8	12	14
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	18	3.1	7	1	1	2	4	7	9	10
1-5 YRS	7	1.6	1	1	1	1	2	3	3	3
6-12 YRS	14	2.6	4	1	1	2	3	5	7	8
13-19 YRS	1560	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.2	3	<1	<1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.4	15	2	2	4	7	12	13	13
1-5 YRS	4	2.5		2	2	2	3	3	3	3
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	241	3.2	13	1	1	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.4	11	<1	<1	2	4	7	11	14
B. *Operated*	1601	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	20	2.1	3	<1	<1	1	3	4	6	7
B. *Operated*	255	3.2	13	1	1	3	4	5	7	14
1. SINGLE DX	1621	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	275	3.1	12	<1	1	2	4	5	7	14
A. NOT OPERATED	40	2.8	7	<1	<1	2	3	6	8	14
B. OPERATED	1856	2.4	4	1	1	2	3	4	5	9
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	27	3.5	10	<1	1	3	4	8	10	13
1-5 YRS	13	1.9	1	1	1	2	2	3	3	3
6-12 YRS	17	2.4	3	<1	1	2	3	5	7	8
13-19 YRS	1837	2.4	4	1	1	2	3	4	5	9
GRAND TOTAL	**1896**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	21	1.3	1	<1	<1	1	1	2	4	5
1-5 YRS	46	1.2		<1	<1	1	1	2	2	3
6-12 YRS	28	1.3	1	<1	<1	<1	1	2	3	7
13-19 YRS	45	1.5	1	<1	<1	<1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	4.7	14	2	2	3	7	9	9	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	12.0	301	1	1	3	25	32	32	32
1-5 YRS	9	1.4	1	<1	<1	1	2	3	4	4
6-12 YRS	7	1.4		<1	<1	1	2	2	2	2
13-19 YRS	16	2.3	3	<1	<1	1	3	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	141	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	8	3.6	8	<1	<1	3	5	8	9	9
B. *Operated*	36	2.7	27	<1	<1	1	2	4	6	32
1. SINGLE DX	145	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	44	2.8	24	<1	<1	1	3	6	8	32
A. NOT OPERATED	12	3.0	7	<1	<1	2	4	8	9	9
B. OPERATED	177	1.6	6	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	25	2.6	39	<1	<1	1	1	3	12	32
1-5 YRS	60	1.3		<1	<1	1	1	2	3	4
6-12 YRS	36	1.5	2	<1	<1	1	1	2	5	7
13-19 YRS	64	1.8	2	<1	<1	1	2	3	5	9
GRAND TOTAL	**189**	**1.7**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	3.8	4	<1	1	3	5	7	8	8
1-11 MOS	100	3.3	11	1	1	2	4	6	7	20
1-5 YRS	257	3.1	6	1	1	2	4	7	8	12
6-12 YRS	178	4.0	16	1	1	3	5	8	12	24
13-19 YRS	210	6.0	49	1	1	3	7	16	18	37
B. *Operated*										
0-27 DYS	4	5.0	12	2	2	4	7	10	10	10
1-11 MOS	11	2.8	10	<1	<1	1	3	8	11	11
1-5 YRS	115	3.2	22	<1	<1	2	3	7	9	25
6-12 YRS	195	2.5	11	<1	<1	1	3	5	9	17
13-19 YRS	350	2.9	21	<1	<1	1	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	3.7	4	1	2	3	4	5	9	10
1-11 MOS	207	3.6	6	1	1	3	5	7	9	16
1-5 YRS	445	3.9	11	1	1	3	5	7	10	18
6-12 YRS	266	5.1	40	1	1	3	6	11	14	32
13-19 YRS	301	5.3	29	1	1	4	6	11	19	31
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	6.5	44	1	1	5	12	20	63	99+
1-5 YRS	146	5.3	69	<1	1	3	5	12	15	49
6-12 YRS	231	6.5	99	<1	<1	2	7	15	26	53
13-19 YRS	452	9.0	163	<1	1	4	10	26	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	4.1	22	1	1	3	5	8	14	25
B. *Operated*	675	2.9	18	<1	<1	1	3	6	10	17
2. MULTIPLE DX										
A. *Not Operated*	1256	4.4	21	1	1	3	5	8	12	25
B. *Operated*	850	7.6	129	<1	1	3	8	20	37	69
1. SINGLE DX	1439	3.5	21	<1	<1	2	4	7	12	25
2. MULTIPLE DX	2106	5.7	67	1	1	3	6	12	21	52
A. NOT OPERATED	2020	4.3	21	1	1	3	5	8	13	26
B. OPERATED	1525	5.5	85	<1	<1	2	6	14	24	56
TOTAL 0-27 DYS	62	3.8	4	1	2	3	4	6	9	10
1-11 MOS	337	3.7	10	1	1	3	5	7	10	26
1-5 YRS	963	3.8	20	<1	1	3	4	7	10	21
6-12 YRS	870	4.7	47	<1	<1	2	5	10	15	39
13-19 YRS	1313	6.0	82	<1	<1	3	6	15	25	57
GRAND TOTAL	**3545**	**4.8**	**49**	**<1**	**1**	**3**	**5**	**10**	**16**	**41**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	22	3.5	5	1	1	3	4	7	9	9
13-19 YRS	44	4.5	13	1	1	3	6	9	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	25	2	2	4	7	14	15	15
6-12 YRS	19	5.4	27	<1	1	3	7	12	17	21
13-19 YRS	35	5.5	80	<1	1	2	8	11	11	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	60	6.4	46	1	1	4	8	14	21	36
13-19 YRS	141	5.7	32	1	1	4	7	12	15	32
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	3	10.7	226	1	1	15	64	99+	99+	99+
6-12 YRS	24	21.7	898	3	3	10	21	99	99+	99+
13-19 YRS	71	12.6	215	2	2	7	13	32	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	11	1	1	3	6	9	10	18
B. *Operated*	60	5.5	56	<1	1	3	7	11	14	50
2. MULTIPLE DX										
A. *Not Operated*	204	5.9	36	1	1	4	8	12	17	34
B. *Operated*	100	14.8	381	2	2	8	18	42	73	99+
1. SINGLE DX	128	4.8	32	1	1	3	6	10	11	28
2. MULTIPLE DX	304	8.8	166	1	2	5	10	21	33	99
A. NOT OPERATED	272	5.5	30	1	1	4	7	11	15	31
B. OPERATED	160	11.3	279	1	1	6	11	28	58	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	16.5	85	10	10	16	23	23	23	23
1-5 YRS	13	6.1	58	1	1	3	7	35	86	99+
6-12 YRS	125	8.6	235	1	2	4	8	19	28	99+
13-19 YRS	291	7.2	88	1	1	4	9	13	24	54
GRAND TOTAL	**432**	**7.6**	**130**	**1**	**1**	**4**	**9**	**15**	**26**	**80**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	32	2	2	5	10	14	14	14
1-5 YRS	56	4.7	20	<1	1	3	7	11	13	23
6-12 YRS	76	4.5	15	1	2	4	5	8	11	24
13-19 YRS	57	5.8	21	2	2	5	8	11	12	30
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	8.3	66	2	2	5	13	20	20	20
6-12 YRS	18	6.8	59	1	1	4	9	13	25	33
13-19 YRS	27	6.1	44	<1	<1	4	10	12	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	6.4	6	4	4	6	8	10	10	10
1-5 YRS	47	8.0	53	1	2	5	10	21	25	25
6-12 YRS	80	8.0	92	2	2	5	10	16	28	91
13-19 YRS	107	7.3	53	<1	1	5	9	17	20	38
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	12	8.1	272	1	1	3	6	24	55	60
6-12 YRS	18	7.7	34	<1	1	7	11	17	19	19
13-19 YRS	29	11.3	197	1	2	6	16	20	30	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	5.0	18	1	2	4	6	10	12	25
B. *Operated*	50	6.4	48	<1	<1	4	9	13	20	33
2. MULTIPLE DX										
A. *Not Operated*	242	7.6	64	1	2	5	9	17	24	41
B. *Operated*	61	9.5	156	1	1	5	14	18	24	72
1. SINGLE DX	243	5.3	25	1	1	4	7	11	14	31
2. MULTIPLE DX	303	8.0	82	1	2	5	10	17	24	65
A. NOT OPERATED	435	6.5	45	1	2	4	8	14	20	34
B. OPERATED	111	8.1	109	<1	1	4	11	17	21	65
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	6.2	18	1	2	5	9	14	14	14
1-5 YRS	119	6.5	59	1	1	4	7	16	21	36
6-12 YRS	192	6.5	55	1	2	4	8	14	19	55
13-19 YRS	220	7.3	64	<1	1	5	9	16	19	38
GRAND TOTAL	**546**	**6.8**	**58**	**1**	**1**	**4**	**8**	**14**	**20**	**37**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.3	25	4	4	7	12	15	15	15
1-5 YRS	3	4.3	16	2	2	2	7	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	34	3.9	15	<1	1	2	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	4	2.5	3	1	1	2	4	5	5	5
13-19 YRS	3	12.0	93	5	5	8	19	23	23	23
B. *Operated*										
0-27 DYS	3	11.0	3	10	10	10	12	13	13	13
1-11 MOS	8	10.4	23	3	4	9	13	17	18	18
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	13.0	82	2	2	13	20	23	23	23
13-19 YRS	22	3.8	10	<1	1	3	6	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	4	1	1	3	5	6	6	6
B. *Operated*	42	4.3	17	<1	1	2	6	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	12	5.8	35	1	1	4	7	13	22	23
B. *Operated*	38	6.8	30	1	1	6	10	15	18	23
1. SINGLE DX	47	4.2	15	1	1	2	6	10	12	17
2. MULTIPLE DX	50	6.5	31	1	1	5	9	15	18	23
A. NOT OPERATED	17	5.1	26	1	1	4	6	8	18	23
B. OPERATED	80	5.5	24	1	1	3	8	12	16	21
TOTAL 0-27 DYS	3	11.0	3	10	10	10	12	13	13	13
1-11 MOS	15	8.9	21	3	3	8	11	16	17	18
1-5 YRS	9	3.8	7	1	1	2	6	8	9	9
6-12 YRS	10	7.0	56	1	1	4	10	20	23	23
13-19 YRS	60	4.3	18	<1	1	3	6	9	12	22
GRAND TOTAL	**97**	**5.4**	**24**	**1**	**1**	**3**	**8**	**12**	**16**	**23**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	19	9.9	31	2	3	10	13	18	21	21
1-5 YRS	106	7.4	41	1	1	5	11	15	21	32
6-12 YRS	80	5.4	17	1	2	4	7	11	15	19
13-19 YRS	65	4.9	11	1	2	4	7	11	12	15
B. *Operated*										
0-27 DYS	2	13.5	5	12	12	13	15	15	15	15
1-11 MOS	16	15.1	50	6	7	14	19	25	29	31
1-5 YRS	67	10.0	34	3	4	9	13	18	21	28
6-12 YRS	51	10.2	42	3	4	9	13	18	21	40
13-19 YRS	75	6.6	36	1	1	5	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	16.3	132	5	5	16	25	28	28	28
1-11 MOS	43	12.2	85	3	4	10	14	22	29	55
1-5 YRS	106	8.8	47	1	2	7	14	20	22	29
6-12 YRS	102	6.6	29	1	2	5	9	14	17	24
13-19 YRS	94	5.7	20	2	2	5	7	10	13	28
B. *Operated*										
0-27 DYS	5	16.4	9	12	12	17	18	20	20	20
1-11 MOS	54	13.7	46	4	6	12	17	22	29	30
1-5 YRS	109	13.6	52	4	5	13	18	24	27	34
6-12 YRS	97	12.8	58	4	5	10	16	23	27	39
13-19 YRS	102	11.0	96	1	2	9	15	25	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	6.4	28	1	2	4	9	13	16	22
B. *Operated*	211	9.2	43	1	2	8	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	348	7.8	44	2	2	6	11	16	21	29
B. *Operated*	367	12.7	65	3	4	11	17	23	28	40
1. SINGLE DX	482	7.6	36	1	2	6	11	15	20	29
2. MULTIPLE DX	715	10.3	61	2	3	8	14	21	26	33
A. NOT OPERATED	619	7.2	37	1	2	5	10	15	20	29
B. OPERATED	578	11.4	60	2	3	10	15	22	27	39
TOTAL 0-27 DYS	11	15.5	33	5	9	15	18	23	28	28
1-11 MOS	132	12.8	58	3	5	11	15	22	29	35
1-5 YRS	388	10.0	50	2	2	8	14	21	23	30
6-12 YRS	330	8.7	46	2	2	7	12	18	22	29
13-19 YRS	336	7.3	51	1	2	5	9	15	22	40
GRAND TOTAL	**1197**	**9.2**	**52**	**1**	**2**	**7**	**13**	**20**	**23**	**31**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	9	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	3.5	11	1	1	3	6	8	8	8
6-12 YRS	34	1.8	2	<1	<1	1	2	4	5	5
13-19 YRS	890	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	1.9	2	<1	<1	1	2	3	5	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS										
6-12 YRS	26	3.1	8	<1	1	2	4	8	9	13
13-19 YRS	866	2.6	4	<1	<1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	929	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.9	2	<1	<1	1	2	3	5	6
B. *Operated*	896	2.6	4	<1	<1	2	3	5	6	10
1. SINGLE DX	942	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	912	2.6	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	29	2.1	2	<1	<1	2	3	4	5	6
B. OPERATED	1825	2.4	3	<1	<1	2	3	5	5	8
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.8	2	1	1	1	3	4	4	4
1-5 YRS	5	3.8	9	1	1	4	6	8	8	8
6-12 YRS	63	2.4	5	<1	<1	1	3	5	6	12
13-19 YRS	1781	2.4	3	<1	<1	2	3	4	5	7
GRAND TOTAL	**1854**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**5**	**5**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	104	3.1	5	1	1	2	4	6	7	12
6-12 YRS	119	3.2	5	1	1	2	4	6	8	12
13-19 YRS	60	3.6	56	<1	1	2	4	6	7	54
B. *Operated*										
0-27 DYS										
1-11 MOS	11	4.1	16	1	1	2	7	11	11	11
1-5 YRS	49	3.7	13	<1	<1	3	4	9	11	17
6-12 YRS	125	2.9	9	<1	<1	2	4	5	8	20
13-19 YRS	2305	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.0	10	1	1	2	3	9	10	10
1-5 YRS	89	3.1	12	1	1	2	4	6	8	21
6-12 YRS	125	4.6	56	<1	1	3	4	9	14	50
13-19 YRS	144	4.0	26	<1	<1	3	5	7	10	32
B. *Operated*										
0-27 DYS										
1-11 MOS	17	4.8	26	<1	1	3	5	14	18	19
1-5 YRS	261	4.1	13	1	1	3	4	8	11	21
6-12 YRS	298	5.5	27	1	1	4	6	13	17	31
13-19 YRS	1101	3.2	16	<1	1	2	4	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.2	15	1	1	2	4	6	7	12
B. *Operated*	2490	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	366	4.0	33	<1	1	2	4	8	10	32
B. *Operated*	1677	3.7	19	1	1	3	4	7	10	23
1. SINGLE DX	2778	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	2043	3.8	21	<1	1	3	4	7	10	27
A. NOT OPERATED	654	3.6	25	<1	1	2	4	7	9	29
B. OPERATED	4167	3.0	10	<1	1	2	3	5	7	16
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	40	3.9	18	1	1	2	4	10	14	19
1-5 YRS	503	3.7	11	1	1	3	4	7	10	18
6-12 YRS	667	4.4	26	1	1	3	5	9	14	29
13-19 YRS	3610	2.7	9	<1	1	2	3	5	6	11
GRAND TOTAL	**4821**	**3.1**	**12**	**<1**	**1**	**2**	**4**	**5**	**7**	**17**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	1	13.0		13	13	13	13	13	13	13
A. NOT OPERATED	1	13.0		13	13	13	13	13	13	13
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	5	3.2	11	1	1	2	4	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	11	5.5	10	1	1	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	11	1	1	3	7	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	9	9.6	266	<1	<1	3	8	36	52	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	6	12.5	250	2	2	8	10	41	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.7	16	1	1	3	8	11	11	11
B. *Operated*	13	5.5	11	1	1	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	14	7.8	173	<1	<1	3	7	16	44	52
B. *Operated*	9	10.6	170	2	2	7	10	31	44	44
1. SINGLE DX	20	5.2	12	1	1	5	8	10	11	11
2. MULTIPLE DX	23	8.9	166	<1	1	5	10	18	47	52
A. NOT OPERATED	21	6.8	119	<1	<1	3	8	11	30	52
B. OPERATED	22	7.5	78	1	1	6	9	11	24	44
TOTAL 0-27 DYS										
1-11 MOS	5	4.6	11	1	1	3	7	9	9	9
1-5 YRS	3	6.0	25	1	1	6	10	11	11	11
6-12 YRS	4	7.3	15	2	2	8	10	11	11	11
13-19 YRS	31	7.7	128	<1	1	5	9	11	42	52
GRAND TOTAL	**43**	**7.2**	**96**	**<1**	**1**	**5**	**9**	**11**	**23**	**52**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.5	6	4	4	5	7	9	9	9
1-5 YRS	15	8.9	46	1	1	8	14	20	20	20
6-12 YRS	4	6.3	13	1	1	7	8	9	9	9
13-19 YRS	94	4.9	11	1	1	4	7	10	11	14
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	4.7	21	1	1	4	6	8	16	19
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	10	4.7	14	1	1	4	7	10	12	12
13-19 YRS	431	4.6	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	11	<1	<1	2	6	8	8	8
1-11 MOS	3	8.0	31	3	3	7	12	14	14	14
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	24	5.8	13	1	1	5	8	10	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	11	8.5	36	1	3	6	12	19	21	21
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS										
13-19 YRS	125	6.6	39	1	1	5	7	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.4	16	1	1	5	8	11	13	20
B. *Operated*	458	4.6	13	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	34	5.6	14	<1	1	5	8	10	14	14
B. *Operated*	138	6.7	38	1	1	5	7	14	20	32
1. SINGLE DX	575	4.7	14	1	1	4	6	9	12	19
2. MULTIPLE DX	172	6.5	33	1	1	5	8	14	18	31
A. NOT OPERATED	151	5.5	16	1	1	5	8	11	14	20
B. OPERATED	596	5.1	20	1	1	4	6	9	13	21
TOTAL 0-27 DYS	5	3.4	8	<1	<1	3	5	8	8	8
1-11 MOS	33	6.4	26	1	1	5	7	15	19	21
1-5 YRS	19	8.2	38	1	1	6	12	18	20	20
6-12 YRS	16	4.9	12	1	1	4	8	9	11	12
13-19 YRS	674	5.0	18	1	1	4	7	9	13	21
GRAND TOTAL	**747**	**5.1**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS										
1-5 YRS	9	4.0	5	1	1	3	6	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	5.3	33	<1	1	4	7	8	20	24
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	2	22.5	761	3	3	22	42	42	42	42
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	11	5.6	23	1	1	5	6	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	9.5	14	5	5	10	11	15	15	15
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	12	11.1	75	1	4	8	15	22	32	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	6	9.3	21	2	2	9	13	15	15	15
13-19 YRS	6	4.0	4	1	1	5	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.6	20	1	1	3	6	8	11	24
B. *Operated*	16	7.5	102	1	1	5	7	16	34	42
2. MULTIPLE DX										
A. *Not Operated*	20	10.2	49	3	5	8	13	16	25	34
B. *Operated*	13	6.4	19	1	2	5	9	13	15	15
1. SINGLE DX	43	5.7	51	1	1	4	6	9	19	42
2. MULTIPLE DX	33	8.7	40	1	2	7	12	15	16	34
A. NOT OPERATED	47	6.9	40	1	1	6	8	15	17	34
B. OPERATED	29	7.0	63	1	1	5	8	14	17	42
TOTAL 0-27 DYS	4	3.0	5	1	1	3	5	5	5	5
1-11 MOS	4	13.8	358	3	3	5	24	42	42	42
1-5 YRS	15	6.2	15	1	2	6	9	11	14	15
6-12 YRS	9	7.9	20	2	2	7	11	14	15	15
13-19 YRS	44	6.8	43	1	1	5	8	16	19	34
GRAND TOTAL	**76**	**7.0**	**48**	**1**	**1**	**5**	**8**	**15**	**16**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	11	6.0	38	1	1	4	10	16	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	6.0	39	<1	<1	4	11	13	13	13
6-12 YRS										
13-19 YRS	9	6.1	52	1	1	4	9	18	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.8	4	4	4	7	8	9	9	9
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	9.0	67	2	2	7	15	18	18	18
13-19 YRS	19	7.3	33	1	2	6	10	15	20	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	9.1	168	1	1	5	8	32	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.6	36	1	1	3	8	15	18	19
B. *Operated*	13	5.8	43	<1	<1	4	9	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	27	7.6	30	1	2	7	10	16	19	23
B. *Operated*	7	9.1	168	1	1	5	8	32	38	38
1. SINGLE DX	25	5.7	38	<1	1	4	9	14	20	23
2. MULTIPLE DX	34	7.9	55	1	2	7	9	17	22	38
A. NOT OPERATED	39	7.0	32	1	1	6	10	16	19	23
B. OPERATED	20	7.0	83	<1	1	4	8	18	30	38
TOTAL 0-27 DYS										
1-11 MOS	6	5.0	10	1	1	5	7	9	9	9
1-5 YRS	4	7.8	38	<1	<1	8	13	13	13	13
6-12 YRS	3	9.0	67	2	2	7	15	18	18	18
13-19 YRS	46	7.0	54	1	1	5	9	17	23	38
GRAND TOTAL	**59**	**7.0**	**48**	**1**	**1**	**5**	**9**	**16**	**21**	**37**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	5.3	11	<1	<1	5	7	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.5	26	1	1	2	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	30	1	1	5	8	15	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.3	38	1	1	3	9	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.9	11	<1	<1	4	6	10	11	11
B. *Operated*	6	4.5	26	1	1	2	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	8	6.1	30	1	1	5	8	15	18	18
B. *Operated*	6	4.2	26	1	1	2	5	13	14	14
1. SINGLE DX	13	4.7	16	<1	1	4	8	11	12	12
2. MULTIPLE DX	14	5.3	27	1	1	4	7	14	17	18
A. NOT OPERATED	15	5.5	20	<1	1	4	7	11	16	18
B. OPERATED	12	4.3	24	1	1	2	7	13	14	14
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	24	5.4	23	<1	1	4	8	12	15	18
GRAND TOTAL	**27**	**5.0**	**21**	**<1**	**1**	**4**	**7**	**12**	**15**	**18**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	12	1	1	4	7	9	9	9
1-5 YRS	20	2.0	1	<1	<1	2	2	3	4	5
6-12 YRS	44	2.8	3	1	1	2	4	5	6	8
13-19 YRS	156	3.5	8	<1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	9	3.6	5	<1	<1	3	5	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	16	3.7	5	<1	2	3	5	7	8	9
13-19 YRS	130	2.7	10	1	1	1	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	14	5.1	10	1	1	5	6	11	11	11
1-5 YRS	28	2.5	6	<1	1	2	3	4	6	13
6-12 YRS	43	2.7	2	1	1	2	4	5	6	6
13-19 YRS	244	4.4	25	<1	1	3	5	8	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.6	57	3	3	8	16	22	22	22
1-5 YRS	9	8.0	100	<1	<1	4	9	24	33	33
6-12 YRS	16	7.0	31	1	1	6	9	12	20	23
13-19 YRS	98	4.5	26	<1	1	2	6	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.2	7	<1	1	2	4	7	8	12
B. *Operated*	158	2.8	9	1	1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	331	4.0	20	<1	1	3	5	7	9	20
B. *Operated*	128	5.3	34	1	1	3	7	11	16	32
1. SINGLE DX	384	3.1	8	<1	1	2	4	7	8	14
2. MULTIPLE DX	459	4.4	24	<1	1	3	5	8	11	25
A. NOT OPERATED	557	3.7	15	<1	1	3	5	7	9	18
B. OPERATED	286	3.9	22	1	1	2	5	9	12	24
TOTAL 0-27 DYS	3	3.7	9	<1	<1	3	6	7	7	7
1-11 MOS	34	5.4	19	1	1	5	7	11	13	22
1-5 YRS	59	3.1	21	<1	1	2	3	5	10	31
6-12 YRS	119	3.4	8	1	1	3	5	6	8	15
13-19 YRS	628	3.8	18	<1	1	3	5	8	10	19
GRAND TOTAL	**843**	**3.8**	**17**	**<1**	**1**	**3**	**5**	**8**	**10**	**20**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.6	18	1	1	2	4	10	15	15
1-5 YRS	247	2.8	4	1	1	2	3	5	7	9
6-12 YRS	153	3.2	3	1	1	3	4	5	7	11
13-19 YRS	78	3.5	4	<1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.8	1	<1	<1	1	3	3	3	3
1-5 YRS	51	2.3	4	<1	<1	1	3	5	6	9
6-12 YRS	64	3.2	9	<1	<1	2	4	7	11	15
13-19 YRS	341	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	4.3	4	1	2	5	6	7	7	7
1-5 YRS	97	3.1	5	1	1	3	4	5	7	13
6-12 YRS	92	3.8	6	1	1	3	5	7	8	14
13-19 YRS	60	4.6	5	1	2	4	6	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	21	2	2	5	9	11	11	11
1-5 YRS	22	4.2	11	<1	1	3	7	10	11	11
6-12 YRS	43	4.4	8	1	1	4	7	8	10	11
13-19 YRS	212	2.5	8	<1	<1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	3.0	4	1	1	3	4	5	7	10
B. *Operated*	462	2.2	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	261	3.7	6	1	1	3	5	7	8	12
B. *Operated*	280	3.0	9	<1	<1	2	4	7	9	16
1. SINGLE DX	950	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX	541	3.4	8	<1	1	3	4	7	8	15
A. NOT OPERATED	749	3.3	5	1	1	3	4	6	7	12
B. OPERATED	742	2.5	6	<1	<1	2	3	5	7	12
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	29	3.8	10	1	1	3	5	7	11	15
1-5 YRS	417	2.9	5	<1	1	2	4	5	7	11
6-12 YRS	352	3.5	6	<1	1	3	4	7	8	12
13-19 YRS	691	2.6	5	<1	<1	2	3	5	7	12
GRAND TOTAL	**1491**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	42	2.0	2	<1	<1	2	2	4	5	5
13-19 YRS	462	2.1	4	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.8	5	<1	<1	1	1	5	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.0	5	<1	<1	2	4	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	60	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	537	2.3	2	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	506	2.1	3	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	1.8	5	<1	<1	1	1	5	7	7
B. *Operated*	604	2.3	2	1	1	2	3	4	5	6
1. SINGLE DX	508	2.1	3	<1	1	2	3	4	4	6
2. MULTIPLE DX	612	2.3	2	1	1	2	3	4	5	6
A. NOT OPERATED	10	1.7	4	<1	<1	1	1	4	7	7
B. OPERATED	1110	2.2	2	<1	1	2	3	4	4	6
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	102	2.1	2	<1	1	2	3	4	5	6
13-19 YRS	1009	2.2	2	<1	1	2	3	4	4	6
GRAND TOTAL	**1120**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**6**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	46	1.5	1	<1	<1	1	2	3	3	4
6-12 YRS	62	1.5	1	<1	<1	1	1	2	4	7
13-19 YRS	164	1.3		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	12	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	15	1.4		<1	<1	1	2	2	3	3
13-19 YRS	31	1.3		<1	<1	1	1	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	1	2	2	2
B. *Operated*	274	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	59	1.4	1	<1	<1	1	2	3	3	5
1. SINGLE DX	278	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	62	1.5	1	<1	<1	1	2	3	3	5
A. NOT OPERATED	7	1.4	1	<1	<1	1	2	3	3	3
B. OPERATED	333	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	59	1.5	1	<1	<1	1	2	3	3	4
6-12 YRS	80	1.5	1	<1	<1	1	2	2	3	7
13-19 YRS	198	1.3		<1	<1	<1	1	2	3	4
GRAND TOTAL	**340**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	7.1	21	2	2	6	10	14	16	16
1-5 YRS	55	9.4	39	1	2	8	13	17	21	27
6-12 YRS	112	10.9	64	1	3	10	14	21	25	41
13-19 YRS	61	10.6	72	1	2	8	14	22	32	35
B. *Operated*										
0-27 DYS										
1-11 MOS	5	11.6	30	5	5	13	16	18	18	18
1-5 YRS	46	10.8	85	3	3	8	13	27	32	42
6-12 YRS	92	11.8	80	1	3	10	15	24	31	41
13-19 YRS	105	10.6	114	1	2	8	14	26	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	23	13.7	64	1	2	14	21	23	25	28
1-5 YRS	84	11.0	65	3	3	9	14	22	28	39
6-12 YRS	118	13.4	78	3	4	11	19	28	31	39
13-19 YRS	78	14.9	110	3	4	11	21	30	37	45
B. *Operated*										
0-27 DYS	6	29.7	86	15	16	30	33	42	43	43
1-11 MOS	31	16.9	88	6	7	14	23	28	29	47
1-5 YRS	45	15.8	108	4	5	14	22	29	37	46
6-12 YRS	162	18.3	193	3	4	15	23	34	43	84
13-19 YRS	215	19.1	350	3	4	12	23	46	63	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	10.3	58	1	2	9	14	21	24	36
B. *Operated*	248	11.1	94	1	2	9	14	25	32	43
2. MULTIPLE DX										
A. *Not Operated*	303	13.1	83	3	4	11	19	27	31	42
B. *Operated*	459	18.5	251	3	5	14	23	41	48	84
1. SINGLE DX	487	10.7	76	1	2	9	14	22	30	42
2. MULTIPLE DX	762	16.4	191	3	4	13	21	32	43	72
A. NOT OPERATED	542	11.9	74	2	3	10	16	23	29	41
B. OPERATED	707	15.9	208	2	3	12	21	33	44	73
TOTAL 0-27 DYS	6	29.7	86	15	16	30	33	42	43	43
1-11 MOS	70	13.9	75	2	4	13	21	24	28	43
1-5 YRS	230	11.5	75	2	3	9	15	23	29	43
6-12 YRS	484	14.1	123	2	3	11	19	29	34	45
13-19 YRS	459	15.3	232	2	3	10	19	34	46	75
GRAND TOTAL	**1249**	**14.1**	**154**	**2**	**3**	**11**	**18**	**29**	**40**	**65**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MCS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	66	5.5	24	<1	1	5	8	10	12	30
6-12 YRS	126	6.0	25	1	1	5	8	12	15	24
13-19 YRS	106	2.9	11	<1	<1	2	3	7	9	55
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	2	1	1	3	4	4	4	4
1-5 YRS	99	3.0	8	<1	<1	2	4	6	8	17
6-12 YRS	778	4.5	14	1	1	4	6	8	11	19
13-19 YRS	1399	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.9	3	2	2	4	6	53	99+	99+
1-5 YRS	43	7.0	103	1	1	4	8	14	17	66
6-12 YRS	116	7.6	97	<1	1	5	9	20	23	87
13-19 YRS	120	4.6	50	<1	1	3	5	8	13	69
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	6	7.2	38	2	2	5	10	17	18	18
1-5 YRS	59	4.8	31	1	1	3	6	10	13	35
6-12 YRS	295	6.6	67	1	1	4	8	13	18	46
13-19 YRS	779	5.2	50	1	1	3	6	10	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	4.8	22	<1	<1	3	7	10	14	26
B. *Operated*	2282	3.7	11	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	289	6.1	77	<1	1	4	7	13	21	91
B. *Operated*	1140	5.5	54	1	1	3	6	11	17	39
1. SINGLE DX	2584	3.8	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	1429	5.6	59	1	1	3	7	12	18	45
A. NOT OPERATED	591	5.4	49	<1	1	4	7	11	18	62
B. OPERATED	3422	4.3	26	1	1	3	5	8	12	25
TOTAL 0-27 DYS	4	6.3	34	3	3	4	9	15	15	15
1-11 MOS	23	4.6	13	1	2	4	5	11	43	99+
1-5 YRS	267	4.7	34	<1	1	3	6	9	12	30
6-12 YRS	1315	5.4	36	1	1	4	7	11	15	31
13-19 YRS	2404	3.9	25	<1	1	3	5	8	11	25
GRAND TOTAL	**4013**	**4.5**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**29**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	5	14.6	510	4	4	5	18	55	55	55
13-19 YRS	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.2	6	1	1	3	3	5	10	11
1-5 YRS	62	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	195	3.2	5	1	1	3	4	5	7	10
13-19 YRS	235	3.6	12	<1	1	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	12.7	312	1	1	4	26	33	33	33
1-5 YRS	16	2.5	6	1	1	2	3	7	8	9
6-12 YRS	17	2.5	8	<1	<1	1	3	5	10	12
13-19 YRS	20	3.2	30	<1	<1	1	3	6	16	25
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.4	1	1	1	2	3	4	4	4
1-5 YRS	206	3.5	6	<1	1	3	5	6	8	11
6-12 YRS	459	4.7	43	1	1	3	5	8	12	43
13-19 YRS	452	4.8	33	1	1	4	5	9	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.1	230	1	1	3	5	20	50	55
B. *Operated*	505	3.2	8	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	56	3.3	31	<1	<1	1	3	6	11	33
B. *Operated*	1128	4.5	32	1	1	3	5	8	11	34
1. SINGLE DX	517	3.3	13	1	1	3	4	6	7	13
2. MULTIPLE DX	1184	4.5	32	1	1	3	5	8	11	33
A. NOT OPERATED	68	3.9	65	<1	<1	1	4	6	13	51
B. OPERATED	1633	4.1	25	1	1	3	5	7	10	26
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	26	4.0	39	1	1	3	3	4	15	33
1-5 YRS	286	3.1	5	<1	1	3	4	6	7	11
6-12 YRS	676	4.3	35	1	1	3	5	7	10	38
13-19 YRS	712	4.4	26	<1	1	3	5	8	11	27
GRAND TOTAL	**1701**	**4.1**	**26**	**1**	**1**	**3**	**5**	**7**	**10**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.5	11	1	1	2	3	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	4	<1	<1	4	5	5	5	5
B. *Operated*	5	4.0	10	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	11	1	1	2	3	9	10	10
B. *Operated*	3	5.3	9	2	2	6	7	8	8	8
1. SINGLE DX	8	3.8	7	<1	<1	3	5	8	9	9
2. MULTIPLE DX	9	4.1	10	1	1	3	6	9	10	10
A. NOT OPERATED	9	3.4	8	<1	<1	3	4	8	10	10
B. OPERATED	8	4.5	9	1	1	4	7	9	9	9
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	4.3	4	2	2	5	6	6	6	6
13-19 YRS	12	3.4	8	<1	1	2	4	9	10	10
GRAND TOTAL	**17**	**3.9**	**8**	**<1**	**1**	**3**	**5**	**9**	**10**	**10**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	11	4.2	46	<1	<1	1	4	13	23	24
1-5 YRS	36	2.0	1	<1	<1	2	3	4	5	5
6-12 YRS	105	2.3	9	<1	<1	1	2	4	7	18
13-19 YRS	205	2.2	4	<1	<1	1	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.1		1	1	1	1	2	2	2
1-5 YRS	79	2.8	8	<1	<1	2	3	7	10	14
6-12 YRS	279	5.4	14	<1	1	6	8	10	11	16
13-19 YRS	910	5.7	16	<1	1	6	9	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	13	5.6	25	1	1	4	7	14	16	17
1-5 YRS	70	3.3	37	<1	1	2	3	7	11	41
6-12 YRS	160	4.4	99	<1	<1	2	4	8	12	72
13-19 YRS	214	3.5	19	<1	1	2	4	8	10	17
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	17	5.0	67	<1	<1	3	4	10	27	35
1-5 YRS	283	3.1	18	1	1	2	3	5	8	22
6-12 YRS	502	7.5	87	1	1	4	9	17	28	50
13-19 YRS	1125	6.6	75	1	1	3	9	13	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	2.3	7	<1	<1	1	3	4	6	14
B. *Operated*	1275	5.4	16	<1	1	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	459	3.9	50	<1	1	2	4	8	11	18
B. *Operated*	1928	6.3	72	1	1	3	9	13	21	43
1. SINGLE DX	1635	4.7	15	<1	<1	3	8	10	11	15
2. MULTIPLE DX	2387	5.9	69	1	1	3	8	12	19	43
A. NOT OPERATED	819	3.2	31	<1	<1	2	3	7	10	17
B. OPERATED	3203	6.0	50	1	1	4	9	11	16	36
TOTAL 0-27 DYS	6	5.3	19	1	1	4	10	11	11	11
1-11 MOS	48	4.4	41	<1	1	2	4	11	18	35
1-5 YRS	468	3.0	18	<1	1	2	3	5	8	21
6-12 YRS	1046	5.9	65	<1	1	3	8	12	18	39
13-19 YRS	2454	5.6	44	<1	1	3	8	11	14	31
GRAND TOTAL	**4022**	**5.4**	**47**	**<1**	**1**	**3**	**8**	**11**	**14**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	3.7	4	1	1	4	5	53	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	10	3.4	4	1	1	4	5	44	95	99+
B. *Operated*	1	12.0		12	12	12	12	12	12	12
1. SINGLE DX	4	2.8	6	1	1	2	4	6	6	6
2. MULTIPLE DX	11	4.2	10	1	1	4	6	38	91	99+
A. NOT OPERATED	11	3.4	4	1	1	4	5	35	91	99+
B. OPERATED	4	5.0	27	1	1	4	9	12	12	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	61	1	1	6	12	12	12	12
13-19 YRS	13	3.4	4	1	1	4	5	16	81	99+
GRAND TOTAL	**15**	**3.8**	**9**	**1**	**1**	**4**	**6**	**11**	**74**	**99+**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	32	1.8	3	<1	<1	1	2	4	5	8
1-5 YRS	29	2.4	7	<1	<1	1	3	4	8	13
6-12 YRS	11	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	7	2.7	7	1	1	1	4	7	8	8
B. *Operated*										
0-27 DYS	27	6.7	20	2	3	5	8	14	16	18
1-11 MOS	105	4.8	8	1	2	4	6	9	10	53
1-5 YRS	59	3.9	4	1	2	4	6	7	8	9
6-12 YRS	29	5.4	19	1	1	5	7	10	12	22
13-19 YRS	24	5.2	13	1	1	5	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	3.5	7	<1	<1	3	4	8	9	10
1-11 MOS	95	4.9	54	<1	<1	2	5	10	22	41
1-5 YRS	127	4.9	111	<1	1	3	5	11	93	99+
6-12 YRS	52	4.2	39	1	1	2	4	31	99+	99+
13-19 YRS	36	5.7	50	1	1	3	5	18	21	32
B. *Operated*										
0-27 DYS	40	15.7	178	3	4	11	19	35	45	59
1-11 MOS	157	9.5	138	1	2	6	10	19	29	76
1-5 YRS	131	8.2	89	1	2	6	9	18	29	99+
6-12 YRS	114	8.9	92	1	2	6	10	21	26	53
13-19 YRS	72	9.6	75	1	2	7	12	21	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	4	<1	<1	1	2	4	6	12
B. *Operated*	244	4.9	11	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	331	4.8	70	<1	1	3	5	13	29	99+
B. *Operated*	514	9.5	112	1	2	6	11	22	29	62
1. SINGLE DX	325	4.2	11	<1	1	4	6	8	10	17
2. MULTIPLE DX	845	7.7	101	1	1	5	9	19	29	99+
A. NOT OPERATED	412	4.3	58	<1	<1	2	4	10	23	99+
B. OPERATED	758	8.0	84	1	2	5	9	17	25	60
TOTAL 0-27 DYS	90	9.8	114	1	2	6	13	21	33	55
1-11 MOS	389	6.5	78	<1	1	4	7	13	22	57
1-5 YRS	346	5.8	79	<1	1	4	7	12	26	99+
6-12 YRS	206	6.8	69	1	1	4	8	19	28	99+
13-19 YRS	139	7.4	59	1	1	5	10	18	23	34
GRAND TOTAL	**1170**	**6.7**	**78**	**1**	**1**	**4**	**8**	**16**	**25**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	19	1	1	2	7	9	9	9
1-11 MOS	40	1.6	8	<1	<1	1	1	1	3	18
1-5 YRS	44	1.2	1	<1	<1	<1	<1	1	3	6
6-12 YRS	4	1.5	1	<1	<1	<1	2	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	23	1.3		<1	<1	1	1	2	3	3
1-11 MOS	127	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	292	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	321	1.8	2	<1	<1	1	2	4	5	7
13-19 YRS	164	2.1	3	<1	1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	2.0	1	1	1	2	3	4	4	4
1-11 MOS	23	2.4	5	<1	<1	1	3	6	8	9
1-5 YRS	28	1.6	5	<1	<1	1	1	3	4	13
6-12 YRS	12	2.0	5	<1	<1	<1	2	6	7	7
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	7	5.0	65	1	1	2	4	19	23	23
1-11 MOS	66	1.9	3	<1	<1	1	2	4	6	9
1-5 YRS	146	2.0	5	<1	1	1	2	4	5	9
6-12 YRS	142	2.5	6	<1	1	2	3	6	7	13
13-19 YRS	94	2.5	5	<1	1	1	3	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.5	4	<1	<1	<1	1	2	3	14
B. *Operated*	927	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	72	2.0	5	<1	<1	1	2	4	7	12
B. *Operated*	455	2.3	6	<1	1	2	2	5	7	11
1. SINGLE DX	1019	1.7	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	527	2.3	6	<1	<1	1	2	5	7	12
A. NOT OPERATED	164	1.7	4	<1	<1	1	1	3	6	12
B. OPERATED	1382	1.9	3	<1	<1	1	2	4	5	8
TOTAL 0-27 DYS	40	2.3	14	<1	1	1	2	4	7	23
1-11 MOS	256	1.8	3	<1	<1	1	2	3	5	9
1-5 YRS	510	1.7	3	<1	<1	1	2	3	4	7
6-12 YRS	479	2.0	3	<1	<1	1	2	4	6	9
13-19 YRS	261	2.2	4	<1	1	1	3	5	7	9
GRAND TOTAL	**1546**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	2.8	5	<1	<1	2	3	6	8	10
1-11 MOS	42	3.1	21	1	1	2	3	5	9	29
1-5 YRS	22	2.5	5	<1	<1	2	3	6	8	9
6-12 YRS	5	1.6	1	1	1	1	2	3	3	3
13-19 YRS	8	2.8	6	1	1	2	4	7	8	8
B. *Operated*										
0-27 DYS	25	5.8	22	<1	1	5	9	14	35	99+
1-11 MOS	305	4.8	18	1	1	3	7	10	13	19
1-5 YRS	837	4.2	10	1	1	4	6	8	10	15
6-12 YRS	324	3.8	8	1	1	2	6	8	9	12
13-19 YRS	206	3.2	7	<1	1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	104	6.2	90	<1	1	3	7	15	19	83
1-11 MOS	277	4.5	39	<1	1	3	5	8	12	30
1-5 YRS	193	2.9	10	<1	<1	2	3	6	9	18
6-12 YRS	46	2.5	6	<1	<1	2	3	5	9	11
13-19 YRS	82	3.6	31	<1	<1	2	4	8	14	79
B. *Operated*										
0-27 DYS	159	15.4	284	1	2	11	19	46	85	99+
1-11 MOS	1376	8.2	116	1	1	6	10	18	26	67
1-5 YRS	1804	6.4	72	1	1	5	8	13	18	46
6-12 YRS	565	5.7	50	1	1	2	7	12	16	36
13-19 YRS	427	5.8	49	1	1	3	8	12	16	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.8	11	<1	1	2	3	6	8	19
B. *Operated*	1697	4.1	11	1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	702	4.1	37	<1	<1	2	5	8	13	33
B. *Operated*	4331	7.1	92	1	1	5	9	15	22	62
1. SINGLE DX	1808	4.0	11	1	1	2	6	8	10	15
2. MULTIPLE DX	5033	6.7	85	1	1	4	8	14	21	61
A. NOT OPERATED	813	3.9	33	<1	1	2	4	8	12	30
B. OPERATED	6028	6.3	71	1	1	4	8	13	19	52
TOTAL 0-27 DYS	322	10.4	196	<1	1	6	14	28	54	99+
1-11 MOS	2000	7.1	91	1	1	4	9	15	21	59
1-5 YRS	2856	5.5	51	1	1	4	7	11	15	34
6-12 YRS	940	4.8	34	1	1	2	7	10	13	29
13-19 YRS	723	4.7	36	<1	1	2	7	10	14	36
GRAND TOTAL	**6841**	**6.0**	**67**	**1**	**1**	**4**	**8**	**12**	**18**	**50**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	17	2	2	4	8	10	10	10
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	3	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	17	3.2	5	1	1	2	5	7	8	8
1-11 MOS	574	3.1	3	1	1	3	4	5	6	8
1-5 YRS	451	3.1	2	1	1	3	4	5	6	8
6-12 YRS	147	2.6	2	1	1	2	3	4	5	6
13-19 YRS	112	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	6.0	15	1	2	5	9	11	12	12
1-11 MOS	47	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	55	1.2		<1	<1	1	1	2	3	4
6-12 YRS	6	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	5	10.2	152	2	2	5	13	32	32	32
1-11 MOS	478	3.6	4	1	2	3	4	6	7	11
1-5 YRS	470	3.6	8	1	1	3	4	6	6	12
6-12 YRS	181	2.8	3	1	1	2	3	4	5	9
13-19 YRS	175	2.7	3	1	1	2	3	5	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	6	<1	<1	2	3	6	9	10
B. *Operated*	1301	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	122	1.5	3	<1	<1	1	1	3	4	11
B. *Operated*	1309	3.4	6	1	1	3	4	6	7	11
1. SINGLE DX	1313	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1431	3.2	6	1	1	3	4	5	7	11
A. NOT OPERATED	134	1.6	3	<1	<1	1	1	3	4	11
B. OPERATED	2610	3.2	4	1	1	3	4	5	6	9
TOTAL 0-27 DYS	33	5.1	32	1	1	4	6	10	12	32
1-11 MOS	1104	3.3	4	1	1	3	4	6	7	10
1-5 YRS	979	3.2	5	1	1	3	4	5	6	9
6-12 YRS	335	2.7	2	1	1	2	3	4	5	8
13-19 YRS	293	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2744**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	2.0	1	<1	1	2	2	4	5	5
1-11 MOS	34	2.2	3	<1	1	2	3	3	7	8
1-5 YRS	13	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	359	3.3	2	2	2	3	4	5	5	8
1-11 MOS	881	3.1	2	1	2	3	4	5	6	8
1-5 YRS	76	4.2	4	2	2	4	5	6	8	13
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.1	5	<1	1	3	4	5	8	10
1-11 MOS	27	2.2	2	<1	1	2	3	3	6	7
1-5 YRS	5	2.4		2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	135	4.8	10	2	3	4	5	7	9	21
1-11 MOS	346	4.7	22	2	2	4	5	7	10	29
1-5 YRS	29	5.1	4	2	2	5	7	8	9	10
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.2	2	<1	1	2	3	4	4	8
B. *Operated*	1316	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	50	2.6	3	1	1	2	3	5	6	10
B. *Operated*	510	4.8	18	2	2	4	5	7	9	22
1. SINGLE DX	1385	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	560	4.6	17	2	2	4	5	7	9	21
A. NOT OPERATED	119	2.3	3	<1	1	2	3	4	5	9
B. OPERATED	1826	3.6	7	2	2	3	4	6	7	12
TOTAL 0-27 DYS	534	3.6	4	1	2	3	4	5	7	11
1-11 MOS	1288	3.5	8	1	2	3	4	5	7	12
1-5 YRS	123	4.1	5	1	2	4	5	7	8	13
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1945**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	2.4	3	<1	1	2	3	5	6	6
1-11 MOS	71	2.9	8	<1	<1	2	4	7	11	81
1-5 YRS	61	3.4	98	<1	<1	1	2	5	10	70
6-12 YRS	15	2.3	3	<1	1	2	3	3	7	8
13-19 YRS	5	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-27 DYS	59	7.8	52	1	2	5	9	17	22	38
1-11 MOS	235	5.6	31	1	1	4	8	12	17	27
1-5 YRS	234	4.9	31	<1	<1	3	7	11	15	23
6-12 YRS	140	3.9	16	<1	1	3	5	8	12	22
13-19 YRS	80	3.4	12	<1	1	2	4	7	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	42	5.3	38	1	1	3	7	12	21	28
1-11 MOS	169	5.6	62	1	1	3	6	13	20	45
1-5 YRS	144	6.4	170	<1	1	3	6	10	22	92
6-12 YRS	33	6.6	277	<1	<1	2	6	9	17	97
13-19 YRS	18	5.6	47	<1	<1	3	7	17	23	25
B. *Operated*										
0-27 DYS	113	18.8	415	4	5	11	20	52	66	95
1-11 MOS	394	11.0	146	1	2	7	14	27	38	99+
1-5 YRS	385	8.6	134	1	1	5	10	18	29	83
6-12 YRS	179	5.0	19	1	1	3	7	10	14	27
13-19 YRS	196	4.8	23	1	1	3	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.0	39	<1	<1	2	3	6	9	64
B. *Operated*	748	5.0	29	<1	1	3	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	406	5.9	114	<1	1	3	6	12	21	78
B. *Operated*	1267	9.2	144	1	1	6	11	20	32	80
1. SINGLE DX	919	4.6	31	<1	1	3	6	10	15	26
2. MULTIPLE DX	1673	8.4	138	1	1	5	9	19	30	80
A. NOT OPERATED	577	5.1	93	<1	1	2	5	9	18	75
B. OPERATED	2015	7.6	105	1	1	5	9	17	26	69
TOTAL 0-27 DYS	233	12.3	263	1	2	7	13	29	52	81
1-11 MOS	869	7.8	96	1	1	5	9	19	29	70
1-5 YRS	824	6.8	111	<1	1	4	8	15	21	78
6-12 YRS	367	4.6	41	<1	1	3	6	9	14	25
13-19 YRS	299	4.4	21	1	1	3	6	9	13	25
GRAND TOTAL	**2592**	**7.0**	**104**	**1**	**1**	**4**	**8**	**16**	**24**	**70**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	11	1.1		<1	<1	1	1	2	2	2
1-5 YRS	526	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	476	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	144	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	34	1.1		<1	<1	<1	1	1	2	4
6-12 YRS	15	1.3		<1	<1	1	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	1.8	2	<1	<1	1	2	3	6	8
1-5 YRS	563	1.7	2	<1	<1	1	2	3	4	7
6-12 YRS	374	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	125	2.0	2	<1	1	1	2	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	1157	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	56	1.1		<1	<1	<1	1	2	2	4
B. *Operated*	1093	1.8	2	<1	<1	1	2	3	4	7
1. SINGLE DX	1174	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1149	1.7	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	73	1.2		<1	<1	1	1	2	3	4
B. OPERATED	2250	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	43	1.6	2	<1	<1	1	2	3	4	8
1-5 YRS	1134	1.6	2	<1	<1	1	2	3	3	6
6-12 YRS	870	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	272	1.8	2	<1	1	1	2	3	4	8
GRAND TOTAL	**2323**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.0	1	<1	<1	2	3	4	4	4
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	14	1.4		<1	<1	1	2	2	3	3
6-12 YRS	7	2.4	3	<1	<1	2	3	5	6	6
13-19 YRS	11	2.9	11	<1	<1	2	3	8	12	12
B. *Operated*										
0-27 DYS	34	6.1	19	1	1	5	9	13	14	16
1-11 MOS	213	4.5	13	<1	1	4	6	9	12	19
1-5 YRS	1039	3.8	9	<1	1	3	6	8	10	14
6-12 YRS	225	3.9	14	<1	1	3	5	8	10	22
13-19 YRS	200	3.7	10	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.9	10	1	1	3	5	8	11	12
1-11 MOS	16	2.2	2	<1	<1	2	3	4	4	4
1-5 YRS	66	2.2	6	<1	<1	1	2	6	8	12
6-12 YRS	17	2.4	2	1	1	2	3	5	6	6
13-19 YRS	18	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS	35	12.4	99	2	2	10	18	29	30	44
1-11 MOS	182	7.2	54	1	1	5	9	14	20	44
1-5 YRS	646	5.8	40	1	1	4	7	12	16	32
6-12 YRS	203	5.6	26	<1	1	4	8	12	15	25
13-19 YRS	269	4.7	12	1	1	4	6	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.1	4	<1	<1	1	2	3	5	12
B. *Operated*	1711	3.9	11	<1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	129	2.4	5	<1	<1	2	3	6	7	12
B. *Operated*	1335	5.9	37	1	1	4	8	12	16	29
1. SINGLE DX	1755	3.9	11	<1	1	3	6	8	10	15
2. MULTIPLE DX	1464	5.6	35	<1	1	4	7	12	16	29
A. NOT OPERATED	173	2.3	5	<1	<1	2	3	5	7	12
B. OPERATED	3046	4.8	23	<1	1	4	7	10	13	22
TOTAL 0-27 DYS	88	8.0	61	1	1	5	11	18	27	39
1-11 MOS	416	5.5	33	<1	1	4	7	12	15	27
1-5 YRS	1765	4.5	22	<1	1	3	6	9	12	19
6-12 YRS	452	4.6	20	<1	1	3	7	10	12	21
13-19 YRS	498	4.2	12	<1	1	3	6	8	11	17
GRAND TOTAL	**3219**	**4.7**	**23**	**<1**	**1**	**3**	**6**	**10**	**13**	**21**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	473	2.8	4	1	1	2	4	5	7	11
1-5 YRS	371	2.7	4	1	1	2	3	5	6	12
6-12 YRS	165	2.7	2	1	1	2	3	5	6	9
13-19 YRS	91	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	61	<1	<1	6	12	12	12	12
1-11 MOS	25	1.7	3	<1	<1	1	1	5	6	8
1-5 YRS	37	1.6	5	<1	<1	1	1	3	3	14
6-12 YRS	11	1.3		<1	<1	1	1	2	3	3
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	136	3.8	9	1	1	3	5	7	9	15
1-5 YRS	272	3.6	13	1	1	3	4	7	10	16
6-12 YRS	176	3.3	5	1	1	3	4	5	8	12
13-19 YRS	175	3.4	10	1	1	3	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.6	39	1	1	1	3	13	21	21
B. *Operated*	1100	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	77	1.7	5	<1	<1	1	1	3	5	13
B. *Operated*	759	3.5	10	1	1	3	4	6	8	14
1. SINGLE DX	1110	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX	836	3.4	9	1	1	3	4	6	8	14
A. NOT OPERATED	87	1.9	9	<1	<1	1	1	3	6	18
B. OPERATED	1859	3.1	6	1	1	3	4	5	7	12
TOTAL 0-27 DYS	3	4.7	40	<1	<1	1	9	12	12	12
1-11 MOS	635	3.0	6	1	1	2	4	6	8	13
1-5 YRS	683	3.0	8	1	1	2	4	5	8	13
6-12 YRS	355	2.9	4	1	1	3	4	5	6	11
13-19 YRS	270	3.3	7	1	1	3	4	5	7	12
GRAND TOTAL	**1946**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.4	10	1	1	2	5	8	11	12
1-11 MOS	135	2.8	16	<1	<1	1	2	6	12	22
1-5 YRS	126	2.4	21	<1	<1	1	2	5	7	21
6-12 YRS	27	4.3	54	<1	<1	2	4	9	22	36
13-19 YRS	32	3.0	6	<1	<1	2	4	7	9	10
B. *Operated*										
0-27 DYS	14	5.2	18	1	1	4	7	12	14	15
1-11 MOS	667	4.5	20	<1	1	3	5	9	13	25
1-5 YRS	1022	3.3	12	<1	1	2	4	7	9	18
6-12 YRS	679	3.3	13	1	1	2	4	7	8	13
13-19 YRS	896	3.6	13	1	1	2	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	47	8.3	70	1	1	6	9	16	34	37
1-11 MOS	219	5.1	64	<1	<1	3	5	11	18	38
1-5 YRS	224	3.5	27	<1	<1	2	4	8	16	53
6-12 YRS	87	3.6	17	<1	1	2	4	8	14	71
13-19 YRS	114	6.0	45	<1	1	4	9	15	23	99+
B. *Operated*										
0-27 DYS	28	20.6	553	1	1	14	33	85	99+	99+
1-11 MOS	330	7.4	89	1	1	5	8	16	24	80
1-5 YRS	753	5.3	46	1	1	3	6	11	18	35
6-12 YRS	581	6.4	89	1	1	4	7	12	20	68
13-19 YRS	631	5.5	55	1	1	3	7	11	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	2.8	19	<1	<1	1	3	6	9	22
B. *Operated*	3278	3.6	14	<1	1	2	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	691	4.8	45	<1	1	3	5	11	18	42
B. *Operated*	2323	6.1	74	1	1	4	7	12	20	59
1. SINGLE DX	3614	3.5	15	<1	1	2	5	7	9	19
2. MULTIPLE DX	3014	5.8	68	1	1	4	7	12	19	57
A. NOT OPERATED	1027	4.1	37	<1	<1	2	4	10	15	37
B. OPERATED	5601	4.7	41	1	1	3	6	9	14	31
TOTAL 0-27 DYS	105	10.4	219	1	1	6	11	33	40	99+
1-11 MOS	1351	5.1	46	<1	1	3	6	11	16	33
1-5 YRS	2125	4.0	27	<1	1	2	5	8	13	29
6-12 YRS	1374	4.7	48	1	1	3	5	8	13	39
13-19 YRS	1673	4.5	32	1	1	3	6	3	12	26
GRAND TOTAL	**6628**	**4.6**	**40**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6958	2.7	9	1	1	2	3	4	6	17
1-11 MOS	536	3.6	25	1	1	2	4	7	11	24
1-5 YRS	536	4.1	20	1	1	3	4	10	13	23
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	61	5.2	47	1	2	3	6	10	13	47
1-11 MOS	44	5.3	76	<1	1	3	5	11	23	50
1-5 YRS	65	6.1	34	<1	<1	4	9	14	18	26
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4205	8.0	111	1	2	4	9	21	30	55
1-11 MOS	949	10.4	198	1	1	5	12	28	42	91
1-5 YRS	579	9.2	105	1	2	6	12	20	30	52
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	358	21.5	522	2	3	12	36	78	99+	99+
1-11 MOS	121	17.8	318	1	2	13	33	69	99+	99+
1-5 YRS	136	12.7	185	1	3	8	16	31	45	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8030	2.9	11	1	1	2	3	5	7	18
B. *Operated*	170	5.6	49	<1	1	3	7	13	17	45
2. MULTIPLE DX										
A. *Not Operated*	5733	8.5	126	1	2	4	10	22	31	59
B. *Operated*	615	18.8	419	1	2	11	28	69	99+	99+
1. SINGLE DX	8200	2.9	11	1	1	2	3	5	8	19
2. MULTIPLE DX	6348	9.5	163	1	2	4	11	25	38	85
A. NOT OPERATED	13763	5.2	66	1	1	3	5	12	20	43
B. OPERATED	785	16.0	368	1	2	9	23	61	92	99+
TOTAL 0-27 DYS	11582	5.2	76	1	1	2	4	12	21	54
1-11 MOS	1650	8.6	163	1	1	4	9	24	39	99
1-5 YRS	1316	7.4	84	1	1	4	9	17	25	48
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**14548**	**5.8**	**88**	**1**	**1**	**3**	**5**	**14**	**24**	**59**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	3.1	4	1	1	2	4	6	7	11
1-11 MOS	591	2.6	8	1	1	2	3	5	6	9
1-5 YRS	1888	2.2	3	<1	1	2	3	4	5	8
6-12 YRS	811	2.2	2	1	1	2	3	4	5	8
13-19 YRS	852	2.4	3	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	4.7	1	3	3	5	6	6	6	6
1-5 YRS	10	2.6	4	<1	<1	2	3	6	8	8
6-12 YRS	9	4.7	17	1	1	2	7	12	12	12
13-19 YRS	11	2.6	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	4.3	21	1	1	3	5	6	8	31
1-11 MOS	1266	3.2	9	1	1	3	4	6	7	14
1-5 YRS	5195	2.6	5	1	1	2	3	4	5	9
6-12 YRS	918	3.2	13	1	1	2	4	6	8	20
13-19 YRS	853	3.2	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	44	8.3	84	1	1	4	11	22	26	44
1-5 YRS	80	5.9	43	1	2	4	6	12	18	40
6-12 YRS	25	6.4	48	1	1	4	8	13	25	29
13-19 YRS	40	5.5	19	1	1	5	7	10	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4204	2.3	4	1	1	2	3	4	5	8
B. *Operated*	37	3.5	7	1	1	2	5	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	8285	2.8	7	1	1	2	3	5	6	12
B. *Operated*	189	6.4	49	1	1	4	7	13	22	40
1. SINGLE DX	4241	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	8474	2.9	8	1	1	2	3	5	7	13
A. NOT OPERATED	12489	2.6	6	1	1	2	3	5	6	11
B. OPERATED	226	6.0	43	1	1	4	6	12	20	37
TOTAL 0-27 DYS	116	3.7	12	1	1	3	5	6	7	22
1-11 MOS	1907	3.2	11	1	1	2	4	5	7	14
1-5 YRS	7173	2.5	5	1	1	2	3	4	5	10
6-12 YRS	1763	2.8	9	1	1	2	3	5	7	12
13-19 YRS	1756	2.9	5	1	1	2	4	5	7	12
GRAND TOTAL	**12715**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	185	3.0	2	1	2	3	4	5	5	7
1-11 MOS	585	2.6	2	1	1	2	3	4	5	6
1-5 YRS	516	2.5	2	1	1	2	3	4	5	8
6-12 YRS	119	2.7	3	1	1	2	3	5	7	10
13-19 YRS	96	3.5	5	1	1	3	5	6	7	13
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	10	3.1	9	1	1	2	3	7	11	11
1-5 YRS	6	5.0	3	3	3	5	7	7	7	7
6-12 YRS	4	7.3	25	3	3	6	11	14	14	14
13-19 YRS	5	9.6	63	1	1	9	14	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	209	3.3	3	1	2	3	4	5	6	9
1-11 MOS	1110	2.9	6	1	1	3	4	5	5	9
1-5 YRS	1528	3.1	6	1	1	3	4	5	7	12
6-12 YRS	490	3.9	10	1	1	3	5	7	9	19
13-19 YRS	337	4.2	20	1	1	3	5	7	10	20
B. *Operated*										
0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	18	5.3	24	1	2	3	7	12	17	20
1-5 YRS	47	7.2	76	1	1	4	9	18	30	99+
6-12 YRS	30	9.3	68	<1	1	7	15	16	19	42
13-19 YRS	40	6.9	35	1	2	5	8	13	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1501	2.7	2	1	1	2	3	4	5	8
B. *Operated*	28	5.4	22	1	1	4	7	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	3674	3.3	8	1	1	3	4	6	7	13
B. *Operated*	138	7.3	54	1	1	5	10	16	21	55
1. SINGLE DX	1529	2.7	3	1	1	2	3	5	5	9
2. MULTIPLE DX	3812	3.4	10	1	1	3	4	6	8	15
A. NOT OPERATED	5175	3.1	6	1	1	3	4	5	7	12
B. OPERATED	166	6.9	49	1	1	5	9	15	20	48
TOTAL 0-27 DYS	400	3.2	2	1	2	3	4	5	6	8
1-11 MOS	1723	2.8	5	1	1	3	3	4	5	9
1-5 YRS	2097	3.0	7	1	1	2	4	5	7	13
6-12 YRS	643	4.0	13	1	1	3	5	8	10	19
13-19 YRS	478	4.3	19	1	1	3	5	8	11	22
GRAND TOTAL	**5341**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

1473 Hospitals, United States, January-December 1986

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.1		1	1	1	1	2	2	2
6-12 YRS	103	2.2	2	<1	1	2	3	4	5	7
13-19 YRS	199	2.4	3	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	12	2.3	3	<1	<1	2	3	4	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	39	2.2	2	<1	<1	2	3	4	5	7
6-12 YRS	177	2.5	3	1	1	2	3	4	5	10
13-19 YRS	390	2.9	5	1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	3.2	5	1	1	2	6	6	6	6
13-19 YRS	22	3.8	11	<1	1	3	5	7	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	15	2.0	2	<1	1	2	2	3	6	7
2. MULTIPLE DX										
A. *Not Operated*	608	2.8	5	1	1	2	3	5	7	11
B. *Operated*	30	3.6	9	1	1	3	5	6	7	16
1. SINGLE DX	325	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	638	2.8	5	1	1	2	3	5	7	11
A. NOT OPERATED	918	2.6	4	1	1	2	3	5	6	11
B. OPERATED	45	3.0	8	<1	1	2	4	6	7	16
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	6.7	54	1	1	4	12	15	15	15
1-5 YRS	48	2.0	2	<1	<1	2	2	4	5	7
6-12 YRS	288	2.4	2	<1	1	2	3	4	6	8
13-19 YRS	623	2.8	5	1	1	2	3	5	7	11
GRAND TOTAL	**963**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	1.5		1	1	1	2	3	3	3
6-12 YRS	12	1.5		<1	<1	1	2	3	3	3
13-19 YRS	32	2.0	2	<1	<1	2	2	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	8	1.6	3	<1	<1	1	1	5	6	6
6-12 YRS	13	2.5	9	<1	<1	1	2	9	9	9
13-19 YRS	24	4.0	10	<1	1	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	40	2.3	3	<1	1	1	3	5	6	8
6-12 YRS	31	2.4	4	1	1	2	3	4	8	10
13-19 YRS	39	2.5	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	2.0	2	<1	<1	2	3	4	5	5
6-12 YRS	17	2.0	2	<1	1	1	3	4	5	6
13-19 YRS	24	4.8	18	<1	1	4	8	10	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.8	1	<1	1	1	2	3	4	8
B. *Operated*	46	3.1	9	<1	<1	1	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	113	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	52	3.3	11	<1	1	2	4	9	10	17
1. SINGLE DX	102	2.4	5	<1	<1	1	2	6	8	11
2. MULTIPLE DX	165	2.7	6	<1	1	2	3	5	8	11
A. NOT OPERATED	169	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	98	3.2	10	<1	<1	2	5	8	10	15
TOTAL 0-27 DYS										
1-11 MOS	6	2.5	2	<1	<1	2	3	5	5	5
1-5 YRS	69	2.0	2	<1	<1	1	3	4	5	8
6-12 YRS	73	2.2	4	<1	<1	2	2	4	8	10
13-19 YRS	119	3.1	8	<1	1	2	4	7	9	14
GRAND TOTAL	**267**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**6**	**8**	**11**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.5	15	1	1	4	6	10	14	14
1-5 YRS	22	2.7	3	1	1	2	4	5	7	8
6-12 YRS	23	3.2	4	1	1	3	4	6	7	8
13-19 YRS	18	2.8	4	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.5	3	<1	<1	2	4	4	4	4
1-5 YRS	46	2.1	5	<1	<1	1	2	4	7	12
6-12 YRS	61	1.7	3	<1	<1	1	2	3	4	10
13-19 YRS	89	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.7	12	2	2	2	4	10	11	11
1-11 MOS	14	6.1	54	<1	<1	3	8	20	24	25
1-5 YRS	44	4.6	22	1	1	4	6	10	11	28
6-12 YRS	39	3.2	6	<1	1	2	4	7	9	11
13-19 YRS	44	3.1	6	<1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.6	64	1	1	2	11	20	20	20
1-5 YRS	25	4.5	10	1	1	4	6	9	12	12
6-12 YRS	33	5.2	46	<1	1	2	6	16	23	26
13-19 YRS	42	3.2	6	1	1	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.0	5	1	1	2	4	6	8	13
B. *Operated*	200	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	148	3.9	16	<1	1	3	5	8	10	25
B. *Operated*	105	4.3	22	1	1	3	5	9	13	25
1. SINGLE DX	278	2.1	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX	253	4.1	18	<1	1	3	5	9	12	25
A. NOT OPERATED	226	3.6	12	1	1	3	4	7	9	20
B. OPERATED	305	2.6	11	<1	<1	1	3	6	9	20
TOTAL 0-27 DYS	11	2.7	9	1	1	2	2	7	11	11
1-11 MOS	34	5.3	35	<1	<1	3	7	14	20	25
1-5 YRS	137	3.4	12	<1	1	2	4	7	10	16
6-12 YRS	156	3.0	14	<1	<1	2	3	7	10	24
13-19 YRS	193	2.3	4	<1	<1	2	3	5	6	10
GRAND TOTAL	**531**	**3.0**	**12**	**<1**	**<1**	**2**	**4**	**6**	**9**	**20**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	4	4.3	16	1	1	3	7	10	10	10
13-19 YRS	9	5.1	16	<1	<1	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	2	8.5	1	8	8	8	9	9	9	9
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	365	1	1	14	28	28	28	28
1-5 YRS	8	7.8	23	3	3	6	11	15	16	16
6-12 YRS	7	8.1	64	3	3	6	7	22	26	26
13-19 YRS	32	13.3	356	<1	1	7	16	37	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7		2	2	3	3	3	3	3
B. *Operated*	16	5.1	15	<1	1	4	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	8	8.8	25	1	2	8	12	16	17	17
B. *Operated*	49	11.7	255	<1	1	6	14	29	46	91
1. SINGLE DX	19	4.7	14	<1	1	3	8	10	12	13
2. MULTIPLE DX	57	11.3	223	<1	1	7	13	28	41	88
A. NOT OPERATED	11	7.1	26	1	2	6	10	15	17	17
B. OPERATED	65	10.1	203	<1	1	6	12	26	36	84
TOTAL 0-27 DYS	4	10.3	37	3	3	10	15	17	17	17
1-11 MOS	4	10.3	162	1	1	6	19	28	28	28
1-5 YRS	12	7.5	19	1	2	7	10	13	16	16
6-12 YRS	14	6.3	37	1	2	5	6	12	23	26
13-19 YRS	42	11.3	286	<1	1	6	13	30	46	91
GRAND TOTAL	**76**	**9.7**	**178**	**<1**	**1**	**6**	**12**	**19**	**32**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	3.2	6	<1	<1	3	4	7	9	9
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	27	2.0	1	1	1	2	3	3	4	5
13-19 YRS	135	2.0	2	<1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	10	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	31	3.1	4	1	1	3	4	6	8	9
1-5 YRS	12	2.9	3	1	1	2	4	6	7	7
6-12 YRS	61	2.6	3	1	1	2	4	5	5	10
13-19 YRS	246	2.5	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	5	6.4	6	3	3	6	8	10	10	10
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS	5	2.6	1	2	2	2	3	4	4	4
13-19 YRS	15	4.1	8	1	1	4	5	7	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	12	2.2	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	352	2.6	3	1	1	2	3	5	6	9
B. *Operated*	29	4.7	8	1	2	4	6	9	11	12
1. SINGLE DX	188	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	381	2.8	4	1	1	2	4	5	7	11
A. NOT OPERATED	528	2.4	3	1	1	2	3	4	5	9
B. OPERATED	41	4.0	8	1	1	3	5	8	10	12
TOTAL 0-27 DYS	5	4.2	10	1	1	5	6	8	8	8
1-11 MOS	48	3.5	5	1	1	3	4	7	9	10
1-5 YRS	17	3.3	7	<1	<1	2	5	7	10	11
6-12 YRS	93	2.4	2	1	1	2	3	4	5	9
13-19 YRS	406	2.4	3	1	1	2	3	4	5	9
GRAND TOTAL	**569**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	144	3.1	5	1	1	2	4	6	7	12
1-11 MOS	762	2.7	5	1	1	2	3	5	6	11
1-5 YRS	225	2.5	7	<1	1	2	3	4	6	13
6-12 YRS	35	2.3	3	<1	1	2	3	4	5	9
13-19 YRS	40	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	12	4.4	30	1	1	2	6	12	19	20
1-5 YRS	16	2.4	5	<1	<1	2	3	5	8	9
6-12 YRS	12	2.5	2	1	1	2	3	4	5	5
13-19 YRS	9	2.1	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	135	4.2	10	1	1	3	5	9	11	14
1-11 MOS	1244	4.0	17	1	1	3	5	7	10	22
1-5 YRS	529	3.6	20	1	1	3	4	6	8	24
6-12 YRS	143	4.6	54	1	1	3	5	8	14	38
13-19 YRS	143	3.3	29	<1	1	2	3	5	10	30
B. *Operated*										
0-27 DYS	5	5.4	27	<1	<1	3	11	11	11	11
1-11 MOS	67	10.8	143	1	1	7	15	27	32	95
1-5 YRS	82	6.5	175	1	1	2	7	13	33	94
6-12 YRS	39	4.1	26	1	1	2	5	9	14	27
13-19 YRS	40	5.5	46	1	1	3	6	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1206	2.7	5	1	1	2	3	5	6	11
B. *Operated*	49	2.9	10	<1	1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	2194	3.9	20	1	1	3	5	7	10	24
B. *Operated*	233	7.2	120	1	1	3	8	18	28	84
1. SINGLE DX	1255	2.7	6	1	1	2	3	5	6	11
2. MULTIPLE DX	2427	4.2	31	1	1	3	5	8	12	28
A. NOT OPERATED	3400	3.5	15	1	1	3	4	6	9	19
B. OPERATED	282	6.4	104	1	1	3	7	17	27	80
TOTAL 0-27 DYS	284	3.7	8	1	1	3	5	8	10	13
1-11 MOS	2085	3.7	19	1	1	3	4	7	10	25
1-5 YRS	852	3.6	32	1	1	2	4	6	9	28
6-12 YRS	229	4.0	39	1	1	3	4	8	10	29
13-19 YRS	232	3.5	27	<1	1	2	4	6	11	28
GRAND TOTAL	**3682**	**3.7**	**23**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	3	76	99+	99+	99+
1-5 YRS	21	1.8	1	<1	1	2	2	3	3	3
6-12 YRS	20	2.6	13	1	1	2	3	5	11	17
13-19 YRS	84	1.9	2	<1	1	2	2	3	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	20	2.2	2	<1	<1	2	3	4	5	5
6-12 YRS	51	2.5	12	<1	<1	1	2	5	13	19
13-19 YRS	27	3.0	6	<1	<1	2	3	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.4	1	1	1	1	2	3	3	3
1-5 YRS	38	2.2	2	<1	1	2	3	5	6	6
6-12 YRS	43	3.1	10	<1	1	2	4	6	9	18
13-19 YRS	84	2.7	5	<1	1	2	3	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	42	5.3	32	<1	<1	3	8	15	17	24
6-12 YRS	81	4.5	25	<1	<1	2	7	12	15	23
13-19 YRS	65	5.3	32	<1	1	4	6	11	14	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated* .	127	2.0	4	<1	1	2	2	3	4	35
B. *Operated*	98	2.6	8	<1	<1	2	3	4	8	17
2. MULTIPLE DX										
A. *Not Operated*	170	2.7	6	<1	1	2	3	5	7	13
B. *Operated*	189	4.9	29	<1	<1	3	7	12	16	27
1. SINGLE DX	225	2.3	6	<1	<1	2	3	4	5	17
2. MULTIPLE DX	359	3.9	19	<1	<1	2	5	9	13	24
A. NOT OPERATED	297	2.4	5	<1	1	2	3	4	6	15
B. OPERATED	287	4.1	23	<1	<1	2	5	11	14	25
TOTAL 0-27 DYS										
1-11 MOS	8	2.4	6	1	1	1	4	63	99+	99+
1-5 YRS	121	3.2	14	<1	<1	2	4	7	12	19
6-12 YRS	195	3.5	18	<1	<1	2	4	9	13	20
13-19 YRS	260	3.1	12	<1	1	2	3	7	9	18
GRAND TOTAL	**584**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**11**	**20**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	1.8	1	<1	1	1	2	4	4	4
1-11 MOS	90	2.2	2	1	1	2	3	4	5	6
1-5 YRS	307	1.7	1	<1	1	1	2	3	4	6
6-12 YRS	1538	1.8	1	<1	1	1	2	3	4	6
13-19 YRS	2847	2.0	2	<1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	16	3.2	3	1	2	3	4	6	7	8
6-12 YRS	132	3.1	3	1	1	3	4	5	6	10
13-19 YRS	496	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	2.0	1	1	1	2	3	3	4	5
1-11 MOS	82	2.5	5	1	1	2	3	4	6	15
1-5 YRS	342	2.0	2	<1	1	2	2	3	4	7
6-12 YRS	1195	2.2	3	1	1	2	3	4	5	9
13-19 YRS	2252	2.4	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	24	4.3	11	1	1	3	6	10	11	12
6-12 YRS	122	3.4	4	1	1	3	4	6	7	10
13-19 YRS	454	4.2	12	1	1	4	5	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4799	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	646	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3893	2.3	3	1	1	2	3	4	5	9
B. *Operated*	601	4.0	10	1	1	3	5	7	9	13
1. SINGLE DX	5445	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4494	2.5	4	1	1	2	3	5	6	10
A. NOT OPERATED	8692	2.1	2	<1	1	2	3	4	5	8
B. OPERATED	1247	3.6	7	1	1	3	4	6	8	12
TOTAL 0-27 DYS	39	1.9	1	1	1	2	3	3	4	5
1-11 MOS	175	2.4	3	1	1	2	3	4	5	9
1-5 YRS	689	2.0	2	<1	1	2	2	3	4	8
6-12 YRS	2987	2.1	2	<1	1	2	3	4	5	8
13-19 YRS	6049	2.4	3	<1	1	2	3	4	6	9
GRAND TOTAL	**9939**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	38	2.3	5	<1	1	2	3	3	6	13
1-11 MOS	129	2.3	2	1	1	2	3	4	5	7
1-5 YRS	98	2.4	9	<1	1	2	3	4	7	18
6-12 YRS	109	2.4	3	1	1	2	3	4	5	10
13-19 YRS	87	2.4	4	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	1	1	3	5	5	5	5
1-5 YRS	6	2.5	4	<1	<1	2	3	6	6	6
6-12 YRS	7	4.9	32	<1	<1	2	8	15	16	16
13-19 YRS	16	3.8	15	<1	1	3	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	3.2	11	1	1	2	4	6	8	21
1-11 MOS	315	3.1	6	1	1	2	4	6	8	14
1-5 YRS	552	2.6	4	1	1	2	3	5	7	10
6-12 YRS	399	2.7	6	1	1	2	3	5	7	13
13-19 YRS	325	3.2	14	1	1	2	4	6	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS	15	7.3	36	1	1	7	11	18	18	18
1-5 YRS	54	3.8	36	1	1	2	4	8	12	34
6-12 YRS	86	3.2	69	1	1	1	2	7	9	56
13-19 YRS	129	3.7	59	1	1	1	4	8	13	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	2.4	4	<1	1	2	3	4	5	9
B. *Operated*	33	3.7	15	<1	1	2	5	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	1655	2.9	7	1	1	2	3	5	7	13
B. *Operated*	284	3.7	57	1	1	1	4	8	13	33
1. SINGLE DX	494	2.5	5	<1	1	2	3	4	6	12
2. MULTIPLE DX	1939	3.0	15	1	1	2	3	6	8	16
A. NOT OPERATED	2116	2.8	7	1	1	2	3	5	7	12
B. OPERATED	317	3.7	52	1	1	1	4	8	13	33
TOTAL 0-27 DYS	102	2.9	8	1	1	2	3	5	8	18
1-11 MOS	463	3.0	7	1	1	2	4	6	8	16
1-5 YRS	710	2.7	7	1	1	2	3	5	7	12
6-12 YRS	601	2.8	15	1	1	2	3	5	7	15
13-19 YRS	557	3.2	23	1	1	2	4	6	8	16
GRAND TOTAL	**2433**	**2.9**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	413	2.8	5	1	1	2	3	5	6	11
1-11 MOS	846	3.5	7	1	1	3	4	6	8	15
1-5 YRS	578	2.9	7	<1	1	2	3	6	8	13
6-12 YRS	319	2.1	4	<1	1	2	2	4	5	12
13-19 YRS	541	2.6	20	<1	1	2	3	4	6	19
B. *Operated*										
0-27 DYS	4	3.8	6	1	1	3	5	7	7	7
1-11 MOS	25	4.5	18	<1	1	3	5	10	15	17
1-5 YRS	67	2.1	2	<1	<1	2	2	4	6	9
6-12 YRS	45	2.0	6	<1	<1	1	2	3	6	16
13-19 YRS	74	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	397	4.2	14	1	1	3	5	8	10	21
1-11 MOS	1865	5.3	24	1	1	4	7	10	14	25
1-5 YRS	1406	4.8	37	1	1	3	6	10	14	30
6-12 YRS	641	3.0	18	1	1	2	3	5	7	15
13-19 YRS	1379	3.4	19	1	1	2	4	6	8	28
B. *Operated*										
0-27 DYS	20	13.2	165	2	2	10	14	39	43	45
1-11 MOS	127	15.1	242	2	3	11	20	39	63	99+
1-5 YRS	170	9.2	182	1	1	4	11	27	40	98
6-12 YRS	96	5.1	117	<1	1	2	5	10	15	74
13-19 YRS	175	4.8	72	<1	1	2	5	10	19	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2697	2.9	9	1	1	2	4	5	7	14
B. *Operated*	215	2.4	6	<1	<1	2	3	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	5688	4.4	25	1	1	3	5	9	13	27
B. *Operated*	588	8.6	167	1	1	4	10	23	40	96
1. SINGLE DX	2912	2.9	9	1	1	2	3	5	7	14
2. MULTIPLE DX	6276	4.8	40	1	1	3	5	9	14	35
A. NOT OPERATED	8385	3.9	21	1	1	3	4	8	11	23
B. OPERATED	803	6.9	131	<1	1	3	8	17	29	88
TOTAL 0-27 DYS	834	3.7	16	1	1	3	4	7	9	21
1-11 MOS	2863	5.2	34	1	1	4	6	10	14	29
1-5 YRS	2221	4.6	42	1	1	3	5	9	14	32
6-12 YRS	1101	2.9	22	1	1	2	3	5	7	17
13-19 YRS	2169	3.2	23	1	1	2	4	6	8	28
GRAND TOTAL	**9188**	**4.2**	**31**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	39	2.3	14	1	1	1	2	4	5	24
1-11 MOS	435	1.6	1	1	1	1	2	3	4	7
1-5 YRS	369	1.8	2	<1	1	1	2	3	4	7
6-12 YRS	173	2.2	2	1	1	2	3	4	5	8
13-19 YRS	69	3.1	9	1	1	2	4	6	10	15
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	38	3.0	5	1	1	2	4	5	7	12
1-5 YRS	58	4.8	22	1	2	4	5	8	10	29
6-12 YRS	70	4.4	6	2	2	4	6	8	8	14
13-19 YRS	48	6.0	30	1	2	5	8	10	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	14	<1	1	2	7	10	11	12
1-11 MOS	256	2.8	9	1	1	2	3	6	7	14
1-5 YRS	285	2.9	10	1	1	2	3	6	8	24
6-12 YRS	209	3.8	27	1	1	3	4	8	12	99+
13-19 YRS	157	5.6	55	1	1	3	7	12	20	96
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	32	15.9	351	1	2	7	23	44	60	75
1-5 YRS	104	11.0	238	1	1	5	12	32	45	77
6-12 YRS	126	7.3	60	1	2	4	9	17	29	53
13-19 YRS	193	13.6	239	1	2	8	17	37	51	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	1.9	3	1	1	1	2	3	5	8
B. *Operated*	215	4.6	16	1	2	4	5	8	10	25
2. MULTIPLE DX										
A. *Not Operated*	921	3.6	22	1	1	2	4	7	11	57
B. *Operated*	456	11.4	203	1	2	6	14	30	44	81
1. SINGLE DX	1300	2.3	6	1	1	2	3	5	6	11
2. MULTIPLE DX	1377	6.1	96	1	1	3	6	14	28	78
A. NOT OPERATED	2006	2.6	12	1	1	2	3	5	8	21
B. OPERATED	671	9.2	153	1	2	5	10	24	37	75
TOTAL 0-27 DYS	55	2.8	14	1	1	2	3	5	9	23
1-11 MOS	761	2.7	26	1	1	1	3	5	7	24
1-5 YRS	816	3.6	45	1	1	2	3	6	11	42
6-12 YRS	578	4.1	27	1	1	3	5	8	13	50
13-19 YRS	467	8.6	140	1	1	5	10	20	37	90
GRAND TOTAL	**2677**	**4.3**	**56**	**1**	**1**	**2**	**4**	**9**	**15**	**53**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.2	3	1	1	2	3	5	5	5
1-11 MOS	51	1.4	1	<1	1	1	1	3	3	5
1-5 YRS	197	1.9	2	<1	1	1	2	3	5	8
6-12 YRS	181	2.6	11	1	1	2	3	5	6	16
13-19 YRS	158	3.7	12	<1	1	2	5	9	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	15	4.3	6	1	2	4	6	8	9	10
6-12 YRS	21	5.0	11	1	1	4	7	10	11	13
13-19 YRS	18	4.9	9	1	1	4	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	45	2.8	10	1	1	2	3	5	7	20
1-5 YRS	163	3.5	15	<1	1	2	4	8	13	19
6-12 YRS	280	3.9	21	1	1	3	4	8	13	40
13-19 YRS	344	5.3	23	1	1	4	6	11	14	26
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	13.6	232	1	1	9	18	40	40	40
1-5 YRS	60	10.7	151	1	2	6	15	25	31	61
6-12 YRS	81	11.3	165	1	1	6	15	35	43	85
13-19 YRS	246	13.8	247	1	2	8	19	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	2.6	8	<1	1	2	3	5	7	12
B. *Operated*	56	4.8	9	1	1	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	835	4.3	21	1	1	3	5	10	13	24
B. *Operated*	393	12.8	215	1	2	8	17	34	51	99+
1. SINGLE DX	648	2.7	8	1	1	2	3	6	8	12
2. MULTIPLE DX	1228	7.0	98	1	1	4	8	17	26	79
A. NOT OPERATED	1427	3.6	16	1	1	2	4	8	11	22
B. OPERATED	449	11.8	196	1	2	7	15	31	49	99+
TOTAL 0-27 DYS	9	3.3	12	1	1	2	4	9	12	12
1-11 MOS	103	2.7	21	1	1	1	3	5	8	29
1-5 YRS	435	3.8	35	1	1	2	4	8	15	27
6-12 YRS	563	4.6	46	1	1	2	5	9	17	46
13-19 YRS	766	7.7	110	1	1	4	9	18	26	83
GRAND TOTAL	**1876**	**5.6**	**71**	**1**	**1**	**3**	**6**	**12**	**20**	**56**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	3.8	19	<1	<1	2	4	12	14	14
6-12 YRS	14	2.0	5	<1	<1	1	2	4	8	9
13-19 YRS	51	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	46	1.9	2	<1	<1	1	3	4	4	6
6-12 YRS	240	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	1030	1.9	3	<1	<1	1	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	31	2.2	4	1	1	2	2	4	6	10
6-12 YRS	52	2.1	3	<1	1	2	3	4	5	8
13-19 YRS	199	2.4	21	<1	<1	1	3	4	6	12
B. *Operated*										
0-27 DYS	3	10.0	151	1	1	5	19	24	24	24
1-11 MOS	7	2.6	6	<1	<1	2	3	7	8	8
1-5 YRS	105	3.4	12	<1	1	2	4	7	9	22
6-12 YRS	284	3.4	24	1	1	2	4	6	9	32
13-19 YRS	1598	3.4	14	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.1	5	<1	<1	1	2	4	8	13
B. *Operated*	1319	1.8	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	289	2.3	15	<1	<1	1	2	4	5	11
B. *Operated*	1997	3.4	16	1	1	2	4	7	10	20
1. SINGLE DX	1396	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2286	3.3	16	1	1	2	4	6	9	19
A. NOT OPERATED	366	2.2	13	<1	<1	1	2	4	6	11
B. OPERATED	3316	2.8	11	<1	1	2	3	6	8	16
TOTAL 0-27 DYS	5	7.0	94	<1	<1	4	10	24	24	24
1-11 MOS	18	2.0	3	<1	<1	2	2	3	6	8
1-5 YRS	191	2.9	9	<1	1	2	3	7	8	19
6-12 YRS	590	2.5	13	<1	<1	1	3	5	7	16
13-19 YRS	2878	2.8	11	<1	1	2	3	6	8	15
GRAND TOTAL	**3682**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	6.5	20	3	3	5	7	14	15	15
1-5 YRS	14	2.2	2	<1	1	2	3	4	6	6
6-12 YRS	76	2.9	10	1	1	2	3	5	8	20
13-19 YRS	475	3.6	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.0	16	5	5	5	9	13	13	13
6-12 YRS	6	6.8	27	2	2	6	9	15	16	16
13-19 YRS	100	10.5	43	3	3	9	14	19	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	7	7.3	42	1	1	7	9	18	20	20
1-5 YRS	19	4.3	14	1	1	3	5	11	13	14
6-12 YRS	59	3.7	8	1	1	3	5	7	9	16
13-19 YRS	546	4.8	16	1	1	4	6	10	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	8.8	22	3	3	7	14	15	15	15
6-12 YRS	11	7.5	11	3	3	8	10	12	13	13
13-19 YRS	295	10.2	81	1	2	8	13	21	28	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.5	7	1	1	3	5	7	8	12
B. *Operated*	110	10.1	42	2	3	9	14	18	24	31
2. MULTIPLE DX										
A. *Not Operated*	633	4.7	16	1	1	3	6	10	12	20
B. *Operated*	312	10.1	78	1	2	8	13	20	28	59
1. SINGLE DX	682	4.6	18	1	1	3	6	9	13	24
2. MULTIPLE DX	945	6.5	43	1	1	5	9	14	18	35
A. NOT OPERATED	1205	4.1	12	1	1	3	5	8	11	17
B. OPERATED	422	10.1	68	2	3	9	13	19	27	44
TOTAL 0-27 DYS	3	9.7	100	2	2	6	17	21	21	21
1-11 MOS	13	6.9	29	1	1	6	8	16	19	20
1-5 YRS	43	4.5	15	1	1	3	6	11	14	15
6-12 YRS	152	3.7	12	1	1	3	4	8	11	17
13-19 YRS	1416	5.9	36	1	1	4	7	13	16	31
GRAND TOTAL	**1627**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	11	3.9	7	1	1	4	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	17	13.1	62	2	2	12	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	51.7	1281	21	21	43	79	91	91	91
6-12 YRS	4	7.0	41	2	2	5	11	16	16	16
13-19 YRS	19	11.9	207	<1	1	6	18	38	48	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	16.5	113	9	9	16	24	24	24	24
6-12 YRS	6	27.8	333	9	9	25	42	54	55	55
13-19 YRS	104	26.3	432	6	9	21	40	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	5	1	1	4	6	7	8	8
B. *Operated*	18	13.3	58	2	2	12	16	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	26	15.8	434	1	2	6	21	46	57	91
B. *Operated*	112	26.2	419	6	9	21	40	87	99+	99+
1. SINGLE DX	32	9.2	57	1	2	7	13	21	27	27
2. MULTIPLE DX	138	24.3	436	2	5	20	36	78	99+	99+
A. NOT OPERATED	40	11.6	313	1	1	5	10	34	47	91
B. OPERATED	130	24.4	388	4	8	20	35	77	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	37.6	1040	9	9	24	55	91	91	91
6-12 YRS	14	15.9	262	2	2	9	21	43	52	55
13-19 YRS	151	21.4	387	2	3	17	31	72	99+	99+
GRAND TOTAL	**170**	**21.4**	**399**	**2**	**3**	**17**	**31**	**71**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	11	1.3		<1	<1	1	2	2	2	2
13-19 YRS	38	1.8	2	<1	1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.8	16	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	14	6.0	16	1	2	5	8	13	14	14
1-5 YRS	13	2.9	3	1	1	2	3	6	7	7
6-12 YRS	31	2.5	2	1	1	2	3	5	6	6
13-19 YRS	168	3.1	11	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0		8	8	8	8	8	8	8
1-5 YRS	5	6.2	24	1	1	7	9	13	13	13
6-12 YRS	16	5.6	18	1	1	4	9	13	13	13
13-19 YRS	82	7.2	39	1	2	6	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	1.6	1	<1	1	1	2	2	3	8
B. *Operated*	6	4.8	16	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	229	3.2	10	1	1	2	4	6	7	13
B. *Operated*	105	6.9	35	1	2	5	9	14	16	32
1. SINGLE DX	60	2.0	3	<1	1	1	2	3	7	10
2. MULTIPLE DX	334	4.4	21	1	1	3	5	9	13	26
A. NOT OPERATED	283	2.9	9	1	1	2	4	6	7	12
B. OPERATED	111	6.8	34	1	1	5	9	13	16	32
TOTAL 0-27 DYS	4	3.3	3	1	1	3	4	5	5	5
1-11 MOS	16	6.3	14	1	2	6	8	13	14	14
1-5 YRS	22	3.5	9	1	1	2	3	7	10	13
6-12 YRS	58	3.1	9	1	1	2	4	6	12	13
13-19 YRS	294	4.1	22	1	1	3	5	8	10	27
GRAND TOTAL	**394**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

347: Fracture of pelvis (808)

TYPE OF FATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	5	2	2	2	5	6	6	6
1-5 YRS	16	2.8	4	1	1	2	4	6	7	8
6-12 YRS	38	4.1	8	1	1	4	6	7	8	14
13-19 YRS	185	4.9	26	1	1	3	6	9	13	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	450	2	2	17	32	32	32	32
6-12 YRS	5	8.4	78	1	1	5	13	23	23	23
13-19 YRS	25	10.4	77	2	2	8	14	25	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	7	7.0	4	3	4	8	8	9	9	9
1-5 YRS	55	4.4	16	1	1	3	5	9	15	20
6-12 YRS	84	5.7	22	1	2	4	8	11	15	23
13-19 YRS	392	7.1	48	1	2	5	8	14	18	40
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	10	9.3	139	2	2	5	7	28	41	41
6-12 YRS	30	12.4	192	3	3	8	16	25	33	71
13-19 YRS	257	14.2	169	2	3	10	18	31	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.6	22	1	1	3	5	8	12	30
B. *Operated*	32	10.5	88	2	2	7	14	26	32	35
2. MULTIPLE DX										
A. *Not Operated*	540	6.6	40	1	2	5	8	13	17	37
B. *Operated*	298	13.8	170	2	3	9	17	31	41	62
1. SINGLE DX	274	5.3	33	1	1	4	6	10	16	33
2. MULTIPLE DX	838	9.2	98	1	2	6	11	20	30	53
A. NOT OPERATED	782	6.0	35	1	2	4	7	11	16	34
B. OPERATED	330	13.5	163	2	3	9	17	30	40	60
TOTAL 0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	11	5.7	7	2	2	6	8	9	9	9
1-5 YRS	83	5.0	39	1	1	3	6	9	17	38
6-12 YRS	157	6.7	60	1	1	5	8	14	22	33
13-19 YRS	859	8.8	93	1	2	6	10	20	30	49
GRAND TOTAL	**1112**	**8.2**	**85**	**1**	**2**	**5**	**9**	**18**	**27**	**48**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	2.4	3	<1	1	2	3	5	6	6
1-5 YRS	135	2.3	13	<1	1	1	2	5	12	17
6-12 YRS	145	2.7	20	<1	<1	1	2	5	13	22
13-19 YRS	56	3.7	28	<1	<1	1	3	13	18	23
B. *Operated*										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	14	3.3	14	<1	<1	2	4	6	13	15
1-5 YRS	1148	2.7	14	1	1	1	2	5	12	20
6-12 YRS	1694	2.7	13	1	1	2	2	5	11	20
13-19 YRS	760	2.7	10	<1	1	2	3	5	6	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	34	4.1	15	1	1	2	7	9	10	17
1-5 YRS	37	4.5	30	1	1	2	4	14	17	21
6-12 YRS	43	3.1	17	<1	1	2	3	6	15	20
13-19 YRS	76	2.9	11	1	1	2	3	5	8	19
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	3.1	8	<1	<1	2	4	8	9	9
1-5 YRS	202	4.3	27	1	1	2	5	12	16	22
6-12 YRS	451	4.6	39	1	1	2	5	12	19	25
13-19 YRS	407	5.4	55	1	1	3	6	10	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	2.7	18	<1	1	1	2	6	14	20
B. *Operated*	3620	2.7	13	1	1	2	3	5	10	20
2. MULTIPLE DX										
A. *Not Operated*	191	3.4	17	1	1	2	4	8	13	20
B. *Operated*	1070	4.8	42	1	1	3	5	11	18	34
1. SINGLE DX	3974	2.7	13	1	1	2	3	5	11	20
2. MULTIPLE DX	1261	4.6	39	1	1	3	5	11	17	32
A. NOT OPERATED	545	3.0	17	<1	1	1	3	7	14	20
B. OPERATED	4690	3.2	20	1	1	2	3	6	13	22
TOTAL 0-27 DYS	7	1.9	1	1	1	2	2	4	4	4
1-11 MOS	74	3.4	11	<1	1	2	5	8	9	17
1-5 YRS	1522	2.9	16	1	1	2	3	6	13	20
6-12 YRS	2333	3.1	19	1	1	2	3	6	13	21
13-19 YRS	1299	3.6	26	1	1	2	4	7	12	27
GRAND TOTAL	**5235**	**3.2**	**20**	**1**	**1**	**2**	**3**	**6**	**13**	**21**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	26	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	95	1.4	1	<1	1	1	1	2	3	5
13-19 YRS	44	1.8	4	<1	1	1	2	2	4	14
B. *Operated*										
0-27 DYS										
1-11 MOS	10	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	673	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	2908	1.4	1	<1	1	1	2	2	3	5
13-19 YRS	1736	2.0	2	<1	1	1	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	4.5	17	<1	1	3	5	13	13	13
1-5 YRS	27	2.3	5	<1	<1	2	3	6	19	99+
6-12 YRS	53	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	86	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	8.3	37	3	3	7	13	15	15	15
1-5 YRS	100	2.3	6	<1	1	1	2	4	7	14
6-12 YRS	573	2.8	20	1	1	1	3	5	8	25
13-19 YRS	819	4.0	28	1	1	3	5	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	1.5	2	<1	1	1	2	2	3	6
B. *Operated*	5327	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	179	2.2	4	<1	<1	2	3	5	6	13
B. *Operated*	1495	3.4	24	1	1	2	4	7	11	22
1. SINGLE DX	5497	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1674	3.3	22	1	1	2	4	7	10	22
A. NOT OPERATED	349	1.8	3	<1	<1	1	2	3	5	13
B. OPERATED	6822	2.0	7	<1	1	1	2	4	5	12
TOTAL 0-27 DYS										
1-11 MOS	31	3.5	14	<1	<1	2	4	9	13	15
1-5 YRS	826	1.4	2	<1	<1	1	1	2	4	7
6-12 YRS	3629	1.6	4	<1	1	1	2	3	4	8
13-19 YRS	2685	2.6	11	1	1	2	3	5	7	16
GRAND TOTAL	**7171**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**12**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	5TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	3.8	17	1	1	2	4	11	12	12
6-12 YRS	10	4.2	12	1	1	3	6	9	12	12
13-19 YRS	26	2.2	4	<1	<1	2	2	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	78	1.5	1	<1	<1	1	1	3	4	7
6-12 YRS	202	1.6	1	<1	<1	1	2	3	4	8
13-19 YRS	719	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	13	1.8	1	1	1	2	2	3	4	4
6-12 YRS	12	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	63	3.0	30	1	1	2	3	4	6	40
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	<1	<1	1	4	5	5	5
1-5 YRS	62	2.5	6	<1	1	2	3	6	7	14
6-12 YRS	117	3.0	14	<1	1	2	3	8	12	19
13-19 YRS	445	2.9	10	1	1	2	3	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.0	9	<1	1	2	4	7	11	12
B. *Operated*	1000	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	89	2.7	22	1	1	2	3	4	5	31
B. *Operated*	627	2.9	10	<1	1	2	3	6	9	17
1. SINGLE DX	1046	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	716	2.9	11	1	1	2	3	6	9	17
A. NOT OPERATED	135	2.8	18	1	1	2	3	4	7	17
B. OPERATED	1627	2.1	5	<1	<1	1	2	4	6	11
TOTAL 0-27 DYS										
1-11 MOS	5	3.0	4	<1	<1	4	4	5	5	5
1-5 YRS	163	2.0	4	<1	<1	1	2	4	6	12
6-12 YRS	341	2.2	6	<1	<1	1	2	4	7	17
13-19 YRS	1253	2.1	6	<1	<1	1	2	4	6	11
GRAND TOTAL	**1762**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	24	1	1	2	5	13	14	14
1-5 YRS	34	11.9	230	<1	1	6	18	23	49	70
6-12 YRS	36	17.6	252	1	2	16	27	31	47	74
13-19 YRS	21	7.8	170	1	1	2	5	32	41	47
B. *Operated*										
0-27 DYS	3	10.0	7	7	7	11	12	12	12	12
1-11 MOS	9	6.8	32	1	1	4	12	15	16	16
1-5 YRS	39	13.3	101	1	2	14	19	26	30	45
6-12 YRS	135	7.6	64	2	2	5	7	16	27	38
13-19 YRS	141	7.3	34	2	2	6	9	13	15	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.0	72	10	10	16	22	22	22	22
1-11 MOS	8	13.5	219	2	2	6	20	38	45	45
1-5 YRS	30	10.5	70	1	1	9	17	23	24	25
6-12 YRS	22	16.1	257	1	2	6	25	41	48	53
13-19 YRS	26	11.1	276	1	1	5	9	35	48	75
B. *Operated*										
0-27 DYS	9	18.9	497	8	8	12	14	53	78	78
1-11 MOS	23	15.0	118	6	7	12	15	25	44	54
1-5 YRS	45	13.1	87	2	3	11	18	28	31	37
6-12 YRS	82	13.9	127	3	3	10	19	33	38	45
13-19 YRS	187	14.8	163	3	4	10	19	33	41	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	12.7	227	1	1	6	20	30	43	72
B. *Operated*	327	8.2	57	2	2	6	10	16	25	41
2. MULTIPLE DX										
A. *Not Operated*	88	12.5	189	1	1	6	21	26	41	67
B. *Operated*	346	14.5	149	3	3	11	19	32	38	74
1. SINGLE DX	424	9.2	99	1	2	6	11	22	29	51
2. MULTIPLE DX	434	14.1	157	2	3	10	19	31	40	74
A. NOT OPERATED	185	12.6	207	1	1	6	20	29	42	73
B. OPERATED	673	11.4	114	2	3	8	14	26	34	53
TOTAL 0-27 DYS	14	16.6	326	7	8	11	13	28	67	78
1-11 MOS	46	11.7	119	2	2	10	15	21	40	54
1-5 YRS	148	12.3	119	1	2	11	18	25	29	55
6-12 YRS	275	11.5	136	2	2	7	15	29	35	51
13-19 YRS	375	11.3	134	1	2	8	13	26	36	73
GRAND TOTAL	**858**	**11.7**	**134**	**2**	**2**	**8**	**15**	**26**	**35**	**61**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	116	7.2	49	<1	1	5	12	17	23	27
1-5 YRS	534	13.1	90	1	1	13	20	24	27	38
6-12 YRS	337	22.4	146	2	4	23	28	36	45	55
13-19 YRS	120	22.3	298	1	2	25	37	47	50	58
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	56	3.8	17	1	1	2	5	10	15	18
1-5 YRS	446	8.8	78	1	1	5	16	21	24	30
6-12 YRS	356	15.9	179	1	2	14	25	33	38	53
13-19 YRS	572	9.0	83	1	2	7	10	18	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	9.5	113	2	2	9	17	17	17	17
1-11 MOS	61	9.0	59	1	1	6	13	20	24	29
1-5 YRS	237	13.5	93	1	1	14	20	25	29	42
6-12 YRS	195	22.3	215	2	3	22	28	39	44	82
13-19 YRS	92	24.9	403	1	2	27	37	49	63	97
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	13	8.8	53	1	1	7	14	18	23	24
1-5 YRS	217	13.0	90	2	2	13	20	25	30	38
6-12 YRS	410	20.9	199	2	3	22	28	39	45	63
13-19 YRS	1009	16.2	187	3	4	12	19	34	48	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	16.3	154	1	1	16	24	32	39	53
B. *Operated*	1432	10.4	114	1	1	6	16	25	31	48
2. MULTIPLE DX										
A. *Not Operated*	587	17.8	208	1	2	17	25	35	43	77
B. *Operated*	1650	16.9	183	2	3	13	23	34	45	70
1. SINGLE DX	2540	13.0	140	1	1	9	21	28	35	51
2. MULTIPLE DX	2237	17.1	190	2	3	14	24	34	45	71
A. NOT OPERATED	1695	16.8	173	1	2	17	24	33	40	57
B. OPERATED	3082	13.9	161	1	2	10	20	30	39	61
TOTAL 0-27 DYS	6	8.8	93	1	1	5	17	23	24	24
1-11 MOS	246	7.0	47	1	1	4	12	17	22	27
1-5 YRS	1434	11.8	91	1	1	10	19	24	27	37
6-12 YRS	1298	20.1	189	2	3	21	28	37	44	61
13-19 YRS	1793	14.7	193	2	3	10	19	34	47	70
GRAND TOTAL	**4777**	**14.9**	**167**	**1**	**2**	**12**	**22**	**31**	**39**	**59**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.3	1	<1	<1	1	1	3	3	3
1-5 YRS	135	1.6	1	<1	1	1	2	3	4	5
6-12 YRS	247	2.0	2	1	1	2	2	4	4	8
13-19 YRS	282	2.3	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	4	3.5	4	1	1	4	5	5	5	5
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	196	1.9	2	<1	1	1	2	3	4	9
6-12 YRS	805	2.9	9	1	1	2	4	5	7	12
13-19 YRS	1461	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	10	2.4	5	1	1	1	4	6	7	7
1-5 YRS	55	2.7	5	1	1	2	3	6	8	11
6-12 YRS	79	3.8	14	1	1	2	4	8	11	21
13-19 YRS	134	4.5	64	1	1	3	5	7	10	45
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	6.1	59	1	1	4	6	20	23	23
1-5 YRS	73	7.2	91	1	1	3	7	22	30	41
6-12 YRS	329	5.9	47	1	1	4	7	12	20	36
13-19 YRS	923	8.4	87	1	2	5	10	18	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.1	2	<1	1	2	3	4	4	7
B. *Operated*	2470	3.3	9	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	280	3.9	36	1	1	3	5	7	9	21
B. *Operated*	1333	7.7	78	1	1	5	9	17	24	48
1. SINGLE DX	3140	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1613	7.1	73	1	1	4	8	15	23	46
A. NOT OPERATED	950	2.6	13	1	1	2	3	5	7	11
B. OPERATED	3803	4.8	38	1	1	3	5	10	14	35
TOTAL 0-27 DYS	7	4.4	5	1	1	5	6	8	8	8
1-11 MOS	27	3.1	19	<1	1	2	4	6	10	23
1-5 YRS	459	2.8	20	<1	1	1	3	5	8	27
6-12 YRS	1460	3.5	19	1	1	2	4	7	9	23
13-19 YRS	2800	5.1	43	1	1	3	6	10	15	37
GRAND TOTAL	**4753**	**4.4**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	36	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	101	2.1	2	1	1	2	3	4	5	7
13-19 YRS	163	2.1	2	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	4.8	10	1	1	4	6	10	12	12
1-5 YRS	63	2.6	21	1	1	2	3	4	6	33
6-12 YRS	609	2.4	4	1	1	2	3	5	6	10
13-19 YRS	2311	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	6.0	39	1	1	4	11	13	13	13
1-5 YRS	30	2.8	4	<1	1	2	4	6	7	9
6-12 YRS	48	2.9	6	1	1	2	3	6	7	13
13-19 YRS	163	2.8	5	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.2	42	1	1	5	9	18	19	19
1-5 YRS	73	5.3	53	1	1	3	5	14	24	36
6-12 YRS	227	5.3	53	1	1	3	5	10	19	44
13-19 YRS	1291	5.0	29	1	1	4	6	9	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.1	2	1	1	2	3	4	5	8
B. *Operated*	2994	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	245	2.9	5	<1	1	2	4	6	7	13
B. *Operated*	1598	5.0	33	1	1	4	6	9	14	31
1. SINGLE DX	3297	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1843	4.7	30	1	1	3	5	9	13	30
A. NOT OPERATED	548	2.5	4	<1	1	2	3	5	6	11
B. OPERATED	4592	3.5	16	1	1	3	4	6	9	22
TOTAL 0-27 DYS	4	3.3	10	1	1	2	5	8	8	8
1-11 MOS	21	5.2	22	1	1	4	7	12	16	19
1-5 YRS	202	3.5	28	1	1	2	4	6	10	35
6-12 YRS	985	3.1	16	1	1	2	3	5	8	21
13-19 YRS	3928	3.5	13	1	1	3	4	6	9	18
GRAND TOTAL	**5140**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	12	1.5		<1	<1	1	2	3	3	3
13-19 YRS	32	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	12	1.4		<1	<1	1	2	3	3	3
13-19 YRS	94	1.9	2	1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.2	13	1	1	5	7	11	11	11
1-5 YRS	38	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	34	2.2	2	1	1	2	3	4	5	6
13-19 YRS	182	3.2	12	1	1	2	4	6	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.0	57	<1	<1	2	3	18	22	22
6-12 YRS	11	1.9	2	1	1	1	3	4	5	5
13-19 YRS	111	5.2	70	<1	1	3	6	9	19	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	107	1.9	2	<1	1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	259	2.9	9	1	1	2	3	6	8	18
B. *Operated*	129	4.9	64	<1	1	3	5	9	19	49
1. SINGLE DX	158	1.8	2	<1	1	1	2	3	4	10
2. MULTIPLE DX	388	3.6	28	<1	1	2	4	7	9	27
A. NOT OPERATED	310	2.7	8	<1	1	2	3	5	7	16
B. OPERATED	236	3.6	38	<1	1	2	3	7	9	30
TOTAL 0-27 DYS										
1-11 MOS	5	5.2	13	1	1	5	7	11	11	11
1-5 YRS	53	2.1	9	<1	<1	1	2	3	5	22
6-12 YRS	69	1.9	2	1	1	1	2	4	5	6
13-19 YRS	419	3.3	26	<1	1	2	4	6	9	26
GRAND TOTAL	**546**	**3.1**	**21**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.5	2	1	1	2	3	5	5	5
1-5 YRS	7	1.1		1	1	1	1	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	4.8	19	1	1	4	7	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	4.5	10	2	2	3	6	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	16	1	1	2	7	11	11	11
1-5 YRS	3	7.7	97	1	1	3	15	19	19	19
6-12 YRS	8	4.4	13	1	1	3	7	10	10	10
13-19 YRS	6	4.7	29	<1	<1	2	6	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	22.4	153	7	7	21	29	41	41	41
6-12 YRS	10	17.0	534	1	2	9	21	51	79	79
13-19 YRS	24	15.6	235	4	4	12	18	29	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.7	7	1	1	2	4	5	9	12
B. *Operated*	5	4.2	8	2	2	3	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	23	4.8	25	<1	1	3	7	12	16	19
B. *Operated*	40	16.6	284	3	4	12	20	34	60	79
1. SINGLE DX	24	3.0	7	1	1	2	4	6	10	12
2. MULTIPLE DX	63	12.3	220	1	1	8	17	24	44	78
A. NOT OPERATED	42	3.9	17	1	1	2	4	10	13	19
B. OPERATED	45	15.2	268	2	3	10	19	27	55	79
TOTAL 0-27 DYS										
1-11 MOS	13	3.7	10	1	1	3	5	9	11	11
1-5 YRS	16	9.1	145	1	1	2	18	25	36	41
6-12 YRS	23	9.9	265	1	2	4	10	22	43	79
13-19 YRS	35	12.2	192	1	2	8	15	22	44	70
GRAND TOTAL	**87**	**9.7**	**178**	**1**	**1**	**5**	**12**	**21**	**29**	**76**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	12	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.4	3	1	1	2	3	5	5	5
13-19 YRS	271	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	18	2.1	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	61	2.6	5	1	1	2	3	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.1		<1	<1	1	1	1	2	2
B. *Operated*	278	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	2.3	3	<1	<1	1	3	5	6	7
B. *Operated*	66	2.9	11	1	1	2	3	5	8	21
1. SINGLE DX	292	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	87	2.8	9	<1	1	2	3	5	7	19
A. NOT OPERATED	35	1.8	2	<1	<1	1	2	4	6	7
B. OPERATED	344	2.2	3	1	1	2	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS	2	11.5	221	1	1	11	22	22	22	22
1-5 YRS	4	5.0	8	1	1	6	7	7	7	7
6-12 YRS	11	1.9	2	<1	<1	1	3	4	5	5
13-19 YRS	362	2.1	2	<1	1	2	3	4	4	7
GRAND TOTAL	**379**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	21	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	63	2.1	3	<1	<1	2	2	4	5	10
13-19 YRS	885	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	28	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	3.6	3	1	1	4	5	6	6	6
1-5 YRS	3	3.7	4	2	2	3	5	6	6	6
6-12 YRS	36	3.3	8	<1	1	3	4	6	7	16
13-19 YRS	958	2.5	6	<1	<1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	951	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	30	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*	1004	2.5	6	<1	<1	2	3	5	6	11
1. SINGLE DX	976	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	1034	2.5	6	<1	<1	2	3	5	6	11
A. NOT OPERATED	55	1.9	2	<1	<1	1	2	4	6	8
B. OPERATED	1955	2.2	4	<1	<1	2	3	4	5	9
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	3.3	3	1	1	4	4	6	6	6
1-5 YRS	4	3.3	4	2	2	3	4	6	6	6
6-12 YRS	105	2.5	5	<1	<1	2	3	5	6	13
13-19 YRS	1892	2.2	4	<1	<1	2	3	4	5	9
GRAND TOTAL	**2010**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	8	4.5	64	<1	<1	1	3	18	24	24
6-12 YRS	25	2.5	8	<1	<1	1	2	7	9	13
13-19 YRS	44	3.1	10	<1	<1	2	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	61	2.6	6	<1	1	2	3	6	8	13
6-12 YRS	155	2.6	10	<1	1	1	3	5	8	19
13-19 YRS	326	3.0	14	<1	1	2	3	6	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	2.6	1	1	1	3	3	4	4	4
6-12 YRS	14	2.9	7	<1	1	2	4	8	8	8
13-19 YRS	49	4.8	33	1	1	3	6	10	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.0	217	<1	<1	2	21	27	27	27
1-5 YRS	33	7.6	190	1	2	5	7	12	15	82
6-12 YRS	93	5.9	58	1	1	4	7	13	16	46
13-19 YRS	244	6.9	73	1	1	4	8	15	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.9	14	<1	<1	2	3	6	9	22
B. *Operated*	545	2.8	12	<1	1	1	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	74	4.3	26	1	1	3	5	9	13	31
B. *Operated*	373	6.8	80	1	1	4	8	14	23	49
1. SINGLE DX	626	2.8	12	<1	1	1	3	6	10	19
2. MULTIPLE DX	447	6.4	71	1	1	4	7	13	20	48
A. NOT OPERATED	155	3.6	20	<1	1	2	4	8	11	24
B. OPERATED	918	4.4	43	<1	1	2	5	10	15	35
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	11	3.8	60	<1	<1	1	2	13	26	27
1-5 YRS	111	4.2	68	1	1	3	4	8	11	47
6-12 YRS	287	3.7	28	<1	1	2	5	8	13	26
13-19 YRS	663	4.6	40	<1	1	2	5	10	16	35
GRAND TOTAL	**1073**	**4.3**	**40**	**<1**	**1**	**2**	**5**	**9**	**14**	**33**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	11	4.2	27	1	1	2	4	14	15	15
13-19 YRS	47	2.3	5	<1	<1	2	3	4	5	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	27	2.2	2	<1	<1	2	3	4	6	7
13-19 YRS	957	2.9	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	11	3.2	10	<1	<1	2	4	9	11	11
13-19 YRS	48	2.4	4	<1	<1	1	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	16	1	1	3	7	10	10	10
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	33	3.2	3	<1	<1	3	5	6	6	6
13-19 YRS	1294	3.5	4	<1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.6	8	<1	1	2	3	4	9	15
B. *Operated*	985	2.8	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	60	2.5	5	<1	<1	2	3	6	8	11
B. *Operated*	1333	3.5	4	<1	1	3	4	6	7	10
1. SINGLE DX	1047	2.8	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX	1393	3.4	4	<1	1	3	4	6	7	11
A. NOT OPERATED	122	2.6	7	<1	<1	2	3	5	8	14
B. OPERATED	2318	3.2	3	<1	1	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	5	4.0	14	1	1	2	6	10	10	10
1-5 YRS	7	2.1	1	1	1	2	3	3	3	3
6-12 YRS	82	3.0	7	<1	<1	2	4	6	7	15
13-19 YRS	2346	3.2	3	<1	1	3	4	5	6	10
GRAND TOTAL	**2440**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	3.5	8	1	1	3	4	8	10	10
13-19 YRS	138	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	13	6	6	8	11	11	11	11
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	4.5	13	1	1	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.0	43	2	2	7	13	15	15	15
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	8	3.0	4	1	1	3	4	6	7	7
13-19 YRS	160	4.5	10	<1	1	4	6	9	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	12	5.9	23	1	1	4	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.2	4	1	1	3	4	6	7	10
B. *Operated*	13	5.0	13	1	1	5	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	173	4.5	10	1	1	4	6	9	10	15
B. *Operated*	13	6.5	25	1	1	5	12	13	13	13
1. SINGLE DX	163	3.4	5	1	1	3	5	6	8	11
2. MULTIPLE DX	186	4.6	11	1	1	4	7	9	11	15
A. NOT OPERATED	323	3.9	8	1	1	3	5	8	9	14
B. OPERATED	26	5.7	19	1	1	5	9	13	13	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	8.1	21	2	2	7	12	14	15	15
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	17	3.2	5	1	1	3	4	6	9	10
13-19 YRS	320	4.0	8	1	1	3	5	8	9	13
GRAND TOTAL	**349**	**4.0**	**9**	**1**	**1**	**3**	**5**	**8**	**9**	**14**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	24	1	1	2	6	13	13	13
1-5 YRS	24	1.6	1	<1	1	1	2	3	4	4
6-12 YRS	68	2.2	4	<1	<1	1	3	4	5	12
13-19 YRS	323	2.6	5	<1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	4.0	20	<1	1	3	5	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	10	6.2	12	2	2	5	8	11	14	14
1-5 YRS	19	2.1	3	<1	<1	1	3	5	6	6
6-12 YRS	61	2.1	3	1	1	2	2	4	7	7
13-19 YRS	575	3.3	8	<1	1	3	4	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	49	3.2	7	<1	<1	2	4	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	2.5	5	<1	1	2	3	5	7	13
B. *Operated*	28	4.0	19	<1	1	2	5	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	668	3.2	8	<1	1	2	4	7	8	14
B. *Operated*	50	3.2	6	<1	<1	2	4	7	9	11
1. SINGLE DX	448	2.6	6	<1	1	2	3	5	7	14
2. MULTIPLE DX	718	3.2	8	<1	1	2	4	7	8	13
A. NOT OPERATED	1088	2.9	7	<1	1	2	4	6	8	13
B. OPERATED	78	3.4	11	<1	1	2	5	8	11	17
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	15	5.6	15	1	2	5	8	13	14	14
1-5 YRS	43	1.8	2	<1	<1	1	2	3	5	6
6-12 YRS	130	2.2	3	<1	1	1	3	4	6	9
13-19 YRS	974	3.1	7	<1	1	2	4	6	8	14
GRAND TOTAL	**1166**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	9	1.8		<1	<1	2	2	3	3	3
6-12 YRS	36	2.5	4	<1	1	2	4	6	7	7
13-19 YRS	83	2.0	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	17	1.5		<1	<1	1	2	2	2	2
13-19 YRS	304	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	10	2.6	2	1	1	2	3	5	6	6
6-12 YRS	15	2.3	3	1	1	1	4	5	5	5
13-19 YRS	120	2.4	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.6	6	1	1	2	3	7	7	7
6-12 YRS	8	2.5	6	1	1	2	3	7	8	8
13-19 YRS	139	2.2	3	<1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	327	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	147	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	152	2.2	3	<1	1	2	3	4	6	9
1. SINGLE DX	458	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	299	2.4	3	<1	1	2	3	4	6	9
A. NOT OPERATED	278	2.3	3	<1	1	2	3	5	6	7
B. OPERATED	479	1.9	2	<1	1	1	2	3	4	7
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	3.8	30	<1	<1	1	7	12	12	12
1-5 YRS	29	2.1	2	<1	1	2	2	4	6	7
6-12 YRS	76	2.2	3	<1	1	2	3	5	6	8
13-19 YRS	646	2.0	2	<1	1	2	3	4	4	7
GRAND TOTAL	**757**	**2.0**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	113	1.2		<1	<1	1	1	2	2	5
1-5 YRS	1101	1.2		<1	1	1	1	2	2	3
6-12 YRS	1977	1.2		<1	1	1	1	2	2	3
13-19 YRS	1757	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	102	2.0	3	<1	1	1	2	3	4	12
1-5 YRS	938	1.7	5	<1	1	1	2	3	4	8
6-12 YRS	1852	1.7	2	1	1	1	2	3	4	7
13-19 YRS	3709	1.9	3	<1	1	1	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	3.3	16	1	1	2	3	9	14	14
1-5 YRS	113	2.5	12	1	1	1	3	5	7	21
6-12 YRS	339	2.9	27	1	1	1	3	6	10	27
13-19 YRS	1220	2.7	10	<1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4951	1.3	1	<1	1	1	1	2	3	4
B. *Operated*	12	1.5	2	<1	<1	1	1	3	6	6
2. MULTIPLE DX										
A. *Not Operated*	6603	1.8	3	<1	1	1	2	3	4	8
B. *Operated*	1682	2.7	14	<1	1	2	3	5	8	20
1. SINGLE DX	4963	1.3	1	<1	1	1	1	2	3	4
2. MULTIPLE DX	8285	2.0	5	<1	1	1	2	4	5	11
A. NOT OPERATED	11554	1.6	2	<1	1	1	2	3	4	7
B. OPERATED	1694	2.7	14	<1	1	2	3	5	8	20
TOTAL 0-27 DYS	5	2.2	7	1	1	1	3	7	7	7
1-11 MOS	225	1.6	3	<1	1	1	2	3	4	10
1-5 YRS	2155	1.5	3	<1	1	1	2	2	3	7
6-12 YRS	4171	1.6	4	<1	1	1	2	2	3	7
13-19 YRS	6692	1.9	4	<1	1	1	2	4	5	9
GRAND TOTAL	**13248**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		<1	<1	1	1	2	2	2
1-11 MOS	143	1.6	7	<1	<1	1	1	2	3	15
1-5 YRS	579	1.6	17	<1	1	1	1	2	3	8
6-12 YRS	689	1.5	3	<1	1	1	1	2	3	9
13-19 YRS	616	2.3	13	<1	1	1	2	4	7	15
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	7	4.4	7	1	1	4	7	8	8	8
1-5 YRS	21	9.0	124	2	3	4	8	23	36	49
6-12 YRS	41	5.7	7	2	3	5	7	9	10	14
13-19 YRS	59	7.2	27	2	2	6	9	12	23	93
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	5.1	22	1	1	4	8	12	14	14
1-11 MOS	174	3.1	19	<1	1	1	3	8	13	25
1-5 YRS	742	2.6	28	<1	1	1	2	5	8	38
6-12 YRS	933	2.7	39	1	1	1	2	4	7	39
13-19 YRS	1408	4.0	59	<1	1	2	3	9	15	59
B. *Operated*										
0-27 DYS	2	36.0	338	23	23	36	49	49	49	49
1-11 MOS	44	13.9	222	1	2	9	16	37	53	60
1-5 YRS	146	8.7	145	1	1	4	11	23	41	69
6-12 YRS	224	9.3	179	1	1	4	11	29	46	99+
13-19 YRS	741	13.4	320	1	1	6	19	44	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2033	1.8	10	<1	1	1	2	3	4	12
B. *Operated*	129	6.9	36	2	2	6	8	12	21	59
2. MULTIPLE DX										
A. *Not Operated*	3265	3.3	44	<1	1	1	3	6	12	42
B. *Operated*	1157	12.1	271	1	1	5	16	38	53	99+
1. SINGLE DX	2162	2.1	13	<1	1	1	2	4	7	17
2. MULTIPLE DX	4422	5.6	119	<1	1	2	4	14	29	79
A. NOT OPERATED	5298	2.7	32	<1	1	1	2	5	9	33
B. OPERATED	1286	11.6	250	1	1	5	15	35	52	99+
TOTAL 0-27 DYS	17	7.8	152	<1	<1	2	10	21	40	49
1-11 MOS	368	3.9	52	<1	1	1	3	9	15	49
1-5 YRS	1488	2.9	41	<1	1	1	2	5	10	43
6-12 YRS	1887	3.1	47	1	1	1	2	6	11	45
13-19 YRS	2824	6.1	136	<1	1	2	5	16	32	87
GRAND TOTAL	**6584**	**4.4**	**87**	**<1**	**1**	**1**	**3**	**10**	**22**	**63**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.4	1	1	1	1	2	3	3	3
6-12 YRS	16	2.4	3	<1	1	2	3	5	6	7
13-19 YRS	74	2.4	4	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	10	4.6	5	1	2	4	7	8	8	8
13-19 YRS	97	4.5	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.5	16	1	1	3	7	10	10	10
1-5 YRS	32	2.7	2	<1	1	3	3	4	4	7
6-12 YRS	45	3.4	5	1	1	3	4	6	8	12
13-19 YRS	209	4.0	26	1	1	3	4	7	9	35
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	8.7	33	2	4	7	11	22	47	99+
6-12 YRS	41	7.8	50	3	3	6	8	15	25	38
13-19 YRS	428	8.2	58	2	3	6	9	14	21	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.3	4	1	1	2	3	5	6	11
B. *Operated*	108	4.5	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	290	3.8	20	1	1	3	4	7	8	23
B. *Operated*	493	8.2	56	2	3	6	9	15	22	48
1. SINGLE DX	205	3.4	6	1	1	3	4	7	8	12
2. MULTIPLE DX	783	6.6	47	1	2	5	8	13	18	43
A. NOT OPERATED	387	3.4	16	1	1	3	4	6	8	14
B. OPERATED	601	7.5	49	2	3	6	9	14	20	44
TOTAL 0-27 DYS										
1-11 MOS	5	5.0	14	1	1	5	8	10	10	10
1-5 YRS	63	4.7	22	1	1	3	6	11	17	89
6-12 YRS	112	5.0	26	1	1	4	6	8	12	31
13-19 YRS	808	6.1	44	1	1	4	7	12	16	41
GRAND TOTAL	**988**	**5.9**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**40**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	60	2.5	3	<1	<1	2	3	5	7	7
6-12 YRS	199	3.6	9	1	1	2	5	8	9	13
13-19 YRS	372	3.1	7	1	1	2	4	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	12	5.6	15	1	1	6	7	10	14	15
6-12 YRS	90	6.2	26	1	2	5	7	9	12	36
13-19 YRS	207	6.3	8	2	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.0	1	1	1	2	3	3	3	3
1-5 YRS	90	4.5	24	1	1	2	6	10	13	28
6-12 YRS	259	3.9	11	1	1	3	6	9	10	14
13-19 YRS	675	3.6	10	1	1	2	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.0	7	6	6	7	10	12	12	12
1-5 YRS	75	10.8	129	2	3	8	13	19	23	70
6-12 YRS	229	10.2	94	2	3	7	11	21	28	51
13-19 YRS	949	11.1	112	2	4	8	12	22	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.2	7	1	1	2	4	7	9	12
B. *Operated*	310	6.3	13	1	3	6	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1029	3.8	12	1	1	3	5	8	10	15
B. *Operated*	1257	10.9	109	2	4	8	12	21	31	58
1. SINGLE DX	943	4.2	11	1	1	3	6	8	10	13
2. MULTIPLE DX	2286	7.7	78	1	1	6	9	15	23	45
A. NOT OPERATED	1662	3.6	10	1	1	2	5	8	10	14
B. OPERATED	1567	10.0	93	2	4	7	11	19	27	52
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.7	12	1	1	3	7	10	12	12
1-5 YRS	237	6.0	62	1	1	4	7	13	18	47
6-12 YRS	777	5.9	45	1	1	5	7	11	15	35
13-19 YRS	2203	7.0	66	1	1	5	8	13	20	40
GRAND TOTAL	**3229**	**6.7**	**61**	**1**	**1**	**5**	**8**	**12**	**19**	**38**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	1.9	1	<1	<1	2	3	4	4	4
6-12 YRS	9	1.3	1	<1	<1	1	1	3	4	4
13-19 YRS	9	3.1	8	<1	<1	2	4	8	9	9
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	187	2.2	4	<1	1	1	3	4	5	12
6-12 YRS	168	2.4	3	<1	1	2	3	5	6	9
13-19 YRS	167	2.4	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	23	2.5	3	1	1	2	4	5	6	7
13-19 YRS	30	3.4	5	<1	<1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	13	<1	<1	3	7	8	8	8
1-5 YRS	160	3.0	7	1	1	2	4	6	7	14
6-12 YRS	180	3.2	6	1	1	3	4	6	8	12
13-19 YRS	295	3.4	8	1	1	3	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.2	4	<1	<1	1	3	5	6	9
B. *Operated*	525	2.3	3	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	63	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	639	3.3	7	1	1	2	4	6	8	14
1. SINGLE DX	555	2.3	3	<1	1	2	3	5	9	9
2. MULTIPLE DX	702	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	93	2.6	4	<1	<1	2	4	5	7	9
B. OPERATED	1164	2.8	6	<1	1	2	4	6	7	12
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	3.1	8	<1	<1	1	5	7	8	8
1-5 YRS	367	2.6	5	<1	1	2	3	5	6	13
6-12 YRS	380	2.7	5	<1	1	2	4	5	7	11
13-19 YRS	501	3.1	6	1	1	2	4	6	8	12
GRAND TOTAL	**1257**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	91	2.1	3	<1	1	1	3	4	5	11
6-12 YRS	52	2.6	5	1	1	2	3	5	8	11
13-19 YRS	73	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	2.0	6	<1	<1	1	2	4	9	11
1-5 YRS	419	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	153	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	210	2.1	4	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	18	2.4	3	<1	<1	2	4	5	6	6
1-5 YRS	119	2.5	5	1	1	2	3	5	6	13
6-12 YRS	94	2.5	5	1	1	2	3	5	7	12
13-19 YRS	264	2.1	4	<1	<1	1	3	4	6	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.8	2	<1	<1	1	3	4	5	5
1-5 YRS	468	2.3	5	<1	1	1	3	5	6	9
6-12 YRS	380	2.6	19	1	1	2	3	5	7	12
13-19 YRS	991	2.5	7	<1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	2.1	3	<1	1	1	3	4	5	10
B. *Operated*	805	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	498	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	1851	2.5	9	<1	1	2	3	5	7	11
1. SINGLE DX	1028	1.7	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	2349	2.5	8	<1	1	2	3	5	7	11
A. NOT OPERATED	721	2.2	4	<1	1	2	3	4	6	10
B. OPERATED	2656	2.2	7	<1	1	1	3	4	6	11
TOTAL 0-27 DYS	7	2.6	5	<1	<1	2	3	6	7	7
1-11 MOS	56	2.1	4	<1	<1	1	3	4	6	11
1-5 YRS	1097	1.9	4	<1	1	1	2	4	6	9
6-12 YRS	679	2.4	12	<1	1	2	3	4	6	11
13-19 YRS	1538	2.4	6	<1	1	2	3	5	7	11
GRAND TOTAL	**3377**	**2.2**	**6**	**<1**	**1**	**1**	**3**	**4**	**6**	**11**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	29	1.7	1	1	1	2	2	3	3	4
6-12 YRS	55	1.9	1	1	1	2	2	3	3	8
13-19 YRS	203	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	61	1.6	2	<1	<1	1	1	4	5	6
6-12 YRS	169	1.7	2	<1	1	1	2	3	4	6
13-19 YRS	218	2.8	6	<1	<1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8		2	2	3	3	3	3	3
1-5 YRS	29	1.8	1	<1	<1	2	2	3	4	4
6-12 YRS	29	2.4	3	1	1	2	3	5	6	6
13-19 YRS	147	2.6	6	<1	<1	2	3	5	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	47	3.7	18	<1	1	2	5	8	13	22
6-12 YRS	103	3.8	75	<1	1	2	4	6	10	49
13-19 YRS	408	5.1	25	1	1	4	7	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	448	2.2	4	<1	1	1	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	209	2.5	5	<1	1	2	3	5	6	11
B. *Operated*	561	4.8	34	<1	1	3	6	10	12	28
1. SINGLE DX	735	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	770	4.1	27	<1	1	3	5	8	11	25
A. NOT OPERATED	496	2.0	3	<1	1	2	2	4	5	8
B. OPERATED	1009	3.6	22	<1	1	2	5	8	10	22
TOTAL 0-27 DYS										
1-11 MOS	7	3.4	2	2	2	3	4	6	6	6
1-5 YRS	166	2.2	7	<1	1	1	3	5	6	16
6-12 YRS	356	2.4	24	<1	1	1	3	4	6	15
13-19 YRS	976	3.5	15	<1	1	2	4	8	10	22
GRAND TOTAL	**1505**	**3.1**	**16**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	40	2.8	2	1	1	3	4	5	5	5
6-12 YRS	64	2.8	3	<1	1	3	3	5	6	9
13-19 YRS	205	2.7	3	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	15	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	302	1.8	4	<1	<1	1	2	3	5	11
6-12 YRS	392	1.9	4	<1	1	1	2	4	5	11
13-19 YRS	1093	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	7	1	1	5	6	7	7	7
1-5 YRS	39	2.7	3	1	1	2	3	5	6	10
6-12 YRS	55	2.9	3	1	1	2	4	5	6	9
13-19 YRS	260	3.8	35	<1	1	2	4	6	10	33
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	14	2.4	2	1	1	2	2	5	6	6
1-5 YRS	210	2.4	5	<1	1	1	3	6	7	10
6-12 YRS	298	2.6	12	1	1	1	3	5	8	20
13-19 YRS	1299	3.0	19	<1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	2.7	3	1	1	2	3	5	6	9
B. *Operated*	1802	1.9	4	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	360	3.5	26	<1	1	2	4	6	8	31
B. *Operated*	1822	2.9	16	<1	1	2	3	6	8	19
1. SINGLE DX	2117	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2182	3.0	18	<1	1	2	3	6	8	20
A. NOT OPERATED	675	3.1	15	<1	1	2	4	5	7	17
B. OPERATED	3624	2.4	10	<1	1	1	3	5	7	14
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	40	2.2	3	<1	1	2	2	5	6	7
1-5 YRS	591	2.2	4	<1	1	1	3	5	6	11
6-12 YRS	809	2.3	7	<1	1	1	3	4	6	13
13-19 YRS	2857	2.6	14	<1	1	2	3	5	7	16
GRAND TOTAL	**4299**	**2.5**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	50	2.7	4	1	1	2	3	5	7	9
6-12 YRS	107	3.6	22	1	1	3	4	6	8	29
13-19 YRS	237	2.7	4	<1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	182	3.9	23	<1	1	2	4	9	13	28
6-12 YRS	464	3.1	15	<1	1	2	3	6	8	22
13-19 YRS	801	3.1	11	<1	1	2	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	2.2	1	<1	<1	2	3	3	3	3
1-5 YRS	40	3.1	4	1	1	3	4	6	7	9
6-12 YRS	115	4.7	19	1	2	3	5	8	14	25
13-19 YRS	169	3.9	15	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS	3	13.0	124	1	1	15	21	23	23	23
1-5 YRS	118	6.2	43	1	1	4	7	15	21	28
6-12 YRS	281	6.7	57	1	1	4	8	16	21	36
13-19 YRS	612	5.7	39	1	1	4	7	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	2.9	9	<1	1	2	4	6	7	11
B. *Operated*	1450	3.2	14	<1	1	2	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	330	4.1	15	1	1	3	5	7	10	19
B. *Operated*	1014	6.1	44	1	1	4	7	14	20	34
1. SINGLE DX	1848	3.1	13	<1	1	2	4	6	8	20
2. MULTIPLE DX	1344	5.6	38	1	1	4	6	12	18	32
A. NOT OPERATED	728	3.4	12	1	1	3	4	7	8	17
B. OPERATED	2464	4.4	28	1	1	3	5	9	14	28
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	4.4	39	<1	1	2	4	15	21	23
1-5 YRS	390	4.4	26	<1	1	3	5	10	14	28
6-12 YRS	967	4.4	31	1	1	3	5	9	14	25
13-19 YRS	1819	4.0	21	1	1	3	5	8	11	26
GRAND TOTAL	**3192**	**4.2**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8	2	<1	<1	1	2	4	4	4
6-12 YRS	4	1.3		1	1	1	2	2	2	2
13-19 YRS	40	3.5	20	<1	1	2	5	7	8	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	8	12.9	783	<1	<1	3	5	59	82	82
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	17	5.4	46	<1	1	3	6	18	22	23
6-12 YRS	37	5.6	48	1	1	2	7	12	21	34
13-19 YRS	156	7.5	96	1	1	4	9	19	34	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	48	3.1	17	<1	1	2	4	7	8	27
2. MULTIPLE DX										
A. *Not Operated*	13	8.5	490	<1	<1	2	4	21	71	82
B. *Operated*	213	6.9	83	1	1	4	9	17	29	82
1. SINGLE DX	53	2.9	16	<1	1	2	3	6	8	26
2. MULTIPLE DX	226	7.0	105	1	1	3	8	17	30	86
A. NOT OPERATED	18	6.5	357	<1	1	2	3	5	52	82
B. OPERATED	261	6.2	73	1	1	3	7	15	24	68
TOTAL 0-27 DYS										
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	22	4.5	38	<1	<1	2	4	15	21	23
6-12 YRS	45	4.9	42	1	1	2	6	11	17	34
13-19 YRS	207	6.8	107	1	1	3	7	16	30	89
GRAND TOTAL	**279**	**6.2**	**90**	**1**	**1**	**3**	**7**	**15**	**24**	**79**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	7	2.0	2	1	1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	19	3.0	14	<1	<1	2	3	7	12	16
6-12 YRS	16	2.2	5	<1	1	1	3	4	8	10
13-19 YRS	85	2.7	6	<1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.8	6	<1	<1	2	4	7	7	7
6-12 YRS	9	21.9	1027	<1	<1	5	32	74	99	99+
13-19 YRS	18	5.4	31	<1	1	3	9	15	18	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	7	2.4	5	<1	<1	2	3	6	7	7
6-12 YRS	22	2.3	5	<1	<1	2	3	5	8	10
13-19 YRS	68	5.0	72	<1	1	2	5	12	17	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	4	1	1	2	4	5	6	6
B. *Operated*	122	2.6	7	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	33	9.4	336	<1	1	3	9	22	36	99
B. *Operated*	99	4.3	52	<1	1	2	4	8	16	46
1. SINGLE DX	131	2.6	7	<1	1	2	3	6	8	16
2. MULTIPLE DX	132	5.5	126	<1	1	2	5	13	19	64
A. NOT OPERATED	42	7.9	271	<1	1	3	7	19	33	99
B. OPERATED	221	3.4	28	<1	1	2	3	7	10	26
TOTAL 0-27 DYS										
1-11 MOS	5	3.0	20	1	1	1	4	11	11	11
1-5 YRS	31	2.8	10	<1	<1	2	3	7	8	16
6-12 YRS	49	6.0	233	<1	1	2	4	10	31	99
13-19 YRS	178	3.8	35	<1	1	2	4	8	15	31
GRAND TOTAL	**263**	**4.1**	**69**	**<1**	**1**	**2**	**4**	**8**	**15**	**37**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	68	3.1	2	<1	1	3	4	5	5	6
6-12 YRS	228	3.6	3	1	1	3	5	6	6	9
13-19 YRS	218	3.8	4	1	2	4	5	6	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	2	1	1	2	3	4	4	4
6-12 YRS	6	8.8	22	4	4	7	13	16	16	16
13-19 YRS	4	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.3	140	1	1	2	17	22	22	22
1-5 YRS	32	3.0	3	<1	1	3	4	6	6	8
6-12 YRS	141	4.1	5	1	1	4	5	6	7	10
13-19 YRS	189	3.7	4	1	1	3	5	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	3.3	2	1	1	4	4	5	5	5
6-12 YRS	21	4.2	6	<1	1	4	5	7	9	11
13-19 YRS	39	4.7	8	1	1	4	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	3.6	3	1	1	3	5	6	6	10
B. *Operated*	15	5.3	20	1	1	4	7	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	365	3.8	5	1	1	4	5	6	7	9
B. *Operated*	68	4.4	7	1	1	4	5	8	9	14
1. SINGLE DX	530	3.6	4	1	1	3	5	6	6	11
2. MULTIPLE DX	433	3.9	6	1	1	4	5	6	7	12
A. NOT OPERATED	880	3.7	4	1	1	4	5	6	7	10
B. OPERATED	83	4.6	9	1	1	4	6	8	11	15
TOTAL 0-27 DYS										
1-11 MOS	5	6.8	81	<1	<1	2	11	22	22	22
1-5 YRS	112	3.0	2	<1	1	3	4	5	6	7
6-12 YRS	396	3.9	5	1	1	4	5	6	7	11
13-19 YRS	450	3.8	4	1	1	4	5	6	7	11
GRAND TOTAL	**963**	**3.8**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	81	1.7	3	<1	1	1	2	3	4	12
1-5 YRS	291	1.6	2	<1	1	1	2	3	4	7
6-12 YRS	378	1.6	1	<1	1	1	2	3	4	7
13-19 YRS	669	1.8	2	<1	<1	1	2	3	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	56	2.2	11	<1	<1	1	2	4	8	22
6-12 YRS	73	2.6	7	<1	<1	2	3	6	9	14
13-19 YRS	114	2.7	10	<1	<1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.0	5	1	1	2	4	6	7	7
1-11 MOS	108	2.3	7	<1	1	1	2	6	7	16
1-5 YRS	503	1.9	2	<1	1	1	2	4	5	8
6-12 YRS	632	1.9	2	1	1	1	2	4	5	8
13-19 YRS	1564	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.5	60	2	2	3	11	18	18	18
1-5 YRS	51	3.8	21	<1	1	2	4	7	13	25
6-12 YRS	94	4.6	65	1	1	2	5	10	15	51
13-19 YRS	291	3.1	18	1	1	2	4	6	8	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1422	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	245	2.6	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	2814	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	440	3.6	29	1	1	2	4	7	10	30
1. SINGLE DX	1667	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	3254	2.2	7	<1	1	1	2	4	6	11
A. NOT OPERATED	4236	1.9	3	<1	1	1	2	4	5	8
B. OPERATED	685	3.2	22	<1	<1	2	4	6	9	24
TOTAL 0-27 DYS	10	2.6	4	<1	<1	2	4	6	7	7
1-11 MOS	195	2.2	7	<1	1	1	2	4	7	17
1-5 YRS	901	1.9	4	<1	1	1	2	4	5	9
6-12 YRS	1177	2.1	8	<1	1	1	2	4	5	12
13-19 YRS	2638	2.1	5	<1	<1	1	2	4	5	10
GRAND TOTAL	**4921**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	45	1.6	1	1	1	1	2	3	4	5
6-12 YRS	29	2.2	5	1	1	1	3	4	5	12
13-19 YRS	34	1.9	2	1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	3.6	13	<1	<1	1	5	10	12	12
6-12 YRS	14	3.9	7	1	1	3	6	7	10	11
13-19 YRS	40	4.4	62	1	1	2	4	6	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	32	2.3	3	1	1	2	3	5	5	8
6-12 YRS	29	2.0	2	1	1	2	2	4	6	6
13-19 YRS	45	3.8	8	1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	27	5.4	31	<1	1	4	6	16	19	19
6-12 YRS	37	4.1	25	1	1	2	4	10	18	21
13-19 YRS	79	4.7	34	1	1	2	6	9	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.9	2	1	1	1	2	3	5	9
B. *Operated*	69	4.2	39	1	1	2	5	7	12	40
2. MULTIPLE DX										
A. *Not Operated*	106	2.9	5	1	1	2	4	6	8	12
B. *Operated*	145	4.7	30	1	1	2	6	10	18	31
1. SINGLE DX	181	2.7	18	1	1	2	3	5	7	22
2. MULTIPLE DX	251	3.9	21	1	1	2	5	8	13	21
A. NOT OPERATED	218	2.4	4	1	1	2	3	5	6	11
B. OPERATED	214	4.5	33	1	1	2	5	9	18	32
TOTAL 0-27 DYS	3	5.3	8	2	2	7	7	7	7	7
1-11 MOS	5	2.0	2	1	1	2	3	4	4	4
1-5 YRS	117	2.9	12	1	1	1	3	6	9	19
6-12 YRS	109	3.0	12	1	1	2	3	6	11	19
13-19 YRS	198	4.0	29	1	1	2	5	8	12	32
GRAND TOTAL	**432**	**3.4**	**20**	**1**	**1**	**2**	**4**	**7**	**11**	**22**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.1		<1	<1	<1	<1	2	2	2
6-12 YRS	6	1.0		<1	<1	1	1	1	1	1
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8	1	<1	<1	1	2	3	3	3
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	7	3.3	4	<1	<1	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	8	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	2.4	3	1	1	2	3	5	6	6
B. *Operated*	15	2.5	3	<1	<1	2	3	4	6	7
1. SINGLE DX	24	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX	22	2.5	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	23	1.5	1	<1	<1	1	1	3	4	6
B. OPERATED	23	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	18	1.3		<1	<1	1	1	3	3	3
6-12 YRS	13	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	14	2.8	4	<1	<1	2	4	6	7	7
GRAND TOTAL	**46**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	38	1.4	1	<1	1	1	2	3	3	4
1-11 MOS	207	1.4	1	<1	<1	1	1	2	3	6
1-5 YRS	721	1.1		<1	<1	1	1	1	2	4
6-12 YRS	271	1.2		<1	<1	1	1	2	2	4
13-19 YRS	133	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	57	1.6	2	<1	1	1	2	3	4	11
1-5 YRS	309	1.7	3	<1	1	1	2	3	4	9
6-12 YRS	61	1.7	2	<1	<1	1	2	4	5	9
13-19 YRS	44	2.3	4	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	52	2.8	15	<1	1	2	3	5	6	22
1-11 MOS	134	2.2	3	1	1	2	3	4	6	10
1-5 YRS	172	2.1	5	<1	<1	2	2	4	5	9
6-12 YRS	66	1.5	2	<1	<1	1	2	2	3	9
13-19 YRS	62	2.5	8	<1	<1	2	3	4	8	16
B. *Operated*										
0-27 DYS	1	39.0		39	39	39	39	39	39	39
1-11 MOS	29	6.2	59	<1	1	2	11	22	24	99+
1-5 YRS	160	3.4	15	<1	1	2	4	7	14	20
6-12 YRS	51	3.9	31	<1	<1	2	4	9	15	32
13-19 YRS	44	5.9	36	1	1	3	8	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1370	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*	472	1.7	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	486	2.2	5	<1	1	2	2	4	5	13
B. *Operated*	285	4.3	31	<1	1	2	5	13	17	36
1. SINGLE DX	1842	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	771	3.0	16	<1	1	2	3	6	12	22
A. NOT OPERATED	1856	1.5	2	<1	<1	1	1	2	3	6
B. OPERATED	757	2.7	15	<1	1	1	3	6	11	22
TOTAL 0-27 DYS	92	2.6	24	<1	1	1	2	4	5	32
1-11 MOS	427	2.0	7	<1	1	1	2	3	6	20
1-5 YRS	1362	1.7	4	<1	<1	1	1	3	5	12
6-12 YRS	449	1.6	5	<1	<1	1	1	3	4	11
13-19 YRS	283	2.4	11	<1	<1	1	2	5	9	17
GRAND TOTAL	**2613**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	3.4	5	<1	<1	3	5	7	7	7
1-5 YRS	24	5.8	56	<1	1	3	6	16	23	34
6-12 YRS	9	7.3	32	<1	1	6	10	17	19	19
13-19 YRS	12	6.2	21	<1	1	6	10	12	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	12	7.8	48	<1	<1	7	10	17	25	26
1-5 YRS	52	8.0	75	1	1	5	11	20	22	46
6-12 YRS	63	8.4	127	1	1	5	9	20	24	72
13-19 YRS	73	6.2	66	1	1	4	7	10	13	57
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	5.8	32	1	1	6	9	16	18	18
1-5 YRS	87	7.0	44	1	1	6	9	16	20	76
6-12 YRS	35	9.3	206	1	2	7	11	15	19	87
13-19 YRS	53	5.4	12	1	2	5	7	11	12	14
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	39	17.3	148	2	4	16	23	35	43	53
1-5 YRS	215	15.7	209	1	2	12	22	34	47	95
6-12 YRS	120	17.0	275	2	3	12	24	39	58	99+
13-19 YRS	138	14.9	161	2	3	12	20	33	42	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.8	36	<1	1	4	7	13	18	34
B. *Operated*	200	7.5	87	1	1	5	9	17	22	56
2. MULTIPLE DX										
A. *Not Operated*	189	6.9	65	1	1	5	9	14	18	67
B. *Operated*	513	15.9	206	2	2	12	22	35	45	96
1. SINGLE DX	252	7.1	76	<1	1	5	9	15	21	46
2. MULTIPLE DX	702	13.5	184	1	2	9	19	30	41	94
A. NOT OPERATED	241	6.7	59	1	1	5	8	13	18	41
B. OPERATED	713	13.5	187	1	2	9	19	30	41	90
TOTAL 0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	71	12.4	124	<1	1	9	17	27	37	52
1-5 YRS	378	12.0	161	1	1	8	18	29	37	92
6-12 YRS	227	13.0	230	1	2	8	18	29	41	96
13-19 YRS	276	10.4	121	1	2	7	13	24	35	65
GRAND TOTAL	**954**	**11.8**	**163**	**1**	**2**	**8**	**16**	**27**	**38**	**87**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	70	3.5	9	1	1	2	5	8	10	13
1-5 YRS	311	4.0	14	1	1	3	5	8	11	18
6-12 YRS	109	4.2	15	1	1	3	6	9	13	18
13-19 YRS	132	3.4	9	<1	1	2	5	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	18	6.5	79	<1	1	3	6	22	30	33
1-5 YRS	52	7.2	47	1	1	4	10	17	19	34
6-12 YRS	41	8.0	47	1	1	6	11	21	23	26
13-19 YRS	48	6.0	35	1	1	4	8	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	9	<1	<1	4	6	7	7	7
1-11 MOS	242	5.0	18	1	1	4	7	11	14	20
1-5 YRS	861	5.5	27	1	1	4	7	12	16	27
6-12 YRS	249	5.0	26	1	1	3	6	11	16	24
13-19 YRS	391	3.9	15	1	1	2	5	9	12	19
B. *Operated*										
0-27 DYS	3	7.3		7	7	7	8	8	8	8
1-11 MOS	53	9.0	88	1	2	6	11	25	32	98
1-5 YRS	256	10.4	96	1	2	7	15	23	28	49
6-12 YRS	80	9.3	93	1	1	6	14	22	30	46
13-19 YRS	145	8.3	62	1	1	6	11	20	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	623	3.9	12	1	1	3	5	8	11	17
B. *Operated*	159	7.0	47	1	1	4	10	17	23	32
2. MULTIPLE DX										
A. *Not Operated*	1746	5.0	23	1	1	3	7	11	15	23
B. *Operated*	537	9.5	85	1	2	7	13	22	27	48
1. SINGLE DX	782	4.5	21	1	1	3	6	10	14	24
2. MULTIPLE DX	2283	6.0	41	1	1	4	8	14	19	30
A. NOT OPERATED	2369	4.7	21	1	1	3	6	10	14	23
B. OPERATED	696	8.9	78	1	1	6	12	21	26	46
TOTAL 0-27 DYS	7	5.7	6	<1	1	7	7	8	8	8
1-11 MOS	383	5.4	31	1	1	4	7	11	15	31
1-5 YRS	1480	6.1	41	1	1	4	8	14	18	30
6-12 YRS	479	5.8	40	1	1	4	7	14	20	28
13-19 YRS	716	4.8	28	1	1	3	6	11	16	23
GRAND TOTAL	**3065**	**5.7**	**37**	**1**	**1**	**4**	**7**	**13**	**18**	**29**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS	13	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	61	2.3	3	<1	<1	2	3	4	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	25	1.4		<1	<1	1	2	2	3	3
13-19 YRS	105	2.6	11	<1	1	2	3	5	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	3.0	2	<1	<1	3	4	4	4	4
1-5 YRS	10	2.4	5	1	1	1	4	6	7	7
6-12 YRS	9	3.2	20	1	1	2	3	10	15	15
13-19 YRS	72	4.4	25	1	1	3	5	10	16	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	69.0		69	69	69	69	69	69	69
1-5 YRS	35	3.5	34	1	1	1	3	9	20	27
6-12 YRS	64	3.0	27	<1	1	2	3	5	9	35
13-19 YRS	215	3.3	35	<1	1	2	3	8	16	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	3	<1	<1	2	3	4	6	9
B. *Operated*	136	2.3	9	<1	1	1	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	96	4.0	21	1	1	2	5	10	14	24
B. *Operated*	315	3.5	47	<1	1	2	3	7	15	62
1. SINGLE DX	217	2.2	7	<1	<1	1	3	4	7	10
2. MULTIPLE DX	411	3.6	41	1	1	2	3	9	15	46
A. NOT OPERATED	177	3.2	14	<1	1	2	4	7	10	22
B. OPERATED	451	3.1	36	<1	1	2	3	6	10	39
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	10.9	553	<1	<1	3	4	50	69	69
1-5 YRS	55	2.9	23	<1	1	1	3	5	9	27
6-12 YRS	111	2.5	17	<1	1	2	2	4	7	24
13-19 YRS	453	3.2	24	<1	1	2	3	7	11	30
GRAND TOTAL	**628**	**3.1**	**29**	**<1**	**1**	**2**	**3**	**7**	**10**	**31**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	18	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	116	1.7	1	<1	1	1	2	3	4	5
6-12 YRS	196	1.7	1	1	1	1	2	4	4	6
13-19 YRS	348	1.9	2	<1	1	1	2	3	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	1	5	5	6	6	7	7	7
1-5 YRS	19	5.4	25	<1	1	3	8	15	16	16
6-12 YRS	43	3.8	8	1	1	3	5	8	10	12
13-19 YRS	98	3.5	9	<1	<1	3	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	15	1.7	1	<1	1	1	3	5	71	99+
1-5 YRS	147	3.0	10	1	1	2	4	6	10	23
6-12 YRS	198	2.6	7	1	1	2	3	6	8	12
13-19 YRS	499	2.6	6	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	42	5.6	40	1	1	3	7	15	21	26
6-12 YRS	71	7.5	72	1	1	5	8	20	26	45
13-19 YRS	232	7.2	84	1	1	4	8	16	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	164	3.9	11	<1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	863	2.7	7	<1	1	2	3	5	7	14
B. *Operated*	349	7.1	75	1	1	4	8	17	23	48
1. SINGLE DX	842	2.2	4	<1	1	1	3	4	7	11
2. MULTIPLE DX	1212	3.9	30	<1	1	2	4	8	13	30
A. NOT OPERATED	1541	2.3	5	<1	1	2	3	4	6	12
B. OPERATED	513	6.0	57	1	1	3	7	13	20	42
TOTAL 0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	41	2.2	3	<1	1	1	3	5	6	99+
1-5 YRS	324	3.0	13	<1	1	2	3	6	10	22
6-12 YRS	508	3.1	18	1	1	2	3	6	9	24
13-19 YRS	1177	3.4	24	<1	1	2	4	7	11	23
GRAND TOTAL	**2054**	**3.2**	**20**	**<1**	**1**	**2**	**3**	**7**	**10**	**23**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	8	1	1	1	5	6	6	6
1-11 MOS	90	1.3		<1	<1	1	2	2	3	4
1-5 YRS	1909	1.3	1	<1	<1	1	1	2	2	4
6-12 YRS	231	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	2208	1.8	7	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	4.5	18	1	1	3	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	16	2	2	4	6	12	12	12
1-11 MOS	107	2.3	6	<1	1	1	3	4	6	15
1-5 YRS	930	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	372	2.9	26	1	1	2	3	5	9	38
13-19 YRS	5873	3.4	35	<1	1	2	3	6	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	9	3	3	6	8	9	9	9
1-5 YRS	13	4.6	17	<1	1	4	6	10	15	16
6-12 YRS	5	6.0	34	2	2	5	8	16	16	16
13-19 YRS	89	7.3	105	<1	1	4	8	14	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4441	1.5	4	<1	<1	1	2	3	3	5
B. *Operated*	14	3.1	9	1	1	2	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*	7287	3.1	30	<1	1	2	3	6	10	31
B. *Operated*	110	6.9	89	<1	1	4	8	13	21	55
1. SINGLE DX	4455	1.5	4	<1	<1	1	2	3	3	6
2. MULTIPLE DX	7397	3.2	31	<1	1	2	3	6	10	31
A. NOT OPERATED	11728	2.5	21	<1	1	1	2	4	7	23
B. OPERATED	124	6.5	81	<1	1	4	7	12	20	51
TOTAL 0-27 DYS	9	4.0	12	1	1	3	5	10	12	12
1-11 MOS	201	1.9	4	<1	1	1	2	3	5	12
1-5 YRS	2857	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	609	2.4	17	<1	1	2	2	4	6	24
13-19 YRS	8176	3.0	28	<1	1	2	3	5	9	30
GRAND TOTAL	**11852**	**2.6**	**21**	**<1**	**1**	**1**	**2**	**4**	**7**	**23**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	78	1.5	1	<1	<1	1	2	3	4	6
1-5 YRS	1201	2.0	3	<1	1	1	2	5	6	8
6-12 YRS	278	1.7	2	<1	1	1	2	3	5	7
13-19 YRS	408	1.5	2	<1	<1	1	2	2	3	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	4.4	14	<1	<1	3	6	10	13	13
6-12 YRS	4	4.3	8	1	1	4	6	7	7	7
13-19 YRS	7	2.4	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.4	7	1	1	3	5	8	8	8
1-11 MOS	63	2.4	4	<1	1	1	3	5	7	11
1-5 YRS	702	2.6	7	1	1	2	3	5	6	13
6-12 YRS	146	2.2	4	<1	1	1	2	5	6	10
13-19 YRS	491	2.5	20	<1	<1	1	2	4	7	29
B. *Operated*										
0-27 DYS										
1-11 MOS	6	5.8	21	1	1	7	11	82	99+	99+
1-5 YRS	26	11.0	233	<1	1	4	14	30	49	63
6-12 YRS	6	3.8	31	1	1	2	3	14	15	15
13-19 YRS	29	10.4	310	1	1	3	11	24	53	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969	1.8	3	<1	<1	1	2	5	5	8
B. *Operated*	23	3.7	9	<1	1	3	6	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	1409	2.5	11	<1	1	2	3	5	7	14
B. *Operated*	67	9.6	229	1	1	3	11	27	52	97
1. SINGLE DX	1992	1.9	3	<1	<1	1	2	5	5	8
2. MULTIPLE DX	1476	2.8	23	<1	1	2	3	5	8	26
A. NOT OPERATED	3378	2.1	6	<1	1	1	2	5	6	11
B. OPERATED	90	8.1	179	1	1	3	10	19	44	93
TOTAL 0-27 DYS	11	2.5	6	1	1	1	3	7	8	8
1-11 MOS	148	2.1	4	<1	1	1	2	5	7	12
1-5 YRS	1940	2.3	9	<1	1	1	3	5	6	13
6-12 YRS	434	1.9	3	<1	1	1	2	4	5	10
13-19 YRS	935	2.3	23	<1	<1	1	2	4	6	21
GRAND TOTAL	**3468**	**2.3**	**12**	**<1**	**1**	**1**	**2**	**5**	**6**	**13**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.9	3	1	1	2	4	6	7	7
1-11 MOS	104	2.2	6	<1	1	1	3	4	8	14
1-5 YRS	415	1.7	1	1	1	1	2	3	4	7
6-12 YRS	186	2.8	38	<1	1	2	3	5	6	25
13-19 YRS	268	1.9	9	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	2.7	4	<1	<1	2	3	5	8	9
1-11 MOS	156	4.4	29	1	1	3	6	10	13	33
1-5 YRS	442	3.4	17	<1	1	2	4	7	11	24
6-12 YRS	270	3.1	34	1	1	2	3	6	8	18
13-19 YRS	411	2.5	7	<1	1	2	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	10	20.4	622	1	1	6	33	63	68	68
1-5 YRS	43	12.0	311	1	1	4	14	54	55	99+
6-12 YRS	31	6.9	182	1	1	2	7	12	30	72
13-19 YRS	43	8.4	183	1	1	3	8	32	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	984	2.0	11	<1	1	1	2	4	5	9
B. *Operated*	15	2.2	2	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	1294	3.2	19	1	1	2	4	7	9	21
B. *Operated*	127	10.2	266	1	1	3	10	43	56	99+
1. SINGLE DX	999	2.0	11	<1	1	1	2	4	5	9
2. MULTIPLE DX	1421	3.8	45	1	1	2	4	7	11	50
A. NOT OPERATED	2278	2.7	16	<1	1	2	3	5	8	16
B. OPERATED	142	9.4	244	1	1	3	8	33	55	99+
TOTAL 0-27 DYS	26	2.8	4	<1	1	2	3	5	7	9
1-11 MOS	271	4.2	51	1	1	2	4	9	13	39
1-5 YRS	903	3.0	28	1	1	2	3	6	9	35
6-12 YRS	492	3.2	45	1	1	2	3	6	8	33
13-19 YRS	728	2.6	20	<1	1	1	3	5	7	25
GRAND TOTAL	**2420**	**3.1**	**32**	**<1**	**1**	**2**	**3**	**6**	**8**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.1	2	<1	1	2	2	4	6	6
1-5 YRS	36	2.2	3	<1	<1	2	3	4	6	8
6-12 YRS	37	3.2	6	1	1	2	4	7	7	12
13-19 YRS	58	2.9	16	<1	<1	2	3	5	8	28
B. *Operated*										
0-27 DYS	3	8.0	28	2	2	10	11	12	12	12
1-11 MOS	93	4.9	21	2	2	3	5	8	15	26
1-5 YRS	211	4.4	15	1	1	3	5	9	13	20
6-12 YRS	219	3.8	9	1	1	3	5	7	8	17
13-19 YRS	312	3.5	14	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	87	5.3	34	1	1	3	7	12	18	31
1-5 YRS	198	5.4	23	<1	1	4	8	13	14	20
6-12 YRS	120	4.2	20	1	1	3	5	9	13	25
13-19 YRS	185	5.6	43	1	1	3	7	12	16	30
B. *Operated*										
0-27 DYS	22	10.7	112	1	2	9	12	31	36	37
1-11 MOS	411	9.6	118	1	2	5	12	27	34	62
1-5 YRS	853	7.7	89	1	2	4	9	17	25	46
6-12 YRS	754	6.4	56	1	1	4	7	14	23	41
13-19 YRS	798	7.3	78	1	1	5	8	16	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.7	9	<1	<1	2	3	5	7	13
B. *Operated*	838	4.0	14	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	591	5.2	30	1	1	3	7	12	15	28
B. *Operated*	2838	7.5	82	1	1	4	9	17	27	47
1. SINGLE DX	984	3.8	13	<1	1	3	5	7	10	21
2. MULTIPLE DX	3429	7.1	74	1	1	4	8	16	25	45
A. NOT OPERATED	737	4.7	27	<1	1	3	6	11	14	27
B. OPERATED	3676	6.7	69	1	1	4	8	15	24	44
TOTAL 0-27 DYS	27	9.8	98	1	1	9	12	27	35	37
1-11 MOS	605	8.1	93	1	2	4	9	20	29	53
1-5 YRS	1298	6.7	67	1	1	4	8	14	21	42
6-12 YRS	1130	5.5	43	1	1	3	6	11	19	35
13-19 YRS	1353	6.0	59	1	1	4	7	13	20	45
GRAND TOTAL	**4413**	**6.4**	**63**	**1**	**1**	**4**	**7**	**14**	**22**	**42**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	6	<1	<1	1	4	6	6	6
1-11 MOS	12	1.3		1	1	1	2	2	3	3
1-5 YRS	110	1.3		<1	<1	1	2	2	3	4
6-12 YRS	184	1.4	2	<1	<1	1	2	2	3	7
13-19 YRS	233	1.7	1	<1	<1	1	2	3	3	6
B. *Operated*										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	7	1.1		1	1	1	1	2	2	2
1-5 YRS	124	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	224	1.5	1	<1	<1	1	2	3	3	5
13-19 YRS	318	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	9	1.6	1	1	1	1	2	3	4	4
1-5 YRS	49	1.6	1	<1	1	1	2	3	3	4
6-12 YRS	66	1.6	1	1	1	1	2	3	4	4
13-19 YRS	79	2.6	4	1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.5	1	<1	<1	1	1	3	4	4
1-5 YRS	91	1.4	1	1	1	1	1	2	4	6
6-12 YRS	122	1.9	10	1	1	1	2	3	5	19
13-19 YRS	169	2.0	5	1	1	1	2	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*	676	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	206	2.0	2	1	1	1	2	4	5	8
B. *Operated*	397	1.8	6	1	1	1	2	3	5	14
1. SINGLE DX	1219	1.6	2	<1	<1	1	2	3	3	7
2. MULTIPLE DX	603	1.9	5	1	1	1	2	3	5	10
A. NOT OPERATED	749	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	1073	1.7	3	<1	1	1	2	3	4	9
TOTAL 0-27 DYS	11	1.7	2	<1	<1	1	2	4	6	6
1-11 MOS	42	1.4	1	1	1	1	1	3	3	4
1-5 YRS	374	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	596	1.6	3	<1	1	1	2	2	3	8
13-19 YRS	799	1.8	3	<1	1	1	2	3	5	9
GRAND TOTAL	**1822**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	26	2	2	3	8	13	13	13
1-11 MOS	15	3.2	3	1	2	3	3	5	8	9
1-5 YRS	29	3.5	5	1	1	3	4	6	7	12
6-12 YRS	64	4.4	5	1	2	4	6	8	9	10
13-19 YRS	131	4.9	11	1	2	4	6	10	12	18
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	4.4	27	<1	<1	3	4	14	16	16
1-5 YRS	24	4.8	16	<1	1	4	7	10	13	15
6-12 YRS	67	5.4	11	2	2	5	7	10	12	15
13-19 YRS	110	8.1	64	1	2	6	10	16	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	5.3	19	1	1	5	7	11	15	16
1-11 MOS	43	5.0	16	1	1	3	8	10	13	17
1-5 YRS	66	5.4	23	<1	2	4	6	9	14	26
6-12 YRS	70	6.4	31	2	2	5	8	11	19	33
13-19 YRS	157	5.9	20	2	2	5	7	11	13	28
B. *Operated*										
0-27 DYS	3	12.7	14	10	10	11	15	17	17	17
1-11 MOS	24	12.2	99	2	4	9	14	27	34	41
1-5 YRS	42	8.3	88	1	1	5	11	18	29	48
6-12 YRS	75	10.6	214	2	3	7	11	17	34	91
13-19 YRS	199	10.3	86	2	2	8	14	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	4.5	9	1	2	4	6	8	11	15
B. *Operated*	209	6.7	42	1	2	5	8	13	17	40
2. MULTIPLE DX										
A. *Not Operated*	349	5.8	22	1	2	5	7	10	14	27
B. *Operated*	343	10.3	114	2	2	7	13	20	29	53
1. SINGLE DX	452	5.5	25	1	2	4	7	11	14	26
2. MULTIPLE DX	692	8.0	73	1	2	6	9	16	22	43
A. NOT OPERATED	592	5.3	17	1	2	4	7	9	12	22
B. OPERATED	552	9.0	90	1	2	6	11	17	26	47
TOTAL 0-27 DYS	21	6.6	24	1	1	5	10	14	16	17
1-11 MOS	89	6.6	48	1	1	4	8	15	18	37
1-5 YRS	161	5.7	38	1	1	4	7	12	16	30
6-12 YRS	276	6.9	75	2	2	5	8	12	15	42
13-19 YRS	597	7.6	53	1	2	5	9	15	20	41
GRAND TOTAL	**1144**	**7.0**	**55**	**1**	**2**	**5**	**8**	**14**	**19**	**40**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	4.2	37	<1	<1	2	5	13	21	21
1-5 YRS	50	1.8	2	1	1	1	2	4	4	7
6-12 YRS	35	2.5	4	1	1	2	3	5	7	9
13-19 YRS	82	2.5	4	1	1	2	3	6	7	10
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	14	4.4	20	1	1	3	6	12	15	16
1-5 YRS	60	4.2	71	<1	1	2	4	7	10	56
6-12 YRS	37	3.3	5	<1	1	3	5	7	8	8
13-19 YRS	66	3.6	9	<1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.3	46	2	2	7	13	17	17	17
1-11 MOS	53	3.8	12	<1	1	3	6	7	10	20
1-5 YRS	166	2.9	19	1	1	2	3	5	8	29
6-12 YRS	164	2.3	5	1	1	1	2	5	7	12
13-19 YRS	298	2.4	5	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	7	6.6	29	1	1	7	12	14	14	14
1-11 MOS	72	9.1	214	1	1	4	11	21	35	88
1-5 YRS	290	3.5	44	<1	1	1	3	8	14	35
6-12 YRS	353	2.8	25	1	1	1	2	7	12	26
13-19 YRS	674	2.8	20	1	1	1	3	6	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	2.4	5	1	1	2	3	5	6	10
B. *Operated*	179	3.8	30	<1	1	2	5	8	9	28
2. MULTIPLE DX										
A. *Not Operated*	685	2.7	9	1	1	2	3	5	7	16
B. *Operated*	1396	3.3	38	1	1	1	3	8	13	31
1. SINGLE DX	357	3.1	18	<1	1	2	4	6	8	17
2. MULTIPLE DX	2081	3.1	29	1	1	1	3	7	11	26
A. NOT OPERATED	863	2.6	9	1	1	2	3	5	7	15
B. OPERATED	1575	3.3	37	1	1	1	3	8	13	31
TOTAL 0-27 DYS	14	6.2	29	1	1	4	10	14	16	17
1-11 MOS	149	6.4	117	1	1	3	7	14	21	51
1-5 YRS	566	3.3	36	<1	1	1	3	7	11	32
6-12 YRS	589	2.7	17	1	1	1	2	6	9	22
13-19 YRS	1120	2.7	14	1	1	1	3	6	9	17
GRAND TOTAL	**2438**	**3.1**	**27**	**1**	**1**	**1**	**3**	**7**	**11**	**25**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	13	1.8	2	<1	<1	1	2	4	6	6
1-5 YRS	42	2.2	2	1	1	2	3	4	5	7
6-12 YRS	15	1.7	1	1	1	2	2	3	3	3
13-19 YRS	13	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	27	3.0	5	1	1	2	3	6	9	9
1-5 YRS	53	3.3	12	<1	1	2	3	7	12	18
6-12 YRS	22	3.6	5	<1	<1	3	4	7	9	10
13-19 YRS	26	4.3	20	1	1	3	4	11	14	21
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS										
1-5 YRS	4	5.5	40	2	2	3	9	15	15	15
6-12 YRS	7	4.0	8	<1	<1	3	6	8	9	9
13-19 YRS	6	4.0	7	1	1	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.0	2	1	1	2	2	4	5	7
B. *Operated*	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	130	3.5	11	<1	1	3	4	8	11	19
B. *Operated*	19	4.4	12	<1	1	3	6	9	12	15
1. SINGLE DX	88	2.1	3	1	1	2	2	4	5	10
2. MULTIPLE DX	149	3.6	11	<1	1	3	4	8	11	18
A. NOT OPERATED	216	2.9	8	1	1	2	3	6	9	16
B. OPERATED	21	4.6	14	<1	1	3	6	10	13	15
TOTAL 0-27 DYS	7	4.1	11	1	1	3	5	10	11	11
1-11 MOS	41	2.6	4	<1	1	2	3	5	8	9
1-5 YRS	100	3.0	10	<1	1	2	3	6	10	17
6-12 YRS	44	3.0	5	<1	1	3	4	6	8	10
13-19 YRS	45	3.6	13	1	1	2	4	8	12	21
GRAND TOTAL	**237**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	13	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	24	2.5	2	<1	1	2	3	5	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	18	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	28	2.5	3	<1	<1	2	3	5	6	7
1. SINGLE DX	19	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX	30	2.4	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	3	1.0		1	1	1	1	1	1	1
B. OPERATED	46	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-27 DYS	3	1.3		<1	<1	<1	2	2	2	2
1-11 MOS	4	2.8	8	1	1	2	4	7	7	7
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	40	2.0	2	<1	<1	2	3	4	5	6
GRAND TOTAL	**49**	**2.0**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	62.0		62	62	62	62	62	62	62
1500-1749	5	15.6	26	9	9	15	20	22	22	22
1750-2499	4974	2.8	3	1	1	2	3	5	5	8
2500+	366221	2.5	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	3.0	2	1	1	3	4	4	4	4
2500+	109	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	98	65.4	235	39	48	66	78	89	93	99+
1000-1499	697	39.1	263	16	21	37	49	63	70	99
1500-1749	1068	23.5	98	10	12	22	29	36	42	56
1750-2499	18170	6.5	35	1	2	5	8	14	18	28
2500+	241251	3.3	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	335	75.2	274	49	56	89	99+	99+	99+	99+
1000-1499	846	50.5	338	24	29	50	66	84	99+	99+
1500-1749	533	33.8	220	15	19	31	41	54	64	99
1750-2499	1984	17.6	169	2	5	15	23	32	44	82
2500+	5139	7.9	83	1	2	5	9	15	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371201	2.5	2	1	1	2	3	4	5	6
B. *Operated*	113	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	261284	3.7	14	1	2	3	4	6	7	19
B. *Operated*	8837	18.3	442	2	3	10	26	57	82	99+
1. SINGLE DX	371314	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	270121	4.2	35	1	2	3	4	6	9	32
A. NOT OPERATED	632485	3.0	7	1	1	3	4	5	6	11
B. OPERATED	8950	18.1	439	2	3	10	25	57	81	99+
TOTAL 1-999 G	433	73.0	281	47	54	84	99+	99+	99+	99+
1000-1499	1544	45.3	336	19	24	44	59	76	92	99+
1500-1749	1606	26.9	162	11	14	25	33	43	51	80
1750-2499	25132	6.6	52	1	2	4	8	15	21	34
2500+	612720	2.9	3	1	1	3	4	5	5	8
GRAND TOTAL	**641435**	**3.2**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.0		21	21	21	21	21	21	21
1500-1749	2	19.5	41	15	15	19	24	24	24	24
1750-2499	736	4.2	4	2	2	4	5	6	7	12
2500+	3333	3.9	2	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	12	70.1	242	45	47	78	86	99+	99+	99+
1000-1499	171	37.9	254	15	19	35	47	59	72	82
1500-1749	325	22.7	80	9	13	21	28	34	39	52
1750-2499	3402	8.2	42	2	3	6	11	17	20	30
2500+	3456	4.7	6	2	2	5	5	7	8	14
B. *Operated*										
1-999 G	49	74.8	333	48	59	95	99+	99+	99+	99+
1000-1499	224	50.4	314	25	29	51	66	85	99+	99+
1500-1749	158	32.7	140	14	19	33	40	50	56	99+
1750-2499	384	17.6	146	3	5	15	24	33	41	72
2500+	130	12.4	160	2	3	8	13	32	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4073	4.0	3	2	2	4	5	6	7	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7366	8.0	73	2	3	5	8	17	25	46
B. *Operated*	945	30.2	504	4	6	27	48	77	99+	99+
1. SINGLE DX	4073	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	8311	10.5	172	2	3	5	11	26	40	87
A. NOT OPERATED	11439	6.6	52	2	2	5	6	13	19	38
B. OPERATED	945	30.2	504	4	6	27	48	77	99+	99+
TOTAL 1-999 G	61	73.9	314	46	54	89	99+	99+	99+	99+
1000-1499	397	44.8	327	18	24	44	57	75	89	99+
1500-1749	485	25.9	121	10	13	25	32	41	49	71
1750-2499	4522	8.3	54	2	3	6	11	18	23	35
2500+	6919	4.5	9	2	2	4	5	6	7	14
GRAND TOTAL	**12384**	**8.4**	**126**	**2**	**2**	**5**	**7**	**19**	**32**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	42	2.1	1	1	1	2	3	4	4	5
2500+	879	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	8	35.6	245	21	22	32	38	62	71	71
1500-1749	10	27.3	39	16	19	27	29	36	39	39
1750-2499	175	7.3	46	2	2	5	9	17	21	28
2500+	585	3.3	21	1	1	3	4	6	7	13
B. *Operated*										
1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	11	50.8	344	27	28	49	78	99+	99+	99+
1500-1749	3	34.0	172	22	22	32	44	48	48	48
1750-2499	19	10.8	89	1	2	9	19	26	28	29
2500+	31	5.7	14	1	1	6	8	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	778	4.9	48	1	1	3	5	9	16	33
B. *Operated*	66	17.9	449	1	1	9	29	68	99+	99+
1. SINGLE DX	921	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	844	5.9	91	1	1	3	5	12	23	71
A. NOT OPERATED	1699	3.4	24	1	1	2	3	6	9	25
B. OPERATED	66	17.9	449	1	1	9	29	68	99+	99+
TOTAL 1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	19	44.4	345	23	26	42	66	90	99+	99+
1500-1749	13	28.8	67	17	21	28	32	41	47	48
1750-2499	236	6.7	46	1	2	4	9	17	21	29
2500+	1495	2.6	10	1	1	2	3	5	6	10
GRAND TOTAL	**1765**	**3.9**	**48**	**1**	**1**	**2**	**3**	**7**	**11**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	5	1.4		<1	<1	1	2	2	2	2
13-19 YRS	12	1.5	2	<1	<1	1	1	3	6	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	67	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	212	1.9	3	<1	<1	1	2	3	4	10
13-19 YRS	1184	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	8	1.9	4	<1	<1	1	2	5	7	7
13-19 YRS	12	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	94	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	217	2.6	4	<1	1	2	3	4	6	12
13-19 YRS	392	2.9	17	<1	1	2	3	5	7	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	1465	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	24	1.5	2	<1	<1	1	1	3	6	7
B. *Operated*	705	2.7	11	<1	<1	2	3	5	6	14
1. SINGLE DX	1484	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	729	2.7	11	<1	<1	2	3	5	6	14
A. NOT OPERATED	43	1.5	2	<1	<1	1	1	2	5	7
B. OPERATED	2170	2.1	5	<1	<1	1	3	4	5	9
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	166	2.0	2	<1	<1	2	3	3	5	9
6-12 YRS	442	2.2	4	<1	<1	2	3	4	5	12
13-19 YRS	1600	2.0	6	<1	<1	1	2	4	5	8
GRAND TOTAL	**2213**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	22	1.6	4	1	1	1	1	3	7	9
13-19 YRS	19	1.8	4	1	1	1	1	5	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	1.7	4	1	1	1	1	4	7	9
B. *Operated*	12	1.8	1	<1	<1	1	3	3	4	4
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	55	1.7	3	<1	1	1	2	3	7	9
A. NOT OPERATED	44	1.7	4	<1	1	1	1	3	7	9
B. OPERATED	12	1.8	1	<1	<1	1	3	3	4	4
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	27	1.7	3	1	1	1	1	4	6	9
13-19 YRS	26	1.7	3	<1	<1	1	1	3	7	8
GRAND TOTAL	**56**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**7**	**9**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	254	3.1	9	<1	1	2	4	6	9	17
1-11 MOS	283	2.4	11	<1	<1	2	3	4	6	17
1-5 YRS	443	2.0	8	<1	<1	1	2	4	5	10
6-12 YRS	305	2.5	30	<1	<1	1	2	4	7	16
13-19 YRS	810	2.1	13	<1	<1	1	2	4	6	12
B. *Operated*										
0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	64	6.0	18	<1	1	6	9	11	14	16
1-5 YRS	161	3.3	15	<1	<1	2	5	8	9	12
6-12 YRS	147	3.0	12	<1	<1	2	4	7	9	14
13-19 YRS	386	3.1	12	<1	<1	2	4	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	273	6.1	61	1	1	4	7	13	20	40
1-11 MOS	551	3.5	22	<1	1	2	4	7	10	25
1-5 YRS	2315	3.3	29	<1	1	2	4	5	7	32
6-12 YRS	1926	3.9	51	<1	1	2	4	6	10	43
13-19 YRS	2772	5.3	109	<1	1	2	4	11	27	66
B. *Operated*										
0-27 DYS	17	8.5	78	1	2	6	10	26	30	31
1-11 MOS	191	6.0	42	1	1	4	8	14	18	35
1-5 YRS	563	4.0	41	<1	1	2	5	9	11	27
6-12 YRS	423	3.8	65	<1	<1	2	4	8	12	34
13-19 YRS	911	4.4	65	1	1	2	4	9	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2095	2.3	14	<1	<1	1	2	4	6	14
B. *Operated*	762	3.4	14	<1	<1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	7837	4.3	64	<1	1	2	4	7	14	48
B. *Operated*	2105	4.4	57	<1	1	2	5	9	15	60
1. SINGLE DX	2857	2.6	14	<1	<1	1	3	6	8	15
2. MULTIPLE DX	9942	4.3	63	<1	1	2	4	8	15	49
A. NOT OPERATED	9932	3.9	54	<1	1	2	4	6	12	42
B. OPERATED	2867	4.1	46	<1	1	2	5	9	13	46
TOTAL 0-27 DYS	548	4.8	40	<1	1	3	5	10	15	31
1-11 MOS	1089	3.8	24	<1	1	2	4	8	11	25
1-5 YRS	3482	3.3	28	<1	<1	2	3	6	8	29
6-12 YRS	2801	3.7	49	<1	1	2	4	6	10	40
13-19 YRS	4879	4.4	79	<1	1	2	4	8	19	60
GRAND TOTAL	**12799**	**3.9**	**52**	**<1**	**1**	**2**	**4**	**7**	**12**	**43**

Operation Groups

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6206	3.2	7	1	1	3	4	5	7	12
1-11 MOS	13811	3.4	10	<1	1	3	4	7	9	16
1-5 YRS	37982	2.8	12	<1	<1	2	3	6	8	19
6-12 YRS	50140	2.8	16	<1	1	2	3	6	8	22
13-19 YRS	141296	2.8	12	<1	1	2	3	5	7	14
2. MULTIPLE DX										
0-27 DYS	29686	10.9	248	1	2	5	11	31	53	99+
1-11 MOS	23041	6.2	66	1	1	4	7	13	20	50
1-5 YRS	52860	4.5	42	<1	1	2	5	9	15	35
6-12 YRS	44545	4.8	59	1	1	2	5	10	17	43
13-19 YRS	128521	5.1	57	1	1	3	5	9	16	45
TOT. SINGLE DX	249435	2.9	13	<1	1	2	3	5	7	17
" MULTIPLE DX	278653	5.6	79	1	1	3	6	11	20	56
TOTAL 0-27 DYS	35892	9.5	214	1	2	4	9	26	47	98
1-11 MOS	36852	5.1	47	1	1	3	6	10	16	39
1-5 YRS	90842	3.7	30	<1	1	2	4	8	12	28
6-12 YRS	94685	3.7	37	<1	1	2	4	8	12	32
13-19 YRS	269817	3.9	35	1	1	3	4	7	11	34
GRAND TOTAL	**528088**	**4.3**	**50**	**<1**	**1**	**2**	**4**	**8**	**14**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	11.7	50	4	4	13	17	18	18	18
1-11 MOS	43	4.8	13	1	2	3	7	10	12	18
1-5 YRS	89	8.0	53	1	2	6	10	17	21	39
6-12 YRS	104	7.9	20	1	2	7	10	14	17	22
13-19 YRS	130	7.9	24	2	3	7	10	14	17	29
2. MULTIPLE DX										
0-27 DYS	15	20.9	403	3	5	16	28	31	71	84
1-11 MOS	127	14.6	182	1	2	12	19	34	47	99+
1-5 YRS	217	12.9	176	1	2	9	18	33	55	99+
6-12 YRS	197	14.9	282	2	3	10	16	38	57	99+
13-19 YRS	288	17.1	261	3	4	12	22	47	61	99+
TOT. SINGLE DX	369	7.6	30	1	2	7	10	14	18	28
" MULTIPLE DX	844	15.2	237	2	3	11	19	40	59	99+
TOTAL 0-27 DYS	18	19.3	350	3	4	14	25	31	63	84
1-11 MOS	170	12.1	158	1	2	9	17	26	44	94
1-5 YRS	306	11.5	145	1	2	8	16	27	43	99+
6-12 YRS	301	12.5	203	2	2	8	14	25	49	99
13-19 YRS	418	14.2	206	2	3	10	16	34	55	99+
GRAND TOTAL	**1213**	**12.9**	**186**	**2**	**2**	**9**	**15**	**30**	**48**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	57	5.4	50	2	2	4	6	7	9	53
1-5 YRS	41	6.5	48	1	2	4	8	13	15	43
6-12 YRS	69	6.8	17	3	3	6	9	13	14	22
13-19 YRS	61	8.7	36	3	4	7	9	16	23	31
2. MULTIPLE DX										
0-27 DYS	3	17.0	57	10	10	16	23	25	25	25
1-11 MOS	54	13.9	278	3	4	7	13	36	58	79
1-5 YRS	65	12.9	130	3	4	10	16	31	34	56
6-12 YRS	64	12.8	144	2	3	9	20	33	39	94
13-19 YRS	136	17.6	281	3	5	11	23	45	60	99+
TOT. SINGLE DX	229	6.9	37	2	3	5	8	12	15	34
" MULTIPLE DX	322	15.0	224	3	4	9	20	36	50	86
TOTAL 0-27 DYS	4	14.0	74	5	5	13	20	25	25	25
1-11 MOS	111	9.5	178	2	3	5	7	24	44	68
1-5 YRS	106	10.4	107	2	3	8	12	23	33	55
6-12 YRS	133	9.7	87	2	3	6	12	22	32	64
13-19 YRS	197	14.8	222	3	4	8	18	38	48	91
GRAND TOTAL	**551**	**11.7**	**162**	**2**	**3**	**7**	**13**	**29**	**43**	**80**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	4.3	5	2	2	3	5	8	9	9
1-11 MOS	288	4.2	3	2	2	4	5	7	8	9
1-5 YRS	118	5.0	12	2	2	4	6	8	10	25
6-12 YRS	92	4.4	6	2	2	4	6	8	9	14
13-19 YRS	75	4.5	12	1	2	3	5	8	10	22
2. MULTIPLE DX										
0-27 DYS	7	8.4	141	2	2	4	7	30	35	35
1-11 MOS	103	8.3	146	3	3	5	8	12	18	85
1-5 YRS	112	9.5	108	2	3	6	9	23	29	57
6-12 YRS	115	6.8	42	2	2	5	8	15	23	60
13-19 YRS	136	11.0	134	2	3	6	13	26	36	76
TOT. SINGLE DX	582	4.4	7	2	2	4	5	7	9	11
" MULTIPLE DX	473	9.0	110	2	3	6	9	20	30	76
TOTAL 0-27 DYS	16	6.1	64	2	2	4	6	9	27	35
1-11 MOS	391	5.3	44	2	2	4	6	8	9	28
1-5 YRS	230	7.2	65	2	2	5	7	11	23	37
6-12 YRS	207	5.7	28	2	2	4	7	10	16	35
13-19 YRS	211	8.7	101	2	2	5	10	23	28	66
GRAND TOTAL	**1055**	**6.5**	**58**	**2**	**2**	**5**	**7**	**10**	**20**	**42**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	21	6.0	9	2	2	5	8	9	12	15
1-11 MOS	138	5.8	18	2	3	5	7	10	16	24
1-5 YRS	62	5.3	12	2	3	5	6	8	11	25
6-12 YRS	23	5.8	2	3	4	6	7	8	8	8
13-19 YRS	29	8.1	47	3	3	7	9	12	15	41
2. MULTIPLE DX										
0-27 DYS	91	32.3	746	5	7	24	63	99+	99+	99+
1-11 MOS	208	11.0	174	2	3	6	11	30	38	66
1-5 YRS	133	9.0	105	2	3	5	9	19	34	56
6-12 YRS	78	10.8	122	2	3	6	13	25	37	51
13-19 YRS	90	14.3	337	2	3	8	15	43	63	95
TOT. SINGLE DX	273	5.9	19	2	3	5	7	9	13	25
" MULTIPLE DX	600	14.2	323	2	3	7	16	45	66	99+
TOTAL 0-27 DYS	112	27.3	713	4	5	17	59	99	99+	99+
1-11 MOS	346	8.9	119	2	3	5	9	22	31	62
1-5 YRS	195	7.8	79	2	3	5	8	15	25	52
6-12 YRS	101	9.6	100	2	3	6	9	22	30	50
13-19 YRS	119	12.8	273	2	3	7	12	37	50	91
GRAND TOTAL	**873**	**11.6**	**242**	**2**	**3**	**6**	**11**	**32**	**56**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	5.4	10	2	2	6	7	10	10	10
1-11 MOS	109	4.7	15	2	2	3	5	8	11	25
1-5 YRS	187	4.8	27	1	2	3	5	10	14	25
6-12 YRS	162	4.4	12	1	2	4	5	8	11	21
13-19 YRS	90	5.4	27	2	2	4	6	9	13	31
2. MULTIPLE DX										
0-27 DYS	32	34.0	818	3	4	23	56	97	99	99+
1-11 MOS	377	9.9	133	2	2	5	13	27	34	65
1-5 YRS	614	7.9	110	1	2	4	8	18	28	59
6-12 YRS	464	7.3	98	1	2	4	7	17	29	65
13-19 YRS	342	11.2	202	1	2	6	13	31	51	99+
TOT. SINGLE DX	553	4.8	20	1	2	3	5	8	13	26
" MULTIPLE DX	1829	9.2	154	1	2	5	10	24	35	85
TOTAL 0-27 DYS	37	30.2	804	2	3	21	56	92	99	99+
1-11 MOS	486	8.7	111	2	2	5	10	22	29	58
1-5 YRS	801	7.1	93	1	2	4	7	15	25	57
6-12 YRS	626	6.6	77	1	2	4	6	14	24	60
13-19 YRS	432	10.0	172	1	2	6	11	26	43	99+
GRAND TOTAL	**2382**	**8.2**	**127**	**1**	**2**	**4**	**8**	**20**	**31**	**76**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	8.8	31	2	3	7	10	18	19	19
1-5 YRS	13	7.5	18	1	3	6	8	16	16	16
6-12 YRS	9	10.3	14	6	6	10	12	16	18	18
13-19 YRS	33	8.7	35	2	4	7	10	13	25	31
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	19	11.6	109	4	5	7	14	25	37	46
1-5 YRS	44	9.9	98	2	3	8	11	18	34	99+
6-12 YRS	40	11.0	89	3	4	8	11	26	37	39
13-19 YRS	82	16.8	233	3	5	11	18	41	49	71
TOT. SINGLE DX	64	8.7	28	2	4	7	10	16	18	30
" MULTIPLE DX	187	13.2	164	3	4	9	15	32	43	71
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	28	10.7	84	4	4	7	13	21	29	46
1-5 YRS	57	9.3	81	2	3	8	10	17	22	97
6-12 YRS	49	10.9	75	3	4	8	12	25	37	39
13-19 YRS	115	14.4	189	3	5	9	16	35	45	68
GRAND TOTAL	**251**	**12.1**	**133**	**3**	**4**	**8**	**13**	**27**	**39**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	10.9	29	3	3	13	15	17	18	18
1-11 MOS	21	5.7	10	3	3	5	7	12	50	99+
1-5 YRS	19	7.7	21	3	4	6	9	13	19	23
6-12 YRS	20	5.6	3	2	3	6	7	8	9	9
13-19 YRS	59	9.2	39	1	2	9	13	16	24	27
2. MULTIPLE DX										
0-27 DYS	87	19.7	186	4	6	15	28	42	50	87
1-11 MOS	44	10.9	63	3	4	8	13	20	28	42
1-5 YRS	69	11.0	85	2	3	8	14	23	27	53
6-12 YRS	64	9.6	66	2	3	7	11	19	25	42
13-19 YRS	110	13.5	197	1	2	9	17	25	58	84
TOT. SINGLE DX	126	7.9	28	2	2	6	11	15	20	44
" MULTIPLE DX	374	13.5	148	2	3	10	17	29	41	69
TOTAL 0-27 DYS	94	19.1	180	4	6	15	27	41	49	85
1-11 MOS	65	9.2	52	3	3	7	11	19	28	91
1-5 YRS	88	10.3	73	2	4	7	13	22	26	49
6-12 YRS	84	8.6	54	2	3	6	9	17	21	42
13-19 YRS	169	12.0	146	1	2	9	15	23	35	73
GRAND TOTAL	**500**	**12.1**	**124**	**2**	**3**	**9**	**15**	**25**	**35**	**68**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.8	1	2	2	4	5	5	5	5
1-5 YRS	9	2.0	1	<1	<1	2	2	4	5	5
6-12 YRS	14	3.4	7	<1	<1	3	4	8	9	9
13-19 YRS	58	2.5	3	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	8.0	34	3	3	8	13	14	14	14
1-5 YRS	18	4.5	9	1	2	4	5	8	12	14
6-12 YRS	21	4.0	57	<1	<1	2	3	7	21	36
13-19 YRS	50	5.4	32	<1	1	3	7	11	19	30
TOT. SINGLE DX	85	2.7	4	<1	<1	2	3	5	7	10
" MULTIPLE DX	93	5.0	33	<1	1	3	6	10	15	33
TOTAL 0-27 DYS										
1-11 MOS	8	5.9	20	2	2	4	8	13	14	14
1-5 YRS	27	3.7	8	1	1	3	5	7	9	14
6-12 YRS	35	3.7	37	<1	<1	2	4	8	9	36
13-19 YRS	108	3.9	19	<1	1	2	5	8	10	24
GRAND TOTAL	**178**	**3.9**	**21**	**<1**	**1**	**2**	**5**	**8**	**11**	**27**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	18	3.3	14	1	1	2	3	8	13	16
6-12 YRS	39	1.8	1	<1	<1	1	2	3	5	6
13-19 YRS	202	2.1	2	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	27.0	882	6	6	48	87	99+	99+	99+
1-5 YRS	45	3.1	27	<1	1	1	3	5	11	28
6-12 YRS	99	2.9	10	1	1	2	3	6	10	18
13-19 YRS	314	2.5	7	<1	1	1	3	5	9	17
TOT. SINGLE DX	263	2.1	4	<1	<1	1	2	4	6	9
" MULTIPLE DX	460	2.7	15	<1	1	2	3	6	9	19
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	12.4	402	1	1	6	48	95	99+	99+
1-5 YRS	63	3.1	23	1	1	2	3	6	11	27
6-12 YRS	138	2.6	8	<1	1	2	3	5	7	16
13-19 YRS	516	2.3	6	<1	1	1	3	5	8	13
GRAND TOTAL	**723**	**2.5**	**11**	**<1**	**1**	**1**	**3**	**5**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	3.8	2	1	2	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.1	1	3	3	4	5	6	6	6
TOT. SINGLE DX	12	3.9	2	1	2	4	5	6	6	6
" MULTIPLE DX	7	4.1	1	3	3	4	5	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	18	3.9	2	1	2	4	5	6	6	6
GRAND TOTAL	**19**	**4.0**	**2**	**1**	**2**	**4**	**5**	**6**	**6**	**6**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	10.0	32	6	6	10	14	14	14	14
13-19 YRS	24	4.3	10	<1	<1	4	6	10	11	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	17	13.2	392	<1	1	3	19	49	63	67
TOT. SINGLE DX	28	4.6	13	<1	<1	4	6	10	12	14
" MULTIPLE DX	23	10.7	306	<1	1	3	12	30	60	67
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.4	5	1	1	1	4	6	6	6
6-12 YRS	5	7.2	16	4	4	6	9	14	14	14
13-19 YRS	41	8.0	183	<1	<1	3	8	20	38	67
GRAND TOTAL	**51**	**7.3**	**151**	**<1**	**1**	**4**	**7**	**16**	**23**	**67**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	2.8		2	2	3	3	4	4	4
1-5 YRS	5	1.8	1	1	1	1	2	4	4	4
6-12 YRS	29	2.7	1	1	1	3	4	5	5	5
13-19 YRS	229	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	3	13.3	321	2	2	4	26	34	34	34
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	11.5	25	8	8	11	15	15	15	15
6-12 YRS	10	4.0	16	<1	<1	3	4	10	15	15
13-19 YRS	111	4.4	28	1	2	3	4	7	8	36
TOT. SINGLE DX	271	2.6	2	1	1	3	3	4	5	6
" MULTIPLE DX	128	4.6	34	1	2	3	4	7	15	36
TOTAL 0-27 DYS	5	8.8	199	2	2	2	11	34	34	34
1-11 MOS	8	2.9	1	2	2	3	4	4	4	4
1-5 YRS	7	4.6	28	1	1	2	7	14	15	15
6-12 YRS	39	3.0	6	1	1	3	4	5	5	15
13-19 YRS	340	3.2	11	1	1	3	4	5	6	19
GRAND TOTAL	**399**	**3.3**	**13**	**1**	**1**	**3**	**4**	**5**	**6**	**20**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	2.6	4	<1	1	2	3	7	8	8
1-5 YRS	207	1.4		<1	1	1	2	2	3	5
6-12 YRS	138	1.5		<1	1	1	2	2	3	4
13-19 YRS	119	1.9	1	<1	1	1	2	3	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	9.0	181	1	1	4	11	33	33	33
1-5 YRS	34	1.9	2	<1	<1	1	2	4	6	7
6-12 YRS	28	2.3	3	<1	1	2	2	5	6	8
13-19 YRS	45	4.4	17	1	1	3	6	11	15	99+
TOT. SINGLE DX	478	1.6	1	<1	1	1	2	3	3	6
" MULTIPLE DX	112	3.3	18	<1	1	2	4	8	11	58
TOTAL 0-27 DYS										
1-11 MOS	19	4.3	52	<1	1	2	4	8	22	33
1-5 YRS	241	1.5	1	<1	1	1	2	3	4	6
6-12 YRS	166	1.6	1	<1	1	1	2	3	3	6
13-19 YRS	164	2.6	7	<1	1	2	3	5	9	20
GRAND TOTAL	**590**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.3	14	3	3	9	10	10	10	10
1-5 YRS	4	10.5	53	5	5	8	15	21	21	21
6-12 YRS	10	6.3	26	1	1	4	12	14	15	15
13-19 YRS	19	6.6	19	2	3	6	7	9	17	23
2. MULTIPLE DX										
0-27 DYS	2	28.5	545	12	12	28	45	45	45	45
1-11 MOS	10	14.2	251	4	6	10	38	99+	99+	99+
1-5 YRS	16	9.1	9	5	5	8	12	14	14	14
6-12 YRS	11	9.2	20	2	4	8	12	16	18	18
13-19 YRS	38	10.5	48	3	4	9	12	21	26	34
TOT. SINGLE DX	36	7.0	24	1	2	6	8	13	19	23
" MULTIPLE DX	77	10.9	76	4	5	9	13	21	40	99+
TOTAL 0-27 DYS	2	28.5	545	12	12	28	45	45	45	45
1-11 MOS	13	12.6	200	3	4	10	17	99+	99+	99+
1-5 YRS	20	9.4	17	5	5	8	12	14	18	21
6-12 YRS	21	7.8	24	1	2	7	12	14	16	18
13-19 YRS	57	9.2	41	3	4	7	11	19	23	34
GRAND TOTAL	**113**	**9.7**	**62**	**3**	**4**	**8**	**12**	**19**	**27**	**99+**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	1.4		<1	<1	1	2	3	3	3
1-5 YRS	48	1.2		<1	<1	<1	1	2	2	5
6-12 YRS	32	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.4	8	<1	<1	1	2	9	55	99+
6-12 YRS	6	2.3	5	<1	<1	1	2	7	7	7
13-19 YRS	10	4.8	32	<1	<1	3	5	14	20	20
TOT. SINGLE DX	106	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	37	3.0	14	<1	<1	2	3	9	16	99+
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	1.4		<1	<1	1	2	3	3	3
1-5 YRS	67	1.6	3	<1	<1	1	1	2	7	84
6-12 YRS	38	1.3	1	<1	<1	<1	1	2	2	7
13-19 YRS	26	2.5	15	<1	<1	1	2	5	10	20
GRAND TOTAL	**143**	**1.7**	**5**	**<1**	**<1**	**<1**	**1**	**3**	**6**	**25**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.5		<1	<1	<1	2	3	3	3
1-5 YRS	169	1.4		<1	<1	1	2	2	3	4
6-12 YRS	104	1.4		<1	<1	1	2	2	3	6
13-19 YRS	74	1.6	1	<1	1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	9	6.0	63	1	1	4	5	18	27	27
1-11 MOS	14	4.9	30	<1	1	3	5	16	18	18
1-5 YRS	164	2.8	14	<1	1	2	3	5	7	23
6-12 YRS	141	2.8	10	1	1	2	3	5	7	19
13-19 YRS	466	2.8	9	<1	1	2	3	6	7	14
TOT. SINGLE DX	353	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	794	2.9	12	<1	1	2	3	5	8	18
TOTAL 0-27 DYS	9	6.0	64	1	1	4	5	18	27	27
1-11 MOS	20	3.9	23	<1	<1	2	4	12	17	18
1-5 YRS	333	2.1	8	<1	<1	1	2	4	5	16
6-12 YRS	245	2.2	7	<1	<1	1	2	4	6	16
13-19 YRS	540	2.7	9	<1	1	2	3	5	7	13
GRAND TOTAL	**1147**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**16**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	33	1.2		<1	<1	1	1	2	2	5
6-12 YRS	16	1.3		<1	<1	1	1	2	3	4
13-19 YRS	19	1.6		<1	<1	1	2	2	4	5
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	2.0	3	<1	<1	1	3	5	6	6
1-5 YRS	22	2.1	3	<1	<1	2	2	6	7	7
6-12 YRS	23	2.0	1	<1	<1	1	2	4	5	6
13-19 YRS	22	1.6		<1	<1	1	2	3	4	4
TOT. SINGLE DX	69	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	75	1.9	2	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	8	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	55	1.6	2	<1	<1	1	2	2	6	7
6-12 YRS	39	1.7	1	<1	<1	1	2	4	4	6
13-19 YRS	41	1.6	1	<1	<1	1	2	2	4	5
GRAND TOTAL	**144**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**5**	**6**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.6	2	<1	<1	1	2	4	5	5
6-12 YRS	9	2.7	7	<1	<1	1	3	8	8	8
13-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	10.2	137	1	1	2	22	24	24	24
1-5 YRS	5	3.8	12	1	1	3	5	10	10	10
6-12 YRS	9	10.3	588	<1	1	2	3	46	75	75
13-19 YRS	9	2.9	5	<1	<1	2	6	6	6	6
TOT. SINGLE DX	23	2.1	5	<1	<1	1	2	6	7	8
" MULTIPLE DX	28	6.8	211	<1	1	2	5	18	29	75
TOTAL 0-27 DYS										
1-11 MOS	5	10.2	137	1	1	2	22	24	24	24
1-5 YRS	13	2.5	7	<1	<1	1	3	6	9	10
6-12 YRS	18	6.5	296	<1	<1	2	3	8	48	75
13-19 YRS	15	2.5	5	<1	<1	1	5	6	6	6
GRAND TOTAL	**51**	**4.7**	**122**	**<1**	**<1**	**2**	**3**	**7**	**21**	**74**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	1	1	1	2	3	4	4	4
1-5 YRS	18	1.6		<1	<1	1	2	2	3	3
6-12 YRS	12	2.3	1	<1	1	2	3	4	5	5
13-19 YRS	30	2.5	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	2.9	2	1	1	2	4	5	7	7
1-5 YRS	19	1.9	1	<1	<1	1	2	4	5	6
6-12 YRS	11	2.1		1	1	2	3	3	3	3
13-19 YRS	17	2.7	3	1	1	3	4	4	7	8
TOT. SINGLE DX	65	2.2	2	<1	1	2	2	4	5	9
" MULTIPLE DX	60	2.4	2	1	1	2	3	4	6	8
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	17	2.6	2	1	1	2	4	4	6	7
1-5 YRS	37	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	23	2.2	1	<1	1	2	3	3	4	5
13-19 YRS	47	2.6	4	1	1	2	3	5	7	9
GRAND TOTAL	**125**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	89	3.1	7	<1	<1	3	4	6	7	15
6-12 YRS	83	2.7	2	<1	1	3	4	5	6	7
13-19 YRS	69	2.8	2	1	1	3	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.8	8	1	1	5	7	8	8	8
1-5 YRS	50	3.4	3	<1	1	3	5	6	6	7
6-12 YRS	75	3.3	5	<1	1	3	4	6	7	14
13-19 YRS	67	4.0	8	1	1	3	6	7	9	16
TOT. SINGLE DX	245	2.9	4	<1	1	3	4	5	6	14
" MULTIPLE DX	198	3.6	6	1	1	3	5	6	7	14
TOTAL 0-27 DYS	3	4.0		4	4	4	4	4	4	4
1-11 MOS	7	4.6	7	1	1	5	7	8	8	8
1-5 YRS	139	3.2	6	<1	1	3	4	6	7	15
6-12 YRS	158	3.0	4	<1	1	3	4	5	6	10
13-19 YRS	136	3.4	6	1	1	3	4	6	7	14
GRAND TOTAL	**443**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.0		<1	<1	1	1	1	1	1
1-11 MOS	23	1.7	1	<1	<1	1	2	3	4	5
1-5 YRS	10	1.7		<1	<1	2	2	3	3	3
6-12 YRS	13	1.7		1	1	2	2	3	3	3
13-19 YRS	25	1.6		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	2	24.0	882	3	3	24	45	45	45	45
1-11 MOS	12	1.4		1	1	1	2	3	3	3
1-5 YRS	18	1.7	2	1	1	1	2	3	6	8
6-12 YRS	17	2.1	1	1	1	2	3	4	4	4
13-19 YRS	27	3.4	16	<1	<1	2	3	9	14	17
TOT. SINGLE DX	80	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	76	2.9	31	1	1	1	3	5	9	38
TOTAL 0-27 DYS	11	5.2	175	<1	<1	1	1	20	43	45
1-11 MOS	35	1.6	1	<1	1	1	2	3	4	5
1-5 YRS	28	1.7	2	<1	1	1	2	3	4	8
6-12 YRS	30	1.9	1	1	1	2	2	3	4	4
13-19 YRS	52	2.5	10	<1	1	1	3	6	9	17
GRAND TOTAL	**156**	**2.2**	**16**	**<1**	**1**	**1**	**2**	**3**	**5**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	12	2.6	1	1	1	2	3	5	5	5
6-12 YRS	28	4.7	14	1	1	4	6	11	13	16
13-19 YRS	34	2.8	2	1	1	3	3	5	6	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	3.2	7	1	1	2	5	8	8	8
1-5 YRS	13	2.3	2	1	1	2	3	5	5	5
6-12 YRS	34	4.6	10	1	1	4	6	9	12	15
13-19 YRS	40	4.7	12	1	2	4	5	8	12	19
TOT. SINGLE DX	78	3.5	8	1	1	3	4	7	8	15
" MULTIPLE DX	94	4.2	11	1	1	4	5	8	11	17
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.4	8	1	1	2	6	8	8	8
1-5 YRS	25	2.4	2	1	1	2	3	5	5	5
6-12 YRS	62	4.7	12	1	1	4	6	9	13	16
13-19 YRS	74	3.8	9	1	1	3	5	7	9	18
GRAND TOTAL	**172**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**11**	**16**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	33	1.8	1	<1	<1	1	2	4	4	7
1-5 YRS	15	1.3		<1	<1	1	1	3	3	3
6-12 YRS	8	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	8	3.3	6	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
0-27 DYS	3	4.0	27	1	1	1	8	10	10	10
1-11 MOS	14	2.4	4	<1	<1	2	3	6	8	8
1-5 YRS	17	2.4	4	<1	1	2	3	5	8	9
6-12 YRS	19	2.9	4	1	1	3	3	6	8	9
13-19 YRS	9	2.1	2	1	1	2	2	5	6	6
TOT. SINGLE DX	69	1.9	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	62	2.6	5	<1	1	2	3	6	8	10
TOTAL 0-27 DYS	8	2.4	10	1	1	1	2	8	10	10
1-11 MOS	47	2.0	3	<1	<1	1	2	4	6	8
1-5 YRS	32	1.8	3	<1	<1	1	2	3	6	9
6-12 YRS	27	2.7	3	<1	<1	3	3	5	7	9
13-19 YRS	17	2.6	4	<1	1	2	4	6	7	7
GRAND TOTAL	**131**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**6**	**9**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.4		1	1	1	2	3	3	3
1-11 MOS	41	1.3		<1	<1	1	2	2	3	4
1-5 YRS	23	1.4		<1	<1	1	2	2	3	3
6-12 YRS	28	1.6	3	<1	<1	1	2	2	5	10
13-19 YRS	15	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	1.8	2	<1	<1	1	2	3	6	7
1-5 YRS	20	1.6		<1	<1	1	2	3	3	3
6-12 YRS	32	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	18	2.3	2	<1	<1	2	3	4	5	6
TOT. SINGLE DX	116	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	91	1.9	– 2	<1	<1	2	2	4	4	7
TOTAL 0-27 DYS	11	1.5		1	1	1	2	3	3	3
1-11 MOS	60	1.5	1	<1	<1	1	2	2	3	7
1-5 YRS	43	1.5		<1	<1	1	2	2	3	3
6-12 YRS	60	1.9	2	<1	1	1	2	4	5	10
13-19 YRS	33	1.9	1	<1	<1	2	2	3	4	6
GRAND TOTAL	**207**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
TOT. SINGLE DX	6	1.7	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	7	1.6	2	<1	<1	<1	1	4	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	1.5	1	<1	<1	<1	2	3	3	3
13-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**13**	**1.6**	**1**	**<1**	**<1**	**<1**	**2**	**3**	**5**	**5**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.6	1	2	2	2	3	4	4	4
1-5 YRS	8	2.6	1	1	1	2	3	5	5	5
6-12 YRS	45	3.0	2	1	1	3	4	5	6	7
13-19 YRS	104	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	50	99+	99+	99+	99+
1-11 MOS	11	2.5	1	1	1	2	3	4	5	5
1-5 YRS	21	3.7	7	1	1	3	4	6	10	14
6-12 YRS	59	3.3	2	1	1	4	4	6	6	7
13-19 YRS	111	4.2	12	1	2	3	5	7	11	21
TOT. SINGLE DX	162	2.8	2	1	1	2	3	5	6	7
" MULTIPLE DX	203	3.8	9	1	1	3	5	6	8	22
TOTAL 0-27 DYS	1	1.0		1	1	50	99+	99+	99+	99+
1-11 MOS	16	2.5	1	1	1	2	3	4	5	5
1-5 YRS	29	3.4	6	1	1	3	4	5	7	14
6-12 YRS	104	3.2	3	1	1	3	4	5	6	7
13-19 YRS	215	3.5	8	1	1	3	4	6	7	15
GRAND TOTAL	**365**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	15	1.9	1	<1	<1	1	3	4	4	4
1-5 YRS	13	3.4	12	<1	<1	2	5	8	12	13
6-12 YRS	17	2.6	4	<1	1	2	3	6	7	8
13-19 YRS	26	2.9	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	5	44.2	1532	1	1	70	78	98	99+	99+
1-11 MOS	16	2.7	5	<1	1	2	3	7	8	9
1-5 YRS	22	3.3	11	<1	1	2	3	8	13	14
6-12 YRS	36	2.8	3	1	1	2	4	5	6	9
13-19 YRS	64	3.1	3	1	1	3	4	6	7	8
TOT. SINGLE DX	73	2.7	5	<1	<1	2	3	5	7	13
" MULTIPLE DX	143	4.4	105	1	1	3	4	6	9	79
TOTAL 0-27 DYS	7	32.0	1456	1	1	35	75	98	99+	99+
1-11 MOS	31	2.3	3	<1	<1	2	3	4	7	9
1-5 YRS	35	3.3	12	<1	<1	2	4	7	13	14
6-12 YRS	53	2.7	3	1	1	2	4	5	6	9
13-19 YRS	90	3.0	4	1	1	3	4	6	7	10
GRAND TOTAL	**216**	**3.8**	**72**	**<1**	**1**	**2**	**4**	**6**	**8**	**74**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	69	1.1		<1	<1	<1	1	1	2	2
1-5 YRS	652	1.2		<1	<1	1	1	2	2	2
6-12 YRS	342	1.2		<1	<1	1	1	2	2	3
13-19 YRS	133	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	28	2.0	20	<1	<1	1	1	2	5	25
1-5 YRS	301	1.2		<1	<1	1	1	2	2	4
6-12 YRS	136	1.4	1	<1	<1	1	2	2	2	5
13-19 YRS	68	1.5	11	<1	<1	1	1	2	2	86
TOT. SINGLE DX	1197	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	533	1.3	3	<1	<1	1	1	2	2	5
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	97	1.3	6	<1	<1	<1	1	1	2	14
1-5 YRS	953	1.2		<1	<1	1	1	2	2	3
6-12 YRS	478	1.2	1	<1	<1	1	1	2	2	3
13-19 YRS	201	1.3	4	<1	<1	1	1	2	2	15
GRAND TOTAL	**1730**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	17.5	545	<1	<1	17	34	34	34	34
13-19 YRS	4	1.0		<1	<1	1	1	1	1	1
TOT. SINGLE DX	9	1.7	1	1	1	1	2	4	4	4
" MULTIPLE DX	6	6.5	182	<1	<1	1	1	31	34	34
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	4	10.0	257	<1	<1	2	18	34	34	34
13-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
GRAND TOTAL	**15**	**3.6**	**72**	**<1**	**<1**	**1**	**2**	**4**	**26**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	15	2.7	6	<1	<1	1	4	6	8	9
1-5 YRS	73	2.8	5	<1	<1	2	3	6	8	11
6-12 YRS	47	2.7	6	<1	1	2	3	6	8	13
13-19 YRS	68	2.7	4	<1	1	2	3	7	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	4.4	8	1	1	4	7	8	9	9
1-5 YRS	55	4.5	12	1	1	4	6	8	9	21
6-12 YRS	69	5.0	108	1	1	2	6	10	12	72
13-19 YRS	107	3.9	11	1	1	3	6	9	11	15
TOT. SINGLE DX	205	2.7	6	<1	<1	2	3	6	8	11
" MULTIPLE DX	244	4.4	39	1	1	3	6	9	11	15
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	28	3.5	8	<1	<1	2	6	8	9	9
1-5 YRS	128	3.5	9	<1	1	2	5	7	9	14
6-12 YRS	116	4.1	68	1	1	2	5	8	11	38
13-19 YRS	175	3.4	9	<1	1	2	4	8	10	14
GRAND TOTAL	**449**	**3.6**	**24**	**<1**	**1**	**2**	**5**	**8**	**10**	**14**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	2.6		2	2	3	3	3	3	3
1-11 MOS	12	1.7	4	<1	<1	<1	1	4	7	8
1-5 YRS	160	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	251	1.8	2	<1	<1	1	2	4	5	8
13-19 YRS	97	2.0	2	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
0-27 DYS	249	3.6	35	1	2	3	4	5	6	21
1-11 MOS	13	3.0	14	<1	<1	1	4	8	13	14
1-5 YRS	98	3.0	26	<1	1	2	3	5	7	31
6-12 YRS	130	2.5	6	<1	1	2	3	5	8	14
13-19 YRS	205	4.3	46	<1	1	2	4	10	16	45
TOT. SINGLE DX	525	1.9	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	695	3.5	32	<1	1	2	4	6	9	35
TOTAL 0-27 DYS	254	3.6	35	1	2	3	4	5	6	21
1-11 MOS	25	2.4	10	<1	<1	<1	2	6	9	14
1-5 YRS	258	2.3	12	<1	<1	1	3	4	6	9
6-12 YRS	381	2.0	4	<1	<1	1	2	4	6	11
13-19 YRS	302	3.6	33	<1	<1	2	4	7	12	40
GRAND TOTAL	**1220**	**2.8**	**20**	**<1**	**<1**	**2**	**3**	**5**	**7**	**19**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	29	1.1		<1	<1	1	1	1	2	2
13-19 YRS	59	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	43	1.3		<1	1	1	1	2	3	3
13-19 YRS	56	1.3		<1	1	1	2	2	2	3
TOT. SINGLE DX	93	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	103	1.3		<1	1	1	2	2	2	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.4		<1	<1	1	2	2	2	2
6-12 YRS	72	1.2		<1	1	1	1	2	2	3
13-19 YRS	115	1.4		<1	1	1	2	2	2	3
GRAND TOTAL	**196**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**	**3**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	107	1.2		<1	<1	1	1	2	2	4
6-12 YRS	547	1.3	8	<1	<1	1	1	2	2	3
13-19 YRS	448	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	101	1.3	1	<1	<1	1	1	2	3	8
6-12 YRS	574	1.2		<1	1	1	1	2	2	3
13-19 YRS	401	1.4	4	<1	1	1	1	2	2	6
TOT. SINGLE DX	1103	1.3	4	<1	<1	1	1	2	2	3
" MULTIPLE DX	1077	1.3	2	<1	1	1	1	2	2	5
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	208	1.3	1	<1	<1	1	1	2	2	6
6-12 YRS	1121	1.3	4	<1	1	1	1	2	2	3
13-19 YRS	849	1.3	2	<1	1	1	1	2	2	4
GRAND TOTAL	**2180**	**1.3**	**3**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.8	1	<1	<1	3	4	4	4	4
1-11 MOS	141	1.7	2	<1	<1	<1	1	3	5	10
1-5 YRS	1119	1.2	1	<1	<1	<1	<1	1	1	6
6-12 YRS	456	1.1		<1	<1	<1	<1	1	1	3
13-19 YRS	61	1.3	1	<1	<1	<1	1	2	2	10
2. MULTIPLE DX										
0-27 DYS	14	3.9	4	1	1	4	6	7	7	7
1-11 MOS	287	5.3	59	<1	1	4	6	10	15	57
1-5 YRS	2142	1.9	12	<1	<1	1	1	4	6	13
6-12 YRS	1038	1.3	2	<1	<1	1	1	2	2	8
13-19 YRS	141	2.5	14	<1	<1	1	2	6	11	17
TOT. SINGLE DX	1781	1.2	1	<1	<1	<1	<1	1	2	6
" MULTIPLE DX	3622	2.0	14	<1	<1	1	2	4	7	15
TOTAL 0-27 DYS	18	3.7	4	<1	1	3	5	7	7	7
1-11 MOS	428	4.1	44	<1	<1	3	5	8	12	33
1-5 YRS	3261	1.6	8	<1	<1	1	1	2	5	12
6-12 YRS	1494	1.3	2	<1	<1	1	1	2	2	7
13-19 YRS	202	2.2	11	<1	<1	1	2	4	9	16
GRAND TOTAL	**5403**	**1.7**	**10**	**<1**	**<1**	**1**	**1**	**3**	**6**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.8	12	<1	<1	1	4	9	9	9
1-5 YRS	57	2.2	5	<1	1	1	2	5	6	13
6-12 YRS	208	1.6	2	<1	1	1	2	2	3	9
13-19 YRS	178	1.7	5	1	1	1	2	2	3	15
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	6.9	12	2	3	7	8	12	14	14
1-5 YRS	117	3.7	29	1	1	1	3	10	14	30
6-12 YRS	408	1.9	6	1	1	1	2	3	5	14
13-19 YRS	366	2.1	9	1	1	1	2	3	6	15
TOT. SINGLE DX	448	1.7	4	1	1	1	2	3	4	10
" MULTIPLE DX	900	2.3	11	1	1	1	2	4	7	20
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	5.3	16	<1	1	5	8	10	13	14
1-5 YRS	174	3.2	22	1	1	1	3	8	12	28
6-12 YRS	616	1.8	5	1	1	1	2	3	5	12
13-19 YRS	544	2.0	8	1	1	1	2	3	5	15
GRAND TOTAL	**1348**	**2.1**	**9**	**1**	**1**	**1**	**2**	**3**	**6**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	70	1.7	3	<1	<1	1	1	4	7	10
6-12 YRS	128	1.4	1	<1	<1	1	1	2	3	7
13-19 YRS	95	2.1	12	<1	1	1	2	3	5	22
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	4.1	5	2	2	5	5	7	8	8
1-5 YRS	71	3.6	12	<1	<1	2	6	10	11	15
6-12 YRS	166	2.2	24	<1	<1	1	2	3	6	27
13-19 YRS	167	3.0	75	<1	1	1	2	3	6	60
TOT. SINGLE DX	294	1.7	5	<1	<1	1	1	3	4	14
" MULTIPLE DX	412	2.8	43	<1	<1	1	2	5	9	35
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	3.8	6	1	1	3	5	7	8	8
1-5 YRS	141	2.7	9	<1	<1	1	3	7	10	14
6-12 YRS	294	1.8	14	<1	<1	1	2	3	5	16
13-19 YRS	262	2.7	53	<1	1	1	2	3	5	45
GRAND TOTAL	**706**	**2.3**	**28**	**<1**	**<1**	**1**	**2**	**4**	**7**	**23**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	10	1.1		<1	<1	1	1	2	2	2
13-19 YRS	240	1.6		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	3	8.3	56	1	1	8	14	16	16	16
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	49	2.0	4	1	1	2	2	3	4	15
13-19 YRS	857	1.7	1	1	1	1	2	3	3	5
TOT. SINGLE DX	251	1.6	1	<1	1	1	2	3	4	4
" MULTIPLE DX	910	1.7	2	1	1	1	2	3	4	5
TOTAL 0-27 DYS	3	8.3	56	1	1	8	14	16	16	16
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	59	1.9	4	<1	1	1	2	3	4	14
13-19 YRS	1097	1.6	1	1	1	1	2	3	4	5
GRAND TOTAL	**1161**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.7	1	1	1	1	2	4	4	4
1-5 YRS	54	2.0	2	<1	1	1	2	5	6	6
6-12 YRS	97	1.8	1	<1	1	1	2	3	4	6
13-19 YRS	742	1.4		<1	1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS	7	3.9	10	1	1	3	4	10	11	11
1-11 MOS	12	5.8	118	<1	<1	1	5	19	36	39
1-5 YRS	76	2.5	4	<1	<1	2	3	5	6	13
6-12 YRS	196	1.9	8	<1	1	1	2	3	4	9
13-19 YRS	1772	1.6	2	1	1	1	2	3	3	6
TOT. SINGLE DX	899	1.5	1	<1	1	1	2	2	3	6
" MULTIPLE DX	2063	1.7	4	1	1	1	2	3	4	8
TOTAL 0-27 DYS	7	3.9	11	1	1	3	4	10	11	11
1-11 MOS	18	4.4	81	<1	<1	1	4	9	28	39
1-5 YRS	130	2.3	4	<1	1	2	3	5	6	12
6-12 YRS	293	1.9	6	<1	1	1	2	3	4	8
13-19 YRS	2514	1.5	2	1	1	1	2	2	3	6
GRAND TOTAL	**2962**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0	—	2	2	2	2	2	2	2
1-11 MOS	9	1.4		<1	<1	1	2	2	2	2
1-5 YRS	32	2.1	3	<1	<1	1	3	5	7	8
6-12 YRS	39	1.7	1	<1	<1	1	2	4	4	5
13-19 YRS	69	1.8	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	4	31.8	1482	2	2	20	60	85	85	85
1-11 MOS	8	6.4	18	1	2	5	10	12	13	13
1-5 YRS	24	3.7	9	<1	1	3	5	7	9	14
6-12 YRS	110	2.3	5	<1	<1	1	2	6	8	11
13-19 YRS	285	1.9	5	1	1	1	2	3	5	14
TOT. SINGLE DX	150	1.8	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	431	2.5	25	<1	1	1	2	5	7	16
TOTAL 0-27 DYS	5	25.8	1289	2	2	5	47	85	85	85
1-11 MOS	17	3.8	15	<1	<1	2	5	11	12	13
1-5 YRS	56	2.8	7	<1	<1	1	4	7	7	14
6-12 YRS	149	2.2	5	<1	<1	1	2	5	8	10
13-19 YRS	354	1.9	5	<1	1	1	2	4	5	11
GRAND TOTAL	**581**	**2.3**	**19**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.0	3	<1	<1	4	4	4	4	4
1-11 MOS	5	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	30	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	151	1.4	1	<1	<1	1	1	2	4	9
13-19 YRS	428	1.4	3	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
0-27 DYS	16	4.6	21	<1	2	3	5	9	17	20
1-11 MOS	4	2.8	3	<1	<1	2	4	5	5	5
1-5 YRS	33	2.8	5	<1	1	2	4	6	8	11
6-12 YRS	102	3.2	52	<1	<1	1	3	6	9	45
13-19 YRS	549	3.1	46	1	1	2	3	5	9	37
TOT. SINGLE DX	617	1.4	3	<1	<1	1	1	2	3	7
" MULTIPLE DX	704	3.1	44	<1	1	2	3	5	9	35
TOTAL 0-27 DYS	19	4.4	18	<1	1	3	5	8	15	20
1-11 MOS	9	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	63	2.1	4	<1	<1	1	2	5	6	11
6-12 YRS	253	2.1	23	<1	<1	1	2	4	5	16
13-19 YRS	977	2.3	28	<1	<1	1	2	4	6	18
GRAND TOTAL	**1321**	**2.3**	**26**	**<1**	**<1**	**1**	**2**	**4**	**6**	**17**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	26	1.7	1	1	1	1	2	4	5	6
13-19 YRS	72	2.1	4	1	1	1	2	4	8	12
2. MULTIPLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	4	3.3	11	1	1	2	5	8	8	8
6-12 YRS	39	3.5	18	<1	1	2	4	8	15	19
13-19 YRS	173	3.6	52	1	1	2	3	8	14	36
TOT. SINGLE DX	100	2.0	4	1	1	1	2	4	7	11
" MULTIPLE DX	218	3.6	45	1	1	2	3	8	13	32
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	6	3.5	10	1	1	2	7	8	8	8
6-12 YRS	65	2.8	13	1	1	1	3	6	9	19
13-19 YRS	245	3.2	39	1	1	2	3	6	12	29
GRAND TOTAL	**318**	**3.1**	**33**	**1**	**1**	**1**	**3**	**6**	**11**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	3.3	20	1	1	1	6	10	10	10
1-5 YRS	18	2.5	4	<1	<1	2	3	6	8	8
6-12 YRS	46	2.4	12	<1	<1	1	2	5	10	18
13-19 YRS	83	2.6	4	<1	1	2	3	6	8	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	7.3	61	<1	<1	5	9	19	27	27
1-5 YRS	40	4.2	23	<1	<1	2	6	10	15	23
6-12 YRS	124	4.7	21	<1	1	3	7	11	15	22
13-19 YRS	252	5.5	53	1	1	2	7	14	19	35
TOT. SINGLE DX	152	2.5	7	<1	<1	1	3	6	8	16
" MULTIPLE DX	427	5.2	41	<1	1	2	7	13	17	30
TOTAL 0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	14	6.1	51	<1	1	3	9	13	24	27
1-5 YRS	58	3.7	18	<1	<1	2	5	8	13	23
6-12 YRS	170	4.1	20	<1	<1	2	6	10	15	20
13-19 YRS	335	4.8	43	1	1	2	6	12	17	31
GRAND TOTAL	**579**	**4.5**	**34**	**<1**	**1**	**2**	**6**	**11**	**15**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	49	1.3		<1	<1	<1	1	3	3	99+
6-12 YRS	69	1.3		<1	<1	1	1	2	2	7
13-19 YRS	574	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	34	4.5	20	2	2	3	5	7	17	22
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	218	2.1	4	<1	<1	1	2	4	6	12
6-12 YRS	186	3.5	59	<1	<1	2	2	6	10	51
13-19 YRS	498	3.2	67	<1	<1	1	2	4	9	52
TOT. SINGLE DX	699	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	939	3.1	50	<1	<1	1	2	5	8	40
TOTAL 0-27 DYS	36	4.4	19	2	2	3	5	6	17	22
1-11 MOS	8	1.3		<1	<1	<1	1	2	2	2
1-5 YRS	267	2.0	4	<1	<1	1	2	4	6	14
6-12 YRS	255	2.9	45	<1	<1	1	2	5	9	41
13-19 YRS	1072	2.1	32	<1	<1	1	2	2	4	27
GRAND TOTAL	**1638**	**2.3**	**29**	**<1**	**<1**	**1**	**2**	**3**	**5**	**26**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	135	1.3	5	<1	<1	<1	1	1	1	8
6-12 YRS	18	1.2		<1	<1	<1	1	1	4	5
13-19 YRS	21	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	200	1.4	1	<1	<1	<1	1	2	3	9
6-12 YRS	68	3.1	105	<1	<1	1	2	3	9	97
13-19 YRS	70	5.6	175	<1	<1	2	3	9	29	76
TOT. SINGLE DX	175	1.2	4	<1	<1	<1	1	1	2	5
" MULTIPLE DX	341	2.6	60	<1	<1	1	2	3	7	54
TOTAL 0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	335	1.3	3	<1	<1	<1	1	2	2	9
6-12 YRS	86	2.7	84	<1	<1	1	2	3	5	93
13-19 YRS	91	4.6	138	<1	<1	1	2	7	27	70
GRAND TOTAL	**516**	**2.1**	**42**	**<1**	**<1**	**1**	**1**	**2**	**4**	**36**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	1	<1	<1	2	3	4	4	4
1-5 YRS	15	1.3		<1	<1	1	2	2	2	2
6-12 YRS	42	2.2	1	<1	<1	2	3	4	5	5
13-19 YRS	47	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	7	2.9	1	2	2	3	3	5	5	5
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	68	2.1	3	<1	<1	1	2	5	6	9
6-12 YRS	94	2.4	2	<1	1	2	3	5	6	58
13-19 YRS	106	3.3	26	1	1	2	3	7	11	99+
TOT. SINGLE DX	109	2.0	1	<1	<1	2	3	4	4	6
" MULTIPLE DX	278	2.7	12	<1	1	2	3	5	8	83
TOTAL 0-27 DYS	7	2.9	1	2	2	3	3	5	5	5
1-11 MOS	8	3.9	13	<1	<1	2	6	10	10	10
1-5 YRS	83	2.0	3	<1	<1	1	2	4	6	9
6-12 YRS	136	2.3	2	<1	1	2	3	4	6	19
13-19 YRS	153	2.9	19	1	1	2	3	5	9	97
GRAND TOTAL	**387**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**36**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	30	1.8	1	<1	<1	1	2	4	4	5
6-12 YRS	52	1.8	2	<1	<1	1	2	3	4	12
13-19 YRS	130	2.1	2	<1	1	2	2	4	5	10
2. MULTIPLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	20	3.4	4	<1	1	3	5	6	8	9
6-12 YRS	36	2.6	8	1	1	2	2	4	11	14
13-19 YRS	78	3.3	8	<1	1	2	4	6	9	17
TOT. SINGLE DX	216	2.0	3	<1	1	2	2	4	5	10
" MULTIPLE DX	139	3.1	8	1	1	2	4	6	9	14
TOTAL 0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	5	2.4	3	1	1	2	3	5	5	5
1-5 YRS	50	2.4	3	<1	<1	2	4	5	6	9
6-12 YRS	88	2.1	5	<1	1	1	2	4	5	13
13-19 YRS	208	2.6	5	<1	1	2	3	5	7	13
GRAND TOTAL	**355**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	136	3.0	2	1	2	3	4	5	7	8
1-5 YRS	460	2.9	2	1	1	3	4	5	6	8
6-12 YRS	123	2.7	1	1	1	3	4	5	5	7
13-19 YRS	41	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	198	3.5	2	1	2	3	4	5	6	10
1-5 YRS	443	3.8	11	1	2	3	4	6	7	13
6-12 YRS	149	3.6	14	1	1	3	4	5	8	17
13-19 YRS	66	3.0	2	1	1	3	4	5	6	9
TOT. SINGLE DX	762	2.9	2	1	1	3	4	5	5	8
" MULTIPLE DX	858	3.6	9	1	2	3	4	5	7	12
TOTAL 0-27 DYS	4	4.0	1	3	3	4	5	5	5	5
1-11 MOS	334	3.3	3	1	2	3	4	5	6	9
1-5 YRS	903	3.3	7	1	1	3	4	5	6	10
6-12 YRS	272	3.2	9	1	1	3	4	5	6	9
13-19 YRS	107	2.8	3	1	1	3	4	5	6	8
GRAND TOTAL	**1620**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	24	2.8	4	1	1	2	4	6	7	8
1-11 MOS	464	3.1	3	1	1	3	4	6	6	9
1-5 YRS	310	2.0	2	<1	<1	1	2	5	6	8
6-12 YRS	169	2.1	3	<1	<1	1	2	4	6	9
13-19 YRS	158	2.5	6	<1	1	2	3	5	6	17
2. MULTIPLE DX										
0-27 DYS	52	5.8	53	1	2	4	5	13	29	35
1-11 MOS	306	3.9	8	1	2	3	5	7	8	14
1-5 YRS	281	3.3	16	1	1	2	4	7	9	21
6-12 YRS	252	3.6	50	<1	1	2	4	6	9	32
13-19 YRS	419	3.6	38	<1	1	2	4	6	9	30
TOT. SINGLE DX	1125	2.6	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	1310	3.7	30	1	1	2	4	7	9	30
TOTAL 0-27 DYS	76	4.9	40	1	1	3	5	9	14	34
1-11 MOS	770	3.4	6	1	1	3	4	6	7	11
1-5 YRS	591	2.6	10	<1	<1	2	3	6	7	13
6-12 YRS	421	3.0	32	<1	1	2	3	5	9	17
13-19 YRS	577	3.3	30	<1	1	2	4	6	8	29
GRAND TOTAL	**2435**	**3.2**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	671	1.2		<1	1	1	1	2	2	4
6-12 YRS	2560	1.1		<1	1	1	1	2	2	3
13-19 YRS	7204	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	466	1.4	1	<1	1	1	1	2	3	9
6-12 YRS	1008	1.2		1	1	1	1	2	2	5
13-19 YRS	2139	1.4	2	1	1	1	1	2	3	7
TOT. SINGLE DX	10441	1.2		<1	1	1	1	2	2	3
" MULTIPLE DX	3618	1.4	2	1	1	1	1	2	3	7
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	1.4		1	1	1	2	2	2	2
1-5 YRS	1137	1.3	1	<1	1	1	1	2	2	5
6-12 YRS	3568	1.2		<1	1	1	1	2	2	3
13-19 YRS	9343	1.3	1	<1	1	1	1	2	2	4
GRAND TOTAL	**14059**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	15	1.1		<1	1	1	1	2	2	2
1-5 YRS	5348	1.2		<1	<1	1	1	2	2	3
6-12 YRS	8512	1.2		<1	1	1	1	2	2	2
13-19 YRS	2433	1.2	4	<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	29	2.7	9	<1	<1	1	3	8	11	12
1-5 YRS	6786	1.3		<1	1	1	1	2	2	5
6-12 YRS	6407	1.2		<1	1	1	1	2	2	4
13-19 YRS	1342	1.5	10	1	1	1	1	2	2	7
TOT. SINGLE DX	16311	1.2	1	<1	1	1	1	2	2	3
" MULTIPLE DX	14567	1.3	2	<1	1	1	1	2	2	4
TOTAL 0-27 DYS	6	1.3		1	1	1	2	2	2	2
1-11 MOS	44	2.2	7	<1	1	1	2	5	10	12
1-5 YRS	12134	1.2	1	<1	1	1	1	2	2	4
6-12 YRS	14919	1.2		<1	1	1	1	2	2	3
13-19 YRS	3775	1.3	6	1	1	1	1	2	2	4
GRAND TOTAL	**30878**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	183	1.0		<1	<1	1	1	1	1	2
6-12 YRS	266	1.0		<1	<1	1	1	1	1	2
13-19 YRS	40	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	23	3.7	18	<1	<1	2	6	12	14	14
1-5 YRS	918	1.3	1	<1	<1	1	1	1	2	7
6-12 YRS	523	1.2	2	<1	<1	1	1	2	2	4
13-19 YRS	79	1.2		<1	1	1	1	2	2	4
TOT. SINGLE DX	494	1.0		<1	<1	1	1	1	1	2
" MULTIPLE DX	1543	1.3	2	<1	<1	1	1	2	2	7
TOTAL 0-27 DYS										
1-11 MOS	28	3.3	16	<1	<1	1	4	10	14	14
1-5 YRS	1101	1.2	2	<1	<1	1	1	1	2	7
6-12 YRS	789	1.2	2	<1	<1	1	1	1	2	3
13-19 YRS	119	1.2		<1	<1	1	1	2	2	3
GRAND TOTAL	**2037**	**1.2**	**2**	**<1**	**<1**	**1**	**1**	**1**	**2**	**6**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	23	2.3	5	<1	<1	1	4	6	7	9
1-5 YRS	201	1.9	2	<1	<1	1	2	4	5	9
6-12 YRS	355	1.8	1	<1	<1	1	2	4	4	8
13-19 YRS	772	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	5	11.2	224	4	4	5	13	38	38	38
1-11 MOS	9	3.3	10	1	1	3	4	9	11	11
1-5 YRS	120	3.1	14	<1	1	2	4	6	11	21
6-12 YRS	134	2.7	5	1	1	2	3	6	7	11
13-19 YRS	273	3.1	14	1	1	2	4	5	6	15
TOT. SINGLE DX	1352	2.0	2	<1	1	1	2	4	5	8
" MULTIPLE DX	541	3.1	14	1	1	2	4	5	8	17
TOTAL 0-27 DYS	6	10.2	186	4	4	5	5	35	38	38
1-11 MOS	32	2.6	7	<1	<1	1	4	6	9	11
1-5 YRS	321	2.3	7	<1	<1	1	2	5	7	14
6-12 YRS	489	2.0	3	<1	1	1	2	4	5	9
13-19 YRS	1045	2.4	6	<1	1	2	3	4	5	9
GRAND TOTAL	**1893**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	15	2.6	2	1	1	2	3	6	6	6
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	25	1.0		<1	<1	<1	1	1	2	2
6-12 YRS	16	1.9	3	<1	<1	1	2	3	6	8
13-19 YRS	15	1.9	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS	223	3.1	2	1	1	3	4	5	5	7
1-11 MOS	12	8.8	101	1	2	5	21	44	89	99+
1-5 YRS	23	4.2	18	<1	<1	3	5	9	15	18
6-12 YRS	20	2.2	1	<1	<1	2	3	4	5	6
13-19 YRS	41	5.2	34	1	1	3	6	10	15	33
TOT. SINGLE DX	76	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	319	3.6	13	1	1	3	4	6	7	26
TOTAL 0-27 DYS	238	3.1	2	1	1	3	4	5	6	7
1-11 MOS	17	6.5	83	<1	1	3	6	28	72	99+
1-5 YRS	48	2.5	11	<1	<1	1	3	6	8	18
6-12 YRS	36	2.1	2	<1	<1	2	3	4	5	8
13-19 YRS	56	4.3	28	<1	1	3	5	9	11	32
GRAND TOTAL	**395**	**3.2**	**11**	**<1**	**1**	**3**	**4**	**5**	**7**	**23**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	3.1	8	<1	<1	2	4	8	9	9
1-5 YRS	163	1.5	1	<1	<1	1	2	2	3	9
6-12 YRS	72	1.2		<1	<1	1	1	2	2	4
13-19 YRS	53	1.4		<1	<1	1	1	2	4	4
2. MULTIPLE DX										
0-27 DYS	4	27.0	828	2	2	20	48	66	66	66
1-11 MOS	38	7.9	112	1	1	3	8	22	30	51
1-5 YRS	92	3.5	49	<1	1	2	2	5	22	37
6-12 YRS	52	1.4		<1	1	1	1	2	3	5
13-19 YRS	29	2.1	3	<1	<1	1	2	5	7	9
TOT. SINGLE DX	306	1.5	2	<1	<1	1	2	2	3	9
" MULTIPLE DX	215	4.0	67	<1	1	2	3	7	22	43
TOTAL 0-27 DYS	5	21.8	757	1	1	9	40	66	66	66
1-11 MOS	55	6.4	85	<1	1	2	7	18	27	50
1-5 YRS	255	2.2	20	<1	<1	1	2	3	5	33
6-12 YRS	124	1.3		<1	<1	1	1	2	3	4
13-19 YRS	82	1.7	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**521**	**2.5**	**30**	**<1**	**<1**	**1**	**2**	**4**	**7**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.7	14	<1	<1	2	6	8	8	8
1-5 YRS	23	2.5	9	1	1	2	2	4	9	16
6-12 YRS	11	2.4	6	1	1	2	2	6	10	10
13-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	13.1	524	2	2	2	30	87	99+	99+
1-5 YRS	35	5.7	75	1	1	3	4	12	30	40
6-12 YRS	15	3.0	12	1	1	2	3	7	12	14
13-19 YRS	15	3.5	9	1	1	2	5	9	10	10
TOT. SINGLE DX	39	2.6	9	<1	1	2	2	6	9	16
" MULTIPLE DX	73	5.5	99	1	1	2	5	12	32	92
TOTAL 0-27 DYS										
1-11 MOS	11	10.5	389	<1	1	2	13	78	97	99+
1-5 YRS	58	4.4	51	1	1	2	4	12	15	40
6-12 YRS	26	2.7	10	1	1	2	2	7	11	14
13-19 YRS	17	3.5	9	<1	1	2	5	9	10	10
GRAND TOTAL	**112**	**4.5**	**69**	**1**	**1**	**2**	**4**	**10**	**16**	**80**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	1	29.0		29	29	29	29	29	29	29
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX	2	21.0	128	13	13	21	29	29	29	29
TOTAL – 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	2	16.5	313	4	4	16	29	29	29	29
GRAND TOTAL	**3**	**15.3**	**160**	**4**	**4**	**13**	**25**	**29**	**29**	**29**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	27.0		27	27	63	99+	99+	99+	99+
1-11 MOS	9	32.7	258	10	11	40	99+	99+	99+	99+
1-5 YRS	8	24.0	720	<1	1	43	91	99+	99+	99+
6-12 YRS	8	31.6	1094	2	2	20	49	87	93	93
13-19 YRS	20	47.7	667	6	18	55	77	99+	99+	99+
TOT. SINGLE DX	3	6.3	5	5	5	5	8	9	9	9
" MULTIPLE DX	46	37.4	701	2	6	49	77	99+	99+	99+
TOTAL 0-27 DYS	1	27.0		27	27	63	99+	99+	99+	99+
1-11 MOS	11	28.0	315	6	9	39	89	99+	99+	99+
1-5 YRS	9	21.9	670	<1	1	26	83	99+	99+	99+
6-12 YRS	8	31.6	1094	2	2	20	49	87	93	93
13-19 YRS	20	47.7	668	6	18	55	77	99+	99+	99+
GRAND TOTAL	**49**	**35.5**	**714**	**2**	**5**	**43**	**76**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	12	6.5	37	1	1	5	8	16	21	22
1-5 YRS	44	3.1	10	<1	1	2	3	7	8	19
6-12 YRS	23	2.5	5	<1	1	1	4	6	7	8
13-19 YRS	24	4.7	13	1	1	3	7	10	12	16
2. MULTIPLE DX										
0-27 DYS	31	28.4	455	11	12	25	89	99+	99+	99+
1-11 MOS	61	19.2	420	1	1	17	30	88	99+	99+
1-5 YRS	164	9.6	220	1	1	4	11	29	40	99+
6-12 YRS	53	9.3	180	1	1	3	13	21	41	73
13-19 YRS	98	25.0	528	2	2	22	44	66	82	99+
TOT. SINGLE DX	104	3.8	15	<1	1	2	6	8	10	20
" MULTIPLE DX	407	16.1	389	1	1	9	24	62	99+	99+
TOTAL 0-27 DYS	32	27.8	454	10	12	25	86	99+	99+	99+
1-11 MOS	73	17.1	379	1	1	13	25	78	99+	99+
1-5 YRS	208	8.2	183	1	1	3	9	22	39	99+
6-12 YRS	76	7.3	137	1	1	2	9	16	24	67
13-19 YRS	122	21.0	492	1	2	13	36	59	76	99+
GRAND TOTAL	**511**	**13.6**	**338**	**1**	**1**	**7**	**21**	**51**	**87**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	3.8	7	1	1	3	5	8	8	8
1-5 YRS	10	4.5	14	1	1	3	5	10	14	14
6-12 YRS	9	8.3	219	1	1	2	7	34	46	46
13-19 YRS	19	5.5	9	1	2	6	7	10	11	12
2. MULTIPLE DX										
0-27 DYS	2	22.5	421	8	8	22	37	37	37	37
1-11 MOS	16	15.4	109	2	2	13	21	32	36	37
1-5 YRS	15	8.6	31	1	2	8	14	16	17	17
6-12 YRS	8	6.0	14	2	2	5	7	12	14	14
13-19 YRS	54	9.2	69	1	2	7	11	23	29	37
TOT. SINGLE DX	44	5.6	51	1	1	4	7	10	14	46
" MULTIPLE DX	95	10.1	77	1	2	7	13	23	32	37
TOTAL 0-27 DYS	2	22.5	421	8	8	22	37	37	37	37
1-11 MOS	22	12.2	107	1	2	11	20	26	35	37
1-5 YRS	25	7.0	28	1	2	5	11	15	16	17
6-12 YRS	17	7.2	117	1	1	4	7	15	35	46
13-19 YRS	73	8.2	56	1	2	6	10	18	27	36
GRAND TOTAL	**139**	**8.7**	**73**	**1**	**2**	**6**	**11**	**20**	**29**	**38**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	5.7	52	1	1	2	11	14	14	14
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	98.0		98	98	98	98	98	98	98
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	9.0	50	4	4	9	14	14	14	14
TOT. SINGLE DX	7	4.6	27	1	1	2	8	13	14	14
" MULTIPLE DX	6	20.2	1477	1	1	3	14	90	98	98
TOTAL 0-27 DYS	1	98.0		98	98	98	98	98	98	98
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	5	4.2	31	1	1	2	6	14	14	14
13-19 YRS	3	6.7	41	2	2	4	11	14	14	14
GRAND TOTAL	**13**	**11.8**	**695**	**1**	**1**	**2**	**11**	**31**	**85**	**98**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	5.4	4	2	2	6	7	8	8	8
1-5 YRS	7	13.1	201	1	1	8	20	37	41	41
6-12 YRS	3	10.3	85	5	5	5	17	21	21	21
13-19 YRS	41	9.2	21	3	4	8	12	17	18	19
2. MULTIPLE DX										
0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS	15	34.3	868	6	9	22	54	80	93	98
1-5 YRS	37	14.6	181	2	3	11	22	39	84	99+
6-12 YRS	35	13.9	119	5	6	12	15	24	32	62
13-19 YRS	116	9.9	29	4	5	8	13	17	21	26
TOT. SINGLE DX	58	9.3	43	2	4	8	11	17	20	40
" MULTIPLE DX	205	13.2	168	4	5	10	15	24	38	99
TOTAL 0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS	22	25.1	770	3	5	13	28	76	87	98
1-5 YRS	44	14.4	181	2	3	9	23	40	71	99+
6-12 YRS	38	13.6	116	5	5	12	15	23	32	62
13-19 YRS	157	9.7	27	4	5	8	12	17	20	24
GRAND TOTAL	**263**	**12.3**	**143**	**3**	**5**	**9**	**15**	**23**	**33**	**95**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	5	9.0	16	6	6	7	11	16	16	16
1-5 YRS	4	10.0	28	7	7	8	13	18	18	18
6-12 YRS	5	9.0	50	3	3	7	12	21	21	21
13-19 YRS	5	7.2	2	5	5	7	8	9	9	9
2. MULTIPLE DX										
0-27 DYS	6	16.2	39	7	8	15	21	25	25	25
1-11 MOS	4	8.3	29	4	4	6	12	16	16	16
1-5 YRS	9	15.1	42	6	6	16	19	24	25	25
6-12 YRS	10	13.1	54	6	6	11	17	25	29	29
13-19 YRS	18	11.4	45	5	6	9	12	22	27	30
TOT. SINGLE DX	21	8.9	20	4	5	7	9	17	19	21
" MULTIPLE DX	47	12.8	46	5	6	11	17	23	26	30
TOTAL 0-27 DYS	8	14.8	37	7	7	14	18	24	25	25
1-11 MOS	9	8.7	20	4	4	7	11	16	16	16
1-5 YRS	13	13.5	41	6	7	14	18	23	25	25
6-12 YRS	15	11.7	54	3	5	9	16	21	27	29
13-19 YRS	23	10.5	38	5	6	9	11	21	25	30
GRAND TOTAL	**68**	**11.6**	**41**	**5**	**6**	**9**	**16**	**21**	**25**	**30**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	5.0	22	1	1	3	10	12	12	12
1-11 MOS	100	2.5	8	<1	1	1	3	6	9	16
1-5 YRS	325	2.0	3	<1	1	1	2	4	6	10
6-12 YRS	85	2.6	10	<1	<1	1	2	6	9	17
13-19 YRS	52	4.0	15	<1	1	2	7	10	14	97
2. MULTIPLE DX										
0-27 DYS	28	24.6	707	3	5	15	34	94	99+	99+
1-11 MOS	193	10.6	198	1	1	6	13	28	38	98
1-5 YRS	344	6.2	54	1	1	3	7	15	24	37
6-12 YRS	113	6.9	49	1	1	4	10	16	22	32
13-19 YRS	154	12.2	174	1	2	8	15	26	39	76
TOT. SINGLE DX	568	2.4	7	<1	1	1	2	6	8	16
" MULTIPLE DX	832	9.1	145	1	1	5	11	23	32	86
TOTAL 0-27 DYS	34	21.1	640	2	2	13	25	92	98	99+
1-11 MOS	293	7.8	148	1	1	3	9	22	32	90
1-5 YRS	669	4.2	34	<1	1	2	5	10	16	32
6-12 YRS	198	5.1	37	<1	1	2	7	14	17	28
13-19 YRS	206	10.2	147	1	1	7	13	24	36	79
GRAND TOTAL	**1400**	**6.4**	**99**	**<1**	**1**	**3**	**7**	**15**	**25**	**70**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.3	77	1	1	4	13	20	20	20
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	32	4.8	8	2	2	4	6	9	10	14
2. MULTIPLE DX										
0-27 DYS	19	5.2	12	<1	1	4	7	11	13	13
1-11 MOS	3	12.0	84	4	4	10	19	22	22	22
1-5 YRS	6	6.2	26	1	1	6	10	13	13	13
6-12 YRS	6	7.2	8	3	3	7	9	11	11	11
13-19 YRS	40	10.6	100	2	3	7	11	26	32	51
TOT. SINGLE DX	38	5.1	14	2	2	4	6	9	12	20
" MULTIPLE DX	74	8.6	68	1	2	7	10	16	29	47
TOTAL 0-27 DYS	19	5.2	12	<1	1	4	7	11	13	13
1-11 MOS	3	12.0	84	4	4	10	19	22	22	22
1-5 YRS	10	6.6	41	1	1	4	10	16	20	20
6-12 YRS	8	6.6	8	3	3	7	8	10	11	11
13-19 YRS	72	8.0	67	2	2	6	9	15	29	47
GRAND TOTAL	**112**	**7.4**	**52**	**2**	**2**	**5**	**9**	**13**	**22**	**40**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	6.7	24	3	3	4	12	14	14	14
1-5 YRS	12	4.4	10	<1	1	3	6	10	11	11
6-12 YRS	19	7.2	96	1	1	4	8	24	34	36
13-19 YRS	369	5.2	10	2	2	4	6	10	12	16
2. MULTIPLE DX										
0-27 DYS	272	22.7	523	3	4	11	36	64	78	99+
1-11 MOS	28	14.8	285	2	4	10	17	25	35	92
1-5 YRS	62	15.2	225	4	5	11	17	29	59	98
6-12 YRS	79	11.6	75	2	3	9	16	25	30	38
13-19 YRS	507	9.1	89	3	3	6	10	18	24	48
TOT. SINGLE DX	407	5.3	14	2	2	4	6	10	13	18
" MULTIPLE DX	948	13.8	262	3	3	8	14	35	55	92
TOTAL 0-27 DYS	273	22.6	523	3	4	11	36	64	78	99+
1-11 MOS	34	13.3	247	2	3	10	16	25	28	92
1-5 YRS	74	13.4	206	2	3	10	14	27	55	96
6-12 YRS	98	10.8	82	1	2	8	14	25	30	39
13-19 YRS	876	7.5	60	2	3	5	8	13	20	44
GRAND TOTAL	**1355**	**11.2**	**202**	**2**	**3**	**6**	**11**	**25**	**45**	**87**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	6.9	11	1	2	7	9	11	11	11
1-5 YRS	148	5.1	5	1	1	6	7	7	8	10
6-12 YRS	133	5.4	16	1	1	5	6	8	8	27
13-19 YRS	199	5.7	17	1	2	5	7	9	10	27
2. MULTIPLE DX										
0-27 DYS	3	10.0	148	2	2	4	19	24	24	24
1-11 MOS	15	15.8	126	6	7	12	23	44	83	99+
1-5 YRS	55	8.9	59	2	4	7	10	15	24	46
6-12 YRS	44	10.1	106	2	3	6	11	21	36	52
13-19 YRS	159	10.8	75	2	4	8	14	24	30	50
TOT. SINGLE DX	487	5.5	13	1	1	5	7	8	9	22
" MULTIPLE DX	276	10.6	81	2	4	7	13	24	31	52
TOTAL 0-27 DYS	3	10.0	148	2	2	4	19	24	24	24
1-11 MOS	22	13.0	105	4	6	10	15	36	64	99+
1-5 YRS	203	6.1	23	1	1	6	7	9	12	26
6-12 YRS	177	6.6	42	1	2	6	7	9	17	39
13-19 YRS	358	8.0	49	1	2	6	8	17	24	41
GRAND TOTAL	**763**	**7.3**	**44**	**1**	**2**	**6**	**8**	**13**	**22**	**41**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	13.3	26	9	9	12	17	19	19	19
1-11 MOS	66	8.9	17	1	4	8	10	14	16	23
1-5 YRS	269	6.9	9	4	4	6	8	10	12	17
6-12 YRS	74	6.6	3	4	5	6	8	9	10	13
13-19 YRS	56	7.1	13	2	5	6	8	11	13	25
2. MULTIPLE DX										
0-27 DYS	34	18.3	167	5	7	15	27	50	86	99+
1-11 MOS	425	14.9	141	6	7	11	17	27	41	82
1-5 YRS	663	11.2	114	5	5	8	11	19	28	71
6-12 YRS	221	10.7	75	4	5	8	11	19	29	56
13-19 YRS	173	12.6	133	4	5	9	13	22	38	65
TOT. SINGLE DX	468	7.2	11	4	4	7	8	11	13	19
" MULTIPLE DX	1516	12.5	123	5	5	9	14	23	35	71
TOTAL 0-27 DYS	37	17.9	157	5	7	15	26	48	79	99+
1-11 MOS	491	14.1	129	6	7	10	16	26	39	75
1-5 YRS	932	10.0	88	4	5	8	10	16	24	66
6-12 YRS	295	9.7	61	4	5	8	10	16	27	54
13-19 YRS	229	11.2	110	4	5	8	12	21	34	64
GRAND TOTAL	**1984**	**11.2**	**102**	**4**	**5**	**8**	**12**	**20**	**29**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	3	10.0	19	7	7	8	13	15	15	15
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS										
6-12 YRS	3	11.0	4	9	9	11	12	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	4	4.5	33	1	1	2	8	13	13	13
" MULTIPLE DX	8	11.4	51	2	3	10	14	23	26	26
TOTAL 0-27 DYS	3	10.0	19	7	7	8	13	15	15	15
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	6	6.3	28	1	1	6	11	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**12**	**9.1**	**53**	**1**	**1**	**8**	**13**	**18**	**25**	**26**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	3.2	6	<1	<1	3	6	26	86	99+
1-11 MOS	149	1.9	4	<1	1	1	2	2	4	15
1-5 YRS	415	1.6	1	<1	1	2	2	2	2	6
6-12 YRS	181	1.8	1	<1	1	2	2	2	3	8
13-19 YRS	173	1.9	2	<1	1	2	2	2	4	10
2. MULTIPLE DX										
0-27 DYS	91	9.6	176	<1	1	6	11	18	28	78
1-11 MOS	710	3.0	19	1	1	2	2	6	10	22
1-5 YRS	965	2.2	7	<1	1	2	2	3	6	15
6-12 YRS	376	2.2	10	<1	1	2	2	3	5	20
13-19 YRS	364	3.1	18	<1	1	2	3	7	10	25
TOT. SINGLE DX	930	1.8	2	<1	1	2	2	2	3	9
" MULTIPLE DX	2506	2.8	21	<1	1	2	2	5	9	23
TOTAL 0-27 DYS	103	8.9	161	<1	1	6	10	17	29	92
1-11 MOS	859	2.8	17	<1	1	2	2	6	9	20
1-5 YRS	1380	2.0	6	<1	1	2	2	3	5	13
6-12 YRS	557	2.1	7	<1	1	2	2	3	4	13
13-19 YRS	537	2.7	14	<1	1	2	2	5	9	21
GRAND TOTAL	**3436**	**2.6**	**16**	**<1**	**1**	**2**	**2**	**4**	**7**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	6.7	22	3	3	5	10	12	12	12
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	8	5.8	13	1	1	5	9	10	11	11
6-12 YRS	14	2.7	1	1	2	3	3	4	5	5
13-19 YRS	28	3.6	3	1	2	3	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	14	12.2	145	2	5	8	15	24	44	50
1-5 YRS	31	7.5	35	2	3	5	9	16	24	26
6-12 YRS	45	4.8	14	1	2	4	5	10	15	19
13-19 YRS	70	4.5	9	1	2	3	6	9	11	14
TOT. SINGLE DX	55	3.8	6	1	2	3	5	6	9	12
" MULTIPLE DX	162	5.9	32	1	2	4	7	11	15	26
TOTAL 0-27 DYS	5	6.8	19	3	3	5	11	12	12	12
1-11 MOS	16	11.0	137	<1	1	8	12	21	41	50
1-5 YRS	39	7.2	31	2	2	5	9	14	21	26
6-12 YRS	59	4.3	12	1	2	4	5	7	13	19
13-19 YRS	98	4.2	8	1	2	3	5	8	11	14
GRAND TOTAL	**217**	**5.3**	**26**	**1**	**2**	**4**	**6**	**11**	**14**	**25**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.3	6	1	1	3	5	6	6	6
1-11 MOS	16	4.6	12	1	1	3	7	10	11	11
1-5 YRS	28	6.0	130	1	1	2	5	13	26	59
6-12 YRS	33	3.7	7	1	1	2	6	8	9	9
13-19 YRS	28	5.2	18	1	1	5	7	11	14	19
2. MULTIPLE DX										
0-27 DYS	9	18.1	138	2	4	15	27	36	38	38
1-11 MOS	34	8.3	46	1	2	6	12	20	26	99+
1-5 YRS	71	6.2	73	1	1	3	6	13	19	49
6-12 YRS	43	7.1	222	1	1	4	8	13	15	99
13-19 YRS	78	11.2	230	1	2	7	12	28	44	85
TOT. SINGLE DX	108	4.8	42	1	1	2	6	9	11	38
" MULTIPLE DX	235	8.8	157	1	2	5	11	18	32	94
TOTAL 0-27 DYS	12	14.4	147	1	2	13	21	34	37	38
1-11 MOS	50	7.1	38	1	1	5	11	17	21	99
1-5 YRS	99	6.1	88	1	1	3	6	13	21	54
6-12 YRS	76	5.6	130	1	1	3	7	9	13	78
13-19 YRS	106	9.6	181	1	1	6	11	19	36	76
GRAND TOTAL	**343**	**7.5**	**124**	**1**	**1**	**4**	**9**	**15**	**26**	**65**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	161	2.8	1	1	1	3	3	4	5	7
1-11 MOS	94	3.4	14	<1	<1	2	4	7	12	19
1-5 YRS	255	2.5	7	<1	<1	1	3	6	7	14
6-12 YRS	108	2.4	7	<1	<1	1	2	5	8	15
13-19 YRS	76	3.7	43	<1	1	2	4	8	13	44
2. MULTIPLE DX										
0-27 DYS	1831	4.0	38	1	2	3	4	5	8	33
1-11 MOS	228	8.0	86	1	1	5	11	21	35	99+
1-5 YRS	458	5.9	68	1	1	3	7	13	20	59
6-12 YRS	173	7.1	83	1	1	4	9	18	22	70
13-19 YRS	211	8.6	124	1	1	6	11	16	25	74
TOT. SINGLE DX	694	2.8	11	<1	<1	2	3	5	7	16
" MULTIPLE DX	2901	5.1	58	1	1	3	5	10	16	58
TOTAL 0-27 DYS	1992	3.9	35	1	2	3	4	5	8	30
1-11 MOS	322	6.7	69	<1	1	4	9	19	28	99+
1-5 YRS	713	4.7	49	<1	1	2	6	10	15	42
6-12 YRS	281	5.3	60	<1	1	2	6	13	20	47
13-19 YRS	287	7.3	107	1	1	4	9	15	21	59
GRAND TOTAL	**3595**	**4.7**	**50**	**1**	**1**	**3**	**5**	**9**	**15**	**50**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	38	2.7	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	15	3.3	9	1	1	2	4	5	11	13
TOT. SINGLE DX	40	2.6	2	1	1	2	3	5	6	7
" MULTIPLE DX	18	3.2	8	1	1	3	4	5	10	13
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	53	2.9	4	1	1	2	4	5	6	13
GRAND TOTAL	**58**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	10.3	12	7	7	10	13	14	14	14
1-11 MOS	24	8.5	17	4	5	8	9	13	16	24
1-5 YRS	14	7.6	9	5	5	7	8	11	16	17
6-12 YRS	10	5.6	12	1	1	5	8	10	12	12
13-19 YRS	12	5.7	15	1	1	5	7	12	13	13
2. MULTIPLE DX										
0-27 DYS	28	20.8	354	6	6	15	28	57	79	99+
1-11 MOS	85	12.9	211	5	5	9	13	21	46	97
1-5 YRS	119	9.2	43	4	5	7	11	16	21	36
6-12 YRS	33	9.9	106	2	2	7	12	22	48	99+
13-19 YRS	103	9.9	94	1	2	7	12	23	34	46
TOT. SINGLE DX	63	7.4	15	2	3	7	9	12	14	23
" MULTIPLE DX	368	11.2	134	3	4	8	12	22	38	91
TOTAL 0-27 DYS	31	19.8	330	6	6	13	27	55	76	99+
1-11 MOS	109	11.9	172	5	5	8	13	20	25	96
1-5 YRS	133	9.0	40	5	5	7	10	16	20	31
6-12 YRS	43	8.9	87	2	2	7	11	17	44	99+
13-19 YRS	115	9.4	88	1	2	7	11	21	33	46
GRAND TOTAL	**431**	**10.6**	**118**	**3**	**4**	**8**	**12**	**20**	**30**	**85**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	30.5	1301	5	5	30	56	56	56	56
6-12 YRS										
13-19 YRS	1	55.0		55	55	55	55	55	55	55
TOT. SINGLE DX	2	6.5	1	6	6	6	7	7	7	7
" MULTIPLE DX	3	38.7	850	5	5	55	56	56	56	56
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	30.5	1301	5	5	30	56	56	56	56
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	55.0		55	55	55	55	55	55	55
GRAND TOTAL	**5**	**25.8**	**736**	**5**	**5**	**7**	**55**	**56**	**56**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	9.6	91	1	1	7	18	22	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	3.6	2	2	2	3	4	6	7	7
1-5 YRS	10	6.8	48	1	1	4	8	19	23	23
6-12 YRS	27	5.0	24	1	1	4	6	9	12	27
13-19 YRS	119	7.2	128	1	1	4	6	15	22	69
TOT. SINGLE DX	8	7.8	67	1	1	4	14	20	22	22
" MULTIPLE DX	164	6.6	101	1	1	4	6	14	22	61
TOTAL 0-27 DYS										
1-11 MOS	8	3.6	3	2	2	3	4	6	7	7
1-5 YRS	12	6.8	44	1	1	4	9	17	22	23
6-12 YRS	28	4.9	25	1	1	4	6	9	11	27
13-19 YRS	124	7.3	126	1	1	4	7	17	22	68
GRAND TOTAL	**172**	**6.7**	**99**	**1**	**1**	**4**	**6**	**14**	**22**	**61**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	49	5.2	19	1	1	4	7	11	14	24
1-11 MOS	134	6.6	21	1	2	6	9	12	14	26
1-5 YRS	268	5.4	11	1	1	5	7	10	11	16
6-12 YRS	137	4.7	8	1	1	5	6	8	10	14
13-19 YRS	163	4.4	17	1	1	3	6	9	12	26
2. MULTIPLE DX										
0-27 DYS	5813	20.9	458	2	3	13	31	61	83	99+
1-11 MOS	502	11.3	135	2	3	8	13	22	38	84
1-5 YRS	651	10.3	129	1	2	7	11	22	34	69
6-12 YRS	251	9.5	121	1	1	6	11	25	34	48
13-19 YRS	558	8.3	87	1	1	6	10	19	30	49
TOT. SINGLE DX	751	5.3	15	1	1	5	7	10	12	23
" MULTIPLE DX	7775	18.2	396	1	3	10	25	53	75	99+
TOTAL 0-27 DYS	5862	20.8	457	2	3	13	31	61	83	99+
1-11 MOS	636	10.3	115	2	3	7	12	20	34	74
1-5 YRS	919	8.9	100	1	2	6	10	17	29	63
6-12 YRS	388	7.8	86	1	1	5	8	16	31	45
13-19 YRS	721	7.5	74	1	1	5	9	17	23	49
GRAND TOTAL	**8526**	**17.0**	**376**	**1**	**2**	**9**	**23**	**51**	**73**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	10.5	196	1	1	5	19	31	31	31
1-11 MOS	45	4.1	10	<1	1	4	5	8	11	15
1-5 YRS	187	3.3	9	<1	1	2	5	8	10	13
6-12 YRS	165	3.5	13	<1	1	2	4	8	11	18
13-19 YRS	220	3.0	12	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-27 DYS	4	7.3	11	4	4	6	9	12	12	12
1-11 MOS	50	6.2	12	2	2	6	8	12	13	15
1-5 YRS	141	6.6	78	1	1	5	8	12	14	45
6-12 YRS	115	4.8	42	<1	1	3	6	10	12	76
13-19 YRS	169	6.4	53	1	1	5	8	12	18	60
TOT. SINGLE DX	621	3.3	13	<1	<1	2	4	8	11	16
" MULTIPLE DX	479	6.1	54	1	1	4	8	11	15	56
TOTAL 0-27 DYS	8	8.9	92	1	1	6	10	25	31	31
1-11 MOS	95	5.2	13	1	1	4	7	11	13	15
1-5 YRS	328	4.7	41	<1	1	3	6	10	13	34
6-12 YRS	280	4.0	26	<1	1	2	5	9	11	23
13-19 YRS	389	4.5	33	<1	<1	3	6	9	12	34
GRAND TOTAL	**1100**	**4.5**	**32**	**<1**	**1**	**3**	**6**	**9**	**12**	**31**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	6.0	38	<1	<1	4	6	17	18	18
6-12 YRS	6	2.0		<1	<1	2	3	3	3	3
13-19 YRS	24	5.1	17	1	1	3	8	10	14	18
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	6.4	6	1	2	7	8	9	9	9
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	32	7.6	46	1	1	6	9	17	22	33
TOT. SINGLE DX	38	4.6	18	<1	1	3	6	10	15	18
" MULTIPLE DX	44	7.1	36	1	1	6	8	12	19	33
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	13	6.2	20	<1	1	6	7	11	17	18
6-12 YRS	9	2.4	2	<1	<1	2	3	4	5	5
13-19 YRS	56	6.5	35	1	1	5	8	12	18	32
GRAND TOTAL	**82**	**6.0**	**29**	**1**	**1**	**5**	**8**	**11**	**17**	**30**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS										
13-19 YRS	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	18.5	421	4	4	18	33	33	33	33
13-19 YRS	1	17.0		17	17	17	17	17	17	17
TOT. SINGLE DX	3	11.7	82	5	5	8	18	22	22	22
" MULTIPLE DX	6	12.7	125	4	4	9	17	31	33	33
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	2	13.0	162	4	4	13	22	22	22	22
6-12 YRS	2	18.5	421	4	4	18	33	33	33	33
13-19 YRS	3	10.0	39	5	5	8	15	17	17	17
GRAND TOTAL	**9**	**12.3**	**99**	**4**	**4**	**8**	**18**	**29**	**33**	**33**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	1	58.0		58	58	58	58	58	58	58
6-12 YRS	3	37.0	84	29	29	35	44	47	47	47
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	68.5	221	58	58	79	95	99+	99+	99+
1-5 YRS	16	45.0	202	26	31	48	56	76	93	99+
6-12 YRS	11	44.1	137	31	32	42	46	64	69	70
13-19 YRS	26	42.1	402	20	24	37	48	66	93	95
TOT. SINGLE DX	6	30.7	430	3	4	32	47	57	58	58
" MULTIPLE DX	55	44.3	297	24	29	42	55	77	94	99+
TOTAL 0-27 DYS										
1-11 MOS	4	38.0	1327	3	3	58	84	99+	99+	99+
1-5 YRS	17	45.8	200	26	31	48	57	74	92	99+
6-12 YRS	14	42.6	128	29	31	42	47	61	68	70
13-19 YRS	26	42.1	403	20	24	37	48	66	93	95
GRAND TOTAL	**61**	**43.0**	**319**	**20**	**25**	**42**	**54**	**72**	**93**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	45	3.4	6	<1	1	2	5	8	8	11
1-5 YRS	280	4.3	14	<1	1	3	5	8	13	19
6-12 YRS	255	5.2	26	<1	1	4	6	10	12	30
13-19 YRS	334	6.1	21	2	2	5	7	9	12	31
2. MULTIPLE DX										
0-27 DYS	24	13.2	197	2	4	10	13	24	49	67
1-11 MOS	90	7.8	69	1	1	5	10	19	28	40
1-5 YRS	438	9.6	97	1	2	6	12	23	27	54
6-12 YRS	344	9.5	84	2	3	7	11	19	27	68
13-19 YRS	768	11.1	128	2	4	7	12	24	35	58
TOT. SINGLE DX	915	5.2	21	1	1	4	6	9	12	26
" MULTIPLE DX	1664	10.2	110	2	3	7	12	22	31	59
TOTAL 0-27 DYS	25	12.9	192	2	4	10	13	22	47	67
1-11 MOS	135	6.3	52	1	1	4	7	16	22	38
1-5 YRS	718	7.5	71	1	1	5	9	18	24	39
6-12 YRS	599	7.7	64	1	2	5	9	16	22	50
13-19 YRS	1102	9.6	101	2	3	7	10	19	31	50
GRAND TOTAL	**2579**	**8.4**	**84**	**1**	**2**	**6**	**9**	**18**	**26**	**47**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	6.2	13	1	2	6	8	10	14	16
1-11 MOS	36	8.3	55	2	2	5	10	17	24	35
1-5 YRS	82	7.0	60	1	1	4	9	15	22	44
6-12 YRS	62	8.6	96	<1	1	6	12	19	28	54
13-19 YRS	57	7.9	103	1	1	4	9	25	34	44
2. MULTIPLE DX										
0-27 DYS	230	18.1	454	2	3	9	28	69	99	99+
1-11 MOS	175	18.6	337	2	3	12	27	47	70	99+
1-5 YRS	332	14.3	221	1	2	10	19	36	47	85
6-12 YRS	181	15.1	252	1	2	10	20	38	49	74
13-19 YRS	312	13.8	203	1	2	9	19	30	43	76
TOT. SINGLE DX	253	7.7	75	1	1	5	9	17	26	44
" MULTIPLE DX	1230	15.6	284	2	2	10	21	41	57	99+
TOTAL 0-27 DYS	246	17.3	434	2	3	8	28	63	98	99+
1-11 MOS	211	16.8	304	2	3	11	25	45	61	99+
1-5 YRS	414	12.9	198	1	2	8	16	32	45	80
6-12 YRS	243	13.4	220	1	2	8	18	35	44	70
13-19 YRS	369	12.9	192	1	2	8	17	30	42	71
GRAND TOTAL	**1483**	**14.3**	**257**	**1**	**2**	**9**	**19**	**38**	**53**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	31	4.4	42	1	1	2	3	13	19	30
1-5 YRS	56	2.7	22	<1	<1	1	2	6	9	33
6-12 YRS	39	6.1	118	<1	1	2	6	11	34	54
13-19 YRS	48	3.4	18	<1	1	2	3	9	13	19
2. MULTIPLE DX										
0-27 DYS	12	28.4	627	1	2	19	51	68	69	69
1-11 MOS	72	7.1	83	1	1	3	9	21	27	45
1-5 YRS	121	7.6	153	1	1	3	9	20	38	99+
6-12 YRS	78	4.9	58	1	1	2	5	13	19	46
13-19 YRS	87	8.3	140	1	1	4	9	20	37	87
TOT. SINGLE DX	177	4.0	46	<1	1	2	3	9	13	36
" MULTIPLE DX	370	7.8	145	1	1	3	9	20	36	78
TOTAL 0-27 DYS	15	23.7	591	1	2	14	44	67	68	69
1-11 MOS	103	6.3	72	1	1	2	8	16	27	43
1-5 YRS	177	6.0	117	<1	1	2	6	15	34	94
6-12 YRS	117	5.3	78	1	1	2	5	12	20	54
13-19 YRS	135	6.6	102	<1	1	3	8	17	30	72
GRAND TOTAL	**547**	**6.5**	**116**	**1**	**1**	**2**	**7**	**16**	**31**	**67**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	388	3.3	1	2	2	3	4	5	5	8
1-11 MOS	967	3.1	2	1	2	3	4	5	6	8
1-5 YRS	79	4.2	4	2	2	4	5	6	8	13
6-12 YRS	4	4.5	3	3	3	4	6	7	7	7
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	151	5.9	53	2	3	4	6	8	17	44
1-11 MOS	400	4.9	24	2	2	4	5	7	10	29
1-5 YRS	29	5.5	10	2	2	5	7	9	18	99+
6-12 YRS										
13-19 YRS	3	11.3	36	5	5	12	16	17	17	17
TOT. SINGLE DX	1441	3.2	3	1	2	3	4	5	6	8
" MULTIPLE DX	583	5.2	32	2	2	4	6	8	11	42
TOTAL 0-27 DYS	539	4.0	18	2	2	3	4	6	7	21
1-11 MOS	1367	3.6	10	1	2	3	4	6	7	13
1-5 YRS	108	4.5	6	2	2	4	5	8	10	52
6-12 YRS	4	4.5	4	3	3	4	6	7	7	7
13-19 YRS	6	7.8	30	3	3	5	12	16	17	17
GRAND TOTAL	**2024**	**3.8**	**12**	**2**	**2**	**3**	**4**	**6**	**7**	**15**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	9.2	46	2	2	9	15	17	17	17
1-5 YRS	10	6.7	40	1	1	6	9	16	22	22
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	24	38.8	736	7	10	40	62	95	99+	99+
1-11 MOS	50	23.8	493	2	5	16	38	66	89	99+
1-5 YRS	85	18.0	392	2	3	11	24	49	73	96
6-12 YRS	50	14.7	274	2	3	10	20	28	63	99+
13-19 YRS	50	17.3	330	2	2	11	34	80	99+	99+
TOT. SINGLE DX	18	7.4	34	1	1	6	10	16	20	22
" MULTIPLE DX	259	20.3	446	2	3	13	29	63	91	99+
TOTAL 0-27 DYS	24	38.8	736	7	10	40	62	95	99+	99+
1-11 MOS	55	22.5	469	2	4	16	31	61	88	99+
1-5 YRS	95	16.9	367	1	3	9	21	45	71	95
6-12 YRS	51	14.5	271	2	3	9	20	27	63	99+
13-19 YRS	52	16.9	322	2	2	10	31	77	99+	99+
GRAND TOTAL	**277**	**19.5**	**429**	**2**	**3**	**12**	**27**	**61**	**90**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	18	4.1	3	2	2	3	6	7	8	8
2. MULTIPLE DX										
0-27 DYS	3	23.0	427	<1	<1	26	38	42	42	42
1-11 MOS	8	6.1	11	3	3	5	8	11	13	13
1-5 YRS	8	12.0	39	2	3	13	18	18	18	18
6-12 YRS	16	5.7	15	1	2	5	7	10	15	17
13-19 YRS	60	6.7	86	1	2	4	6	10	26	57
TOT. SINGLE DX	24	4.3	5	1	2	4	6	7	9	10
" MULTIPLE DX	95	7.4	80	1	2	5	7	17	24	51
TOTAL 0-27 DYS	3	23.0	427	<1	<1	26	38	42	42	42
1-11 MOS	10	5.6	12	1	2	5	7	10	13	13
1-5 YRS	10	11.0	37	2	3	10	18	18	18	18
6-12 YRS	18	5.6	14	1	2	5	6	10	14	17
13-19 YRS	78	6.1	68	1	2	4	6	8	15	53
GRAND TOTAL	**119**	**6.8**	**66**	**1**	**2**	**5**	**7**	**12**	**18**	**47**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.8	7	2	2	6	7	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	14.8	25	11	11	13	18	23	23	23
6-12 YRS	2	13.0	2	12	12	13	14	14	14	14
13-19 YRS	7	13.3	62	5	6	12	15	26	29	29
TOT. SINGLE DX	4	5.8	7	2	2	6	7	8	8	8
" MULTIPLE DX	14	13.8	37	6	8	13	16	24	28	29
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	14.8	25	11	11	13	18	23	23	23
6-12 YRS	2	13.0	2	12	12	13	14	14	14	14
13-19 YRS	11	10.5	54	2	4	8	13	21	28	29
GRAND TOTAL	**18**	**12.0**	**41**	**3**	**5**	**11**	**14**	**21**	**27**	**29**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX										
" MULTIPLE DX	3	13.7	121	1	1	19	20	21	21	21
TOTAL 0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**3**	**13.7**	**121**	**1**	**1**	**19**	**20**	**21**	**21**	**21**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	10	10.8	20	6	6	10	12	18	21	21
TOT. SINGLE DX	3	7.3	1	6	6	8	8	8	8	8
" MULTIPLE DX	11	11.4	21	6	7	11	14	19	21	21
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	11	10.5	19	6	7	9	12	17	21	21
GRAND TOTAL	**14**	**10.5**	**20**	**6**	**6**	**9**	**12**	**17**	**20**	**21**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	5.0	7	3	3	4	7	8	8	8
1-11 MOS	50	6.7	49	2	2	5	8	10	15	50
1-5 YRS	46	6.0	24	1	1	6	8	9	11	33
6-12 YRS	25	6.7	12	3	3	6	7	11	15	20
13-19 YRS	72	6.2	10	2	3	5	8	10	11	20
2. MULTIPLE DX										
0-27 DYS	26	42.8	798	9	13	48	80	99+	99+	99+
1-11 MOS	170	17.8	208	4	5	15	26	42	55	99+
1-5 YRS	255	17.6	262	3	5	12	23	43	56	99+
6-12 YRS	117	16.2	272	4	6	11	21	29	50	99
13-19 YRS	158	11.3	130	3	5	8	11	21	47	97
TOT. SINGLE DX	196	6.3	24	2	2	6	8	10	12	27
" MULTIPLE DX	726	16.9	271	4	5	11	22	43	70	99+
TOTAL 0-27 DYS	29	38.9	851	3	8	41	77	99+	99+	99+
1-11 MOS	220	15.3	194	3	4	10	22	38	51	99+
1-5 YRS	301	15.8	244	2	4	10	21	41	54	99+
6-12 YRS	142	14.5	239	3	5	9	19	26	41	99
13-19 YRS	230	9.7	98	3	4	7	10	19	24	76
GRAND TOTAL	**922**	**14.7**	**238**	**3**	**4**	**9**	**19**	**37**	**55**	**99+**

1473 Hospitals, United States, January-December 1986, by Operation

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	8.5	44	3	3	6	13	18	18	18
1-11 MOS	10	5.3	33	1	1	3	5	15	19	19
1-5 YRS	46	3.3	6	<1	1	3	5	7	10	11
6-12 YRS	57	4.3	10	1	1	4	6	9	11	16
13-19 YRS	110	5.1	19	1	1	4	6	9	13	25
2. MULTIPLE DX										
0-27 DYS	6	20.0	533	4	4	12	22	61	65	65
1-11 MOS	50	13.7	340	2	2	6	16	36	53	87
1-5 YRS	95	6.6	108	1	2	4	7	13	19	65
6-12 YRS	109	7.1	114	1	1	5	7	12	16	70
13-19 YRS	221	7.9	103	1	2	5	8	13	28	58
TOT. SINGLE DX	227	4.6	16	1	1	4	6	9	11	20
" MULTIPLE DX	481	8.2	141	1	2	5	8	14	26	75
TOTAL 0-27 DYS	10	15.4	346	3	3	9	18	43	65	65
1-11 MOS	60	12.3	298	1	2	6	12	28	51	86
1-5 YRS	141	5.5	77	1	1	3	7	10	15	36
6-12 YRS	166	6.2	80	1	1	4	7	11	14	59
13-19 YRS	331	7.0	77	1	2	5	7	12	18	53
GRAND TOTAL	**708**	**7.1**	**103**	**1**	**2**	**5**	**7**	**13**	**19**	**63**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	21.5	243	6	6	20	34	39	39	39
1-11 MOS	15	8.4	14	5	6	7	9	10	18	21
1-5 YRS	8	6.3	7	4	4	5	8	11	11	11
6-12 YRS	17	8.0	6	4	5	8	9	12	13	14
13-19 YRS	30	10.0	46	6	6	8	10	14	17	43
2. MULTIPLE DX										
0-27 DYS	50	41.7	855	8	10	57	99	99+	99+	99+
1-11 MOS	40	15.2	193	4	5	11	23	50	78	99+
1-5 YRS	38	11.6	94	5	5	8	11	24	37	47
6-12 YRS	58	10.0	40	4	5	8	11	17	29	94
13-19 YRS	130	13.5	130	5	6	10	15	27	47	99+
TOT. SINGLE DX	74	9.4	43	5	5	8	10	14	20	42
" MULTIPLE DX	316	17.3	344	5	6	11	22	65	99+	99+
TOTAL 0-27 DYS	54	40.2	833	7	10	50	99	99+	99+	99+
1-11 MOS	55	13.3	153	5	5	9	15	34	61	99+
1-5 YRS	46	10.7	83	4	5	8	11	22	32	47
6-12 YRS	75	9.5	33	4	5	8	11	15	26	84
13-19 YRS	160	12.8	116	5	6	10	14	23	40	96
GRAND TOTAL	**390**	**15.8**	**296**	**5**	**6**	**10**	**18**	**60**	**99+**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	16.0	317	4	4	10	17	48	51	51
1-11 MOS	28	6.6	4	4	4	6	8	10	11	12
1-5 YRS	11	10.8	24	4	4	10	15	17	18	18
6-12 YRS	15	10.2	39	5	6	8	10	24	25	26
13-19 YRS	49	10.4	26	5	6	9	14	17	22	28
2. MULTIPLE DX										
0-27 DYS	27	41.1	527	11	14	41	67	97	99+	99+
1-11 MOS	52	12.0	62	4	5	10	16	22	26	48
1-5 YRS	33	13.2	105	6	6	9	16	26	29	56
6-12 YRS	30	15.1	153	5	6	9	17	32	42	55
13-19 YRS	159	16.2	166	6	7	13	18	29	43	78
TOT. SINGLE DX	109	9.8	40	4	5	8	11	16	22	37
" MULTIPLE DX	301	17.2	229	5	6	12	20	37	54	97
TOTAL 0-27 DYS	33	36.5	575	6	9	38	54	94	99+	99+
1-11 MOS	80	10.1	49	4	5	8	12	19	23	42
1-5 YRS	44	12.6	85	4	6	9	15	23	27	56
6-12 YRS	45	13.4	119	5	6	9	14	29	35	55
13-19 YRS	208	14.8	139	6	6	12	17	27	35	71
GRAND TOTAL	**410**	**15.3**	**190**	**5**	**6**	**11**	**17**	**31**	**47**	**92**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	6.4	6	4	4	6	8	10	12	12
1-11 MOS	12	6.3	11	2	3	5	8	12	13	13
1-5 YRS	15	8.0	18	2	3	8	10	12	17	19
6-12 YRS	6	4.5		4	4	4	5	5	5	5
13-19 YRS	7	8.6	85	1	1	5	15	24	25	25
2. MULTIPLE DX										
0-27 DYS	24	19.5	340	5	6	13	31	75	99+	99+
1-11 MOS	10	14.8	112	4	5	11	26	31	35	35
1-5 YRS	11	12.0	108	3	4	10	13	25	40	41
6-12 YRS	13	11.5	74	3	4	10	12	28	31	32
13-19 YRS	29	14.9	269	3	4	10	16	28	47	86
TOT. SINGLE DX	50	6.9	21	2	3	5	8	12	18	25
" MULTIPLE DX	87	15.3	222	3	5	11	18	36	54	99+
TOTAL 0-27 DYS	34	15.7	276	4	5	9	20	53	93	99+
1-11 MOS	22	10.1	73	3	4	6	13	26	30	35
1-5 YRS	26	9.7	58	3	3	8	12	15	23	41
6-12 YRS	19	9.3	61	3	4	6	11	21	30	32
13-19 YRS	36	13.6	236	1	3	9	16	25	40	86
GRAND TOTAL	**137**	**12.2**	**164**	**3**	**4**	**8**	**13**	**27**	**43**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	9.0	40	1	2	7	13	19	19	19
1-11 MOS	182	4.7	7	2	2	4	6	9	10	14
1-5 YRS	102	6.5	27	2	3	6	8	10	12	37
6-12 YRS	39	6.4	6	2	4	6	8	10	11	12
13-19 YRS	97	7.4	6	3	4	8	9	10	12	15
2. MULTIPLE DX										
0-27 DYS	41	16.5	152	4	5	14	23	48	99+	99+
1-11 MOS	217	10.2	146	2	3	7	10	24	41	99+
1-5 YRS	184	9.3	76	3	4	7	10	15	25	47
6-12 YRS	84	10.6	127	4	5	8	12	16	24	73
13-19 YRS	200	10.7	82	4	5	8	11	21	27	95
TOT. SINGLE DX	428	6.0	14	2	2	5	8	10	12	17
" MULTIPLE DX	726	10.5	111	3	4	8	11	21	32	99+
TOTAL 0-27 DYS	49	15.3	141	4	5	12	21	44	95	99+
1-11 MOS	399	7.7	91	2	2	5	8	14	26	81
1-5 YRS	286	8.3	60	2	3	7	9	13	19	42
6-12 YRS	123	9.2	92	3	4	7	10	14	19	59
13-19 YRS	297	9.6	60	4	5	8	10	15	24	74
GRAND TOTAL	**1154**	**8.8**	**80**	**2**	**3**	**7**	**10**	**15**	**25**	**80**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	11	10.2	56	2	4	8	11	22	29	30
1-5 YRS	4	6.0	2	4	4	6	7	7	7	7
6-12 YRS	2	10.5	5	9	9	10	12	12	12	12
13-19 YRS	5	8.0	1	6	6	8	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	19	22.5	463	5	6	16	51	85	99+	99+
1-11 MOS	17	16.6	83	5	7	16	21	33	35	35
1-5 YRS	12	10.7	40	3	4	8	17	19	21	21
6-12 YRS	20	16.5	421	5	6	10	17	30	69	97
13-19 YRS	28	17.5	322	5	7	10	24	31	46	96
TOT. SINGLE DX	24	8.7	29	3	4	8	10	12	20	30
" MULTIPLE DX	96	17.3	294	5	6	11	20	39	70	99+
TOTAL 0-27 DYS	21	20.9	444	4	5	15	44	81	99+	99+
1-11 MOS	28	14.1	81	4	5	12	19	29	35	35
1-5 YRS	16	9.5	34	3	4	7	15	18	20	21
6-12 YRS	22	16.0	384	6	6	10	17	25	63	97
13-19 YRS	33	16.1	285	5	7	10	18	30	40	96
GRAND TOTAL	**120**	**15.6**	**252**	**4**	**6**	**10**	**18**	**33**	**58**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	6.0	17	2	2	5	9	11	12	12
1-11 MOS	21	3.3	2	1	2	3	4	6	7	7
1-5 YRS	822	4.5	7	1	2	4	6	8	10	12
6-12 YRS	7173	3.6	5	2	2	3	4	6	8	11
13-19 YRS	11064	3.5	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	5	5.8	4	3	3	7	8	91	99+	99+
1-11 MOS	13	4.9	5	2	2	5	7	8	8	8
1-5 YRS	464	7.3	25	2	2	6	9	13	16	24
6-12 YRS	2289	5.9	23	2	2	4	7	11	15	25
13-19 YRS	3688	5.3	16	2	2	4	6	9	12	20
TOT. SINGLE DX	19088	3.5	4	2	2	3	4	6	7	11
" MULTIPLE DX	6459	5.6	20	2	2	4	7	10	13	23
TOTAL 0-27 DYS	13	5.9	12	2	2	7	9	21	82	99+
1-11 MOS	34	3.9	4	2	2	3	6	7	8	8
1-5 YRS	1286	5.5	16	2	2	4	7	10	12	19
6-12 YRS	9462	4.1	11	2	2	3	5	7	9	16
13-19 YRS	14752	3.9	7	2	2	3	4	7	8	14
GRAND TOTAL	**25547**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	11	4.2	2	1	2	5	6	6	6	6
6-12 YRS	59	3.5	4	1	2	3	4	7	8	10
13-19 YRS	107	3.5	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	12.0	148	2	2	9	21	28	28	28
6-12 YRS	28	5.5	8	2	2	5	7	10	11	14
13-19 YRS	50	4.9	4	2	3	5	5	8	9	12
TOT. SINGLE DX	180	3.5	3	2	2	3	4	6	7	9
" MULTIPLE DX	82	5.4	13	2	3	5	7	9	11	24
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	15	6.3	47	1	2	5	6	15	25	28
6-12 YRS	87	4.1	6	1	2	3	5	8	9	13
13-19 YRS	157	3.9	3	2	2	3	5	6	7	10
GRAND TOTAL	**262**	**4.1**	**7**	**2**	**2**	**3**	**5**	**7**	**9**	**14**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	7.0	7	4	4	7	9	11	11	11
6-12 YRS	19	7.4	17	3	3	7	9	10	17	22
13-19 YRS	17	7.6	8	3	4	8	9	12	13	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	12.6	85	3	3	8	22	23	23	23
6-12 YRS	24	10.1	38	2	4	9	11	17	23	32
13-19 YRS	20	10.0	49	3	4	8	11	19	27	33
TOT. SINGLE DX	43	7.4	12	3	4	7	9	11	12	22
" MULTIPLE DX	49	10.3	46	3	4	9	11	21	23	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	12	9.3	43	3	4	7	10	22	23	23
6-12 YRS	43	8.9	30	3	3	8	10	15	20	32
13-19 YRS	37	8.9	31	3	4	8	10	14	20	33
GRAND TOTAL	**92**	**9.0**	**32**	**3**	**4**	**8**	**10**	**15**	**22**	**33**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	2.8	1	1	1	3	3	4	4	4
1-11 MOS	23	4.1	9	1	1	3	6	9	10	11
1-5 YRS	54	3.0	11	<1	1	2	4	5	8	21
6-12 YRS	31	2.8	4	<1	<1	2	4	6	8	9
13-19 YRS	35	4.0	20	1	1	3	5	8	9	26
2. MULTIPLE DX										
0-27 DYS	32	15.2	226	3	4	8	22	49	60	99+
1-11 MOS	35	9.3	81	1	1	6	13	23	29	37
1-5 YRS	52	4.3	57	1	1	2	4	6	11	48
6-12 YRS	33	6.3	162	1	1	3	6	11	23	72
13-19 YRS	49	8.9	204	1	1	5	8	20	29	93
TOT. SINGLE DX	148	3.4	11	<1	1	2	4	7	9	21
" MULTIPLE DX	201	8.4	151	1	1	4	9	22	33	82
TOTAL 0-27 DYS	37	13.5	214	2	3	8	21	45	57	99+
1-11 MOS	58	7.2	59	1	1	4	10	18	24	37
1-5 YRS	106	3.6	34	1	1	2	4	5	10	38
6-12 YRS	64	4.6	88	<1	1	2	4	9	11	65
13-19 YRS	84	6.9	132	1	1	4	7	13	25	74
GRAND TOTAL	**349**	**6.2**	**98**	**1**	**1**	**3**	**6**	**13**	**24**	**62**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	2.8	3	1	1	2	3	6	7	9
1-5 YRS	16	2.8	8	<1	<1	2	3	6	10	12
6-12 YRS	10	2.7	5	<1	<1	2	4	6	8	8
13-19 YRS	68	2.4	3	1	1	2	3	4	7	10
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	15	2.4	2	<1	<1	2	4	5	6	6
1-5 YRS	8	2.3	1	<1	<1	2	3	4	4	4
6-12 YRS	10	5.4	49	1	1	2	3	18	21	21
13-19 YRS	49	4.9	26	1	1	3	5	10	16	30
TOT. SINGLE DX	124	2.6	4	<1	1	2	3	5	8	11
" MULTIPLE DX	84	4.2	23	1	1	3	4	9	16	27
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	45	2.7	3	<1	1	2	3	5	7	9
1-5 YRS	24	2.6	6	<1	<1	2	3	5	8	12
6-12 YRS	20	4.1	28	<1	<1	2	4	12	18	21
13-19 YRS	117	3.4	15	1	1	2	4	8	10	21
GRAND TOTAL	**208**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	15.0		15	15	15	15	15	15	15
1-11 MOS	22	9.3	26	4	5	8	10	19	21	23
1-5 YRS	34	9.7	15	5	6	9	11	17	18	20
6-12 YRS	4	10.5	3	9	9	10	12	13	13	13
13-19 YRS	4	17.0	64	8	8	16	23	27	27	27
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	54	11.1	42	5	6	8	14	21	25	32
1-5 YRS	55	12.7	152	5	6	10	14	18	24	91
6-12 YRS	14	9.4	14	3	5	9	13	14	15	15
13-19 YRS	24	16.8	166	4	6	12	23	31	50	54
TOT. SINGLE DX	66	10.2	23	5	6	9	12	18	20	26
" MULTIPLE DX	148	12.4	104	5	6	10	15	22	29	55
TOTAL 0-27 DYS	3	11.7	33	5	5	15	15	15	15	15
1-11 MOS	76	10.6	38	5	6	8	13	20	23	32
1-5 YRS	89	11.6	101	5	6	9	13	18	20	69
6-12 YRS	18	9.6	12	3	5	10	13	14	15	15
13-19 YRS	28	16.8	149	5	6	12	23	29	49	54
GRAND TOTAL	**214**	**11.7**	**80**	**5**	**6**	**9**	**14**	**20**	**26**	**50**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	47	2.9	6	<1	1	2	4	6	8	99+
1-5 YRS	106	2.3	5	<1	1	1	2	5	6	15
6-12 YRS	128	2.8	5	1	1	2	3	5	7	12
13-19 YRS	423	4.1	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-27 DYS	17	9.8	70	2	3	7	16	22	27	29
1-11 MOS	150	6.7	37	1	2	4	9	16	21	33
1-5 YRS	212	7.3	110	1	1	4	8	15	22	52
6-12 YRS	248	4.9	19	1	1	4	6	10	12	27
13-19 YRS	1114	5.8	46	1	2	4	6	10	16	40
TOT. SINGLE DX	704	3.5	8	1	1	3	5	7	8	16
" MULTIPLE DX	1741	5.9	50	1	1	4	7	11	18	41
TOTAL 0-27 DYS	17	9.8	71	2	3	7	16	22	27	29
1-11 MOS	197	5.8	32	1	1	4	7	14	20	67
1-5 YRS	318	5.6	81	1	1	3	6	12	18	51
6-12 YRS	376	4.2	16	1	1	3	5	9	11	24
13-19 YRS	1537	5.3	36	1	2	4	6	9	14	33
GRAND TOTAL	**2445**	**5.2**	**39**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	29	1.2		<1	<1	1	1	2	2	4
1-5 YRS	12	1.2		<1	<1	1	1	2	2	2
6-12 YRS	7	2.1	1	1	1	2	3	4	4	4
13-19 YRS	34	2.6	7	1	1	2	3	4	4	17
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	11	3.4	9	<1	<1	2	5	8	11	11
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	37	2.8	4	1	1	2	4	5	6	12
TOT. SINGLE DX	82	1.9	4	<1	<1	1	2	4	4	13
" MULTIPLE DX	55	2.8	5	<1	1	2	4	5	6	12
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	40	1.8	4	<1	<1	1	2	4	5	11
1-5 YRS	15	1.3	1	<1	<1	1	1	2	4	4
6-12 YRS	9	1.9	2	<1	<1	1	3	4	4	4
13-19 YRS	71	2.7	6	1	1	2	4	5	6	16
GRAND TOTAL	**137**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**13**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	9	2.3	5	<1	<1	2	2	6	8	8
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	42	1.9	1	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
0-27 DYS	5	3.0	1	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	48	4.8	182	<1	1	2	4	6	10	94
TOT. SINGLE DX	59	2.1	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	61	4.2	145	<1	1	2	3	5	9	86
TOTAL 0-27 DYS	6	3.3	1	2	2	3	4	5	5	5
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	15	1.9	3	<1	<1	1	2	3	7	8
6-12 YRS	6	2.2	1	1	1	2	3	3	3	3
13-19 YRS	90	3.5	99	<1	<1	2	3	5	6	64
GRAND TOTAL	**120**	**3.2**	**75**	**<1**	**<1**	**2**	**3**	**5**	**6**	**42**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	2.8	1	<1	1	3	4	4	5	5
2. MULTIPLE DX										
0-27 DYS	4	5.5	11	2	2	5	8	10	10	10
1-11 MOS	13	4.3	12	1	2	3	4	9	14	15
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	71	3.7	10	1	1	3	4	6	9	22
TOT. SINGLE DX	31	2.3	1	<1	<1	2	3	4	4	5
" MULTIPLE DX	90	3.8	11	1	1	3	4	7	9	21
TOTAL 0-27 DYS	4	5.5	12	2	2	5	8	10	10	10
1-11 MOS	15	3.9	12	1	1	3	4	7	13	15
1-5 YRS	8	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	93	3.5	8	1	1	3	4	6	7	19
GRAND TOTAL	**121**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	3.8	6	1	1	4	5	7	10	10
1-11 MOS	39	3.9	37	<1	<1	2	3	7	19	29
1-5 YRS	34	2.8	4	<1	1	2	4	6	7	10
6-12 YRS	16	3.8	19	<1	1	2	5	11	14	16
13-19 YRS	66	2.9	6	1	1	2	3	5	9	85
2. MULTIPLE DX										
0-27 DYS	24	6.3	49	1	2	4	6	13	26	30
1-11 MOS	67	5.2	29	1	1	4	7	9	12	36
1-5 YRS	57	4.6	13	1	1	3	7	10	11	18
6-12 YRS	21	5.3	19	1	1	4	8	13	13	14
13-19 YRS	56	7.0	92	1	2	4	7	20	32	49
TOT. SINGLE DX	166	3.2	14	<1	1	2	4	6	10	29
" MULTIPLE DX	225	5.6	42	1	1	4	7	11	15	38
TOTAL 0-27 DYS	35	5.5	37	1	1	4	6	10	22	30
1-11 MOS	106	4.7	32	1	1	3	5	9	12	34
1-5 YRS	91	4.0	11	1	1	3	6	8	10	16
6-12 YRS	37	4.6	20	1	1	2	7	12	14	16
13-19 YRS	122	4.8	49	1	1	3	4	9	21	63
GRAND TOTAL	**391**	**4.6**	**32**	**1**	**1**	**3**	**5**	**9**	**12**	**36**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	8	7.5	19	4	4	6	9	15	17	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	8.7	12	5	5	9	11	12	12	12
1-5 YRS	4	12.5	11	8	8	13	15	16	16	16
6-12 YRS	2	21.0	338	8	8	21	34	34	34	34
13-19 YRS	19	12.8	144	3	4	8	14	33	45	47
TOT. SINGLE DX	11	7.5	15	4	4	6	9	13	17	17
" MULTIPLE DX	28	12.9	118	4	5	9	14	29	42	47
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	12	5	5	9	11	12	12	12
1-5 YRS	5	11.6	13	8	8	12	14	16	16	16
6-12 YRS	4	14.0	181	5	5	8	21	34	34	34
13-19 YRS	27	11.3	111	3	4	8	13	19	43	47
GRAND TOTAL	**39**	**11.4**	**94**	**4**	**4**	**8**	**13**	**18**	**38**	**47**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	5.6	14	1	1	8	8	9	9	9
1-11 MOS	30	4.1	6	1	1	4	5	8	8	11
1-5 YRS	41	3.4	15	1	1	2	3	9	12	18
6-12 YRS	31	5.2	30	1	1	2	8	15	16	21
13-19 YRS	45	4.8	13	1	1	4	8	11	12	14
2. MULTIPLE DX										
0-27 DYS	14	23.4	630	1	2	17	27	62	80	85
1-11 MOS	71	13.3	260	1	1	9	17	41	62	99+
1-5 YRS	89	13.8	354	1	1	7	17	45	83	99+
6-12 YRS	60	13.4	322	1	1	7	15	40	72	98
13-19 YRS	202	11.6	191	1	1	8	12	24	46	74
TOT. SINGLE DX	152	4.4	16	1	1	3	7	9	13	18
" MULTIPLE DX	436	12.9	269	1	1	8	16	36	60	99+
TOTAL 0-27 DYS	19	18.7	523	1	1	9	21	56	73	85
1-11 MOS	101	10.6	202	1	1	5	11	31	59	99+
1-5 YRS	130	10.5	270	1	1	4	13	32	69	99+
6-12 YRS	91	10.6	237	1	1	5	12	30	43	93
13-19 YRS	247	10.3	165	1	1	7	11	21	36	73
GRAND TOTAL	**588**	**10.7**	**217**	**1**	**1**	**6**	**12**	**27**	**51**	**98**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	8.2	15	4	4	8	10	14	14	14
1-11 MOS	19	5.7	6	2	2	5	8	10	10	10
1-5 YRS	7	6.0	18	1	1	5	10	12	12	12
6-12 YRS	29	5.7	9	2	3	5	6	10	12	16
13-19 YRS	888	5.0	4	3	3	5	6	7	9	12
2. MULTIPLE DX										
0-27 DYS	6	10.0	29	4	4	10	12	18	19	19
1-11 MOS	28	10.7	119	5	5	8	11	21	64	99+
1-5 YRS	29	15.1	407	4	4	9	13	31	81	86
6-12 YRS	44	8.8	26	4	4	7	11	18	21	21
13-19 YRS	819	7.0	24	3	3	6	8	11	13	28
TOT. SINGLE DX	949	5.1	5	2	3	5	6	8	9	13
" MULTIPLE DX	926	7.5	41	3	4	6	9	12	14	37
TOTAL 0-27 DYS	12	9.1	21	4	4	9	11	15	18	19
1-11 MOS	47	8.7	79	3	4	7	10	13	30	99+
1-5 YRS	36	13.4	343	3	4	9	12	20	68	86
6-12 YRS	73	7.5	22	3	4	6	8	15	20	21
13-19 YRS	1707	6.0	15	3	3	5	7	9	11	19
GRAND TOTAL	**1875**	**6.3**	**24**	**3**	**3**	**5**	**7**	**10**	**12**	**22**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	22	13.7	75	4	5	11	18	26	31	37
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	8	7.9	9	1	3	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	55	99+	99+	99+	99+
1-11 MOS	37	16.5	136	6	6	12	21	29	40	62
1-5 YRS	11	18.4	155	4	8	15	21	41	46	46
6-12 YRS	8	25.0	266	10	11	17	33	51	59	59
13-19 YRS	16	8.0	63	<1	1	5	12	19	26	29
TOT. SINGLE DX	35	11.8	68	2	3	10	15	25	27	37
" MULTIPLE DX	73	15.8	153	2	4	13	20	34	45	91
TOTAL 0-27 DYS	3	13.0	124	3	3	18	62	99+	99+	99+
1-11 MOS	59	15.5	114	5	6	12	20	28	37	60
1-5 YRS	12	18.1	142	5	8	15	19	40	45	46
6-12 YRS	10	20.5	297	2	2	15	33	46	59	59
13-19 YRS	24	8.0	44	<1	1	7	10	16	22	29
GRAND TOTAL	**108**	**14.5**	**128**	**2**	**3**	**11**	**19**	**29**	**38**	**78**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.3	30	3	3	8	12	14	14	14
6-12 YRS	13	10.8	142	1	1	6	14	32	37	38
13-19 YRS	20	5.3	17	<1	<1	4	9	12	13	13
2. MULTIPLE DX										
0-27 DYS	1	46.0		46	46	46	46	46	46	46
1-11 MOS	3	16.3	296	4	4	22	68	99+	99+	99+
1-5 YRS	7	30.4	678	2	3	25	44	71	77	77
6-12 YRS	10	23.6	535	1	2	14	35	62	68	68
13-19 YRS	51	13.1	166	2	2	9	17	29	45	63
TOT. SINGLE DX	36	7.6	67	<1	1	5	11	14	27	38
" MULTIPLE DX	72	16.8	297	2	2	10	20	46	62	95
TOTAL 0-27 DYS	1	46.0		46	46	46	46	46	46	46
1-11 MOS	3	16.3	296	4	4	22	68	99+	99+	99+
1-5 YRS	10	23.8	573	2	2	14	40	61	77	77
6-12 YRS	23	16.4	338	1	1	12	25	42	61	68
13-19 YRS	71	10.9	136	1	2	8	14	20	36	61
GRAND TOTAL	**108**	**13.7**	**238**	**1**	**1**	**9**	**17**	**37**	**52**	**86**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	5.6	25	2	2	4	7	14	17	17
1-11 MOS	37	4.8	63	<1	<1	2	4	11	28	35
1-5 YRS	62	2.6	4	<1	1	2	4	6	7	10
6-12 YRS	76	3.2	5	<1	1	2	4	7	9	10
13-19 YRS	239	4.2	8	1	1	4	5	7	8	18
2. MULTIPLE DX										
0-27 DYS	25	13.0	153	3	4	8	17	25	42	56
1-11 MOS	107	6.4	54	1	1	4	8	13	17	45
1-5 YRS	94	4.5	36	1	1	3	5	11	15	72
6-12 YRS	138	5.8	40	1	1	4	7	11	16	62
13-19 YRS	385	6.6	78	1	2	4	7	12	19	59
TOT. SINGLE DX	422	3.9	13	1	1	3	5	7	9	21
" MULTIPLE DX	749	6.4	67	1	1	4	7	12	19	56
TOTAL 0-27 DYS	33	11.2	132	2	3	7	15	24	36	56
1-11 MOS	144	6.0	57	1	1	3	7	12	20	40
1-5 YRS	156	3.8	24	1	1	2	4	8	12	38
6-12 YRS	214	4.9	29	1	1	3	6	10	14	37
13-19 YRS	624	5.7	53	1	2	4	6	10	14	44
GRAND TOTAL	**1171**	**5.5**	**49**	**1**	**1**	**4**	**6**	**11**	**15**	**43**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	42	1.7	2	<1	<1	1	2	3	4	9
1-11 MOS	784	1.4		<1	<1	1	2	2	3	5
1-5 YRS	988	1.3		<1	<1	1	1	2	2	5
6-12 YRS	531	1.3		<1	<1	1	1	2	2	4
13-19 YRS	1331	1.8	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	65	15.6	628	1	1	4	40	88	99+	99+
1-11 MOS	666	2.2	5	<1	<1	1	3	4	6	14
1-5 YRS	818	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	332	1.5	1	<1	<1	1	2	3	3	6
13-19 YRS	482	2.1	3	<1	1	2	3	4	4	9
TOT. SINGLE DX	3676	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	2363	2.2	25	<1	<1	1	2	4	5	19
TOTAL 0-27 DYS	107	10.1	427	1	1	2	5	62	98	99+
1-11 MOS	1450	1.8	3	<1	<1	1	2	3	4	9
1-5 YRS	1806	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	863	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	1813	1.8	2	<1	1	1	2	3	4	6
GRAND TOTAL	**6039**	**1.8**	**11**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	32	1.3		1	1	1	2	2	3	3
1-11 MOS	689	1.3		<1	<1	1	2	2	2	4
1-5 YRS	281	1.4		<1	<1	1	2	2	3	4
6-12 YRS	70	1.5		<1	<1	1	2	2	3	5
13-19 YRS	85	1.8		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	67	26.4	1020	1	1	30	82	99+	99+	99+
1-11 MOS	935	2.3	14	<1	1	1	2	4	7	25
1-5 YRS	301	2.0	9	<1	<1	1	2	3	5	22
6-12 YRS	52	1.6		<1	<1	1	2	3	4	4
13-19 YRS	39	2.4	4	<1	1	2	3	4	6	12
TOT. SINGLE DX	1157	1.4	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	1394	3.4	87	<1	<1	1	2	4	12	99+
TOTAL 0-27 DYS	99	18.3	826	1	1	3	57	99+	99+	99+
1-11 MOS	1624	1.9	9	<1	1	1	2	3	4	13
1-5 YRS	582	1.7	5	<1	<1	1	2	2	4	11
6-12 YRS	122	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	124	2.0	2	<1	1	2	3	3	4	8
GRAND TOTAL	**2551**	**2.5**	**49**	**<1**	**<1**	**1**	**2**	**3**	**5**	**69**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	7	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	4	1.5	1	1	1	1	2	3	3	3
13-19 YRS	15	2.2	1	1	1	2	3	5	71	99+
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	3	3.3	4	1	1	4	5	5	5	5
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	8	2.6	1	1	1	3	3	4	4	4
TOT. SINGLE DX	30	2.1	1	<1	<1	2	3	4	5	99+
" MULTIPLE DX	18	2.8	3	1	1	3	4	5	6	7
TOTAL 0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	5	3.4	1	2	2	3	4	5	5	5
1-5 YRS	10	2.4	3	<1	<1	2	4	5	5	5
6-12 YRS	7	1.3	1	1	1	1	1	3	3	3
13-19 YRS	23	2.3	1	1	1	2	3	4	33	99+
GRAND TOTAL	**48**	**2.4**	**2**	**<1**	**1**	**2**	**3**	**5**	**5**	**99+**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	4.5	7	2	2	4	6	8	8	8
1-11 MOS	64	1.6	1	<1	<1	1	2	3	4	8
1-5 YRS	273	1.5		<1	<1	1	2	3	3	5
6-12 YRS	121	1.4		<1	<1	1	2	2	3	6
13-19 YRS	68	2.1	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	23	18.0	483	1	3	9	27	54	99	99+
1-11 MOS	40	3.2	31	<1	1	2	3	6	8	36
1-5 YRS	105	1.9	2	<1	<1	1	2	4	5	9
6-12 YRS	59	2.4	32	<1	<1	1	2	3	4	41
13-19 YRS	23	2.5	2	<1	1	2	4	5	6	6
TOT. SINGLE DX	530	1.6	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	250	3.8	77	<1	<1	1	3	6	11	49
TOTAL 0-27 DYS	27	16.0	433	1	2	8	25	46	99	99+
1-11 MOS	104	2.2	14	<1	<1	1	2	4	6	21
1-5 YRS	378	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	180	1.7	11	<1	<1	1	2	2	4	7
13-19 YRS	91	2.2	2	<1	1	2	3	4	6	8
GRAND TOTAL	**780**	**2.3**	**27**	**<1**	**<1**	**1**	**2**	**4**	**6**	**27**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	44	2.4	3	<1	<1	2	3	5	7	7
6-12 YRS	47	1.6	1	<1	<1	1	2	3	4	8
13-19 YRS	88	1.8		<1	<1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	3	6.3	6	4	4	6	8	9	9	9
1-11 MOS	22	6.7	243	<1	1	3	5	7	35	76
1-5 YRS	32	5.0	20	1	1	4	6	13	15	20
6-12 YRS	21	3.0	9	<1	<1	2	4	6	10	14
13-19 YRS	40	4.0	31	<1	1	3	4	12	23	99+
TOT. SINGLE DX	188	1.9	2	<1	<1	1	2	4	4	7
" MULTIPLE DX	118	4.7	63	<1	1	3	5	9	15	83
TOTAL 0-27 DYS	3	6.3	6	4	4	6	8	9	9	9
1-11 MOS	31	5.4	176	<1	1	3	5	6	7	76
1-5 YRS	76	3.5	12	<1	<1	2	5	7	11	19
6-12 YRS	68	2.1	4	<1	<1	1	2	4	6	13
13-19 YRS	128	2.5	11	<1	1	2	3	4	5	46
GRAND TOTAL	**306**	**3.0**	**27**	**<1**	**<1**	**2**	**3**	**5**	**7**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	7	5.7	2	4	4	6	7	8	8	8
1-5 YRS	5	4.4	4	<1	<1	5	6	6	6	6
6-12 YRS	4	7.0	36	1	1	6	12	14	14	14
13-19 YRS	7	5.7	6	2	2	5	8	9	9	9
2. MULTIPLE DX										
0-27 DYS	22	19.0	362	2	5	14	30	89	99+	99+
1-11 MOS	29	12.0	219	4	5	7	12	20	37	81
1-5 YRS	16	11.1	59	2	3	10	14	24	27	28
6-12 YRS	11	13.7	587	2	3	6	9	43	82	86
13-19 YRS	12	11.1	79	3	4	8	13	23	34	36
TOT. SINGLE DX	25	6.0	10	1	2	6	7	10	12	14
" MULTIPLE DX	90	13.6	250	3	4	9	15	33	77	99+
TOTAL 0-27 DYS	24	18.2	339	2	5	13	27	84	99+	99+
1-11 MOS	36	10.8	182	4	4	7	10	18	31	81
1-5 YRS	21	9.5	54	1	2	7	12	22	26	28
6-12 YRS	15	11.9	437	1	2	6	10	15	68	86
13-19 YRS	19	9.1	58	2	3	6	11	16	27	36
GRAND TOTAL	**115**	**12.0**	**208**	**2**	**3**	**8**	**13**	**27**	**42**	**99+**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	4.5	10	<1	1	3	7	10	10	10
1-11 MOS	20	3.4	6	<1	<1	3	5	7	8	9
1-5 YRS	132	3.5	13	<1	<1	2	5	9	10	18
6-12 YRS	88	3.9	15	<1	1	2	5	8	13	20
13-19 YRS	127	3.5	8	<1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	32	15.5	452	1	2	8	24	64	99	99+
1-11 MOS	37	9.7	108	1	2	6	11	20	40	42
1-5 YRS	160	6.5	32	<1	1	5	8	15	17	35
6-12 YRS	121	6.5	29	1	1	6	9	12	17	30
13-19 YRS	200	7.1	56	1	1	5	8	14	23	39
TOT. SINGLE DX	375	3.6	12	<1	1	2	5	8	10	16
" MULTIPLE DX	550	7.5	74	1	1	5	9	15	24	53
TOTAL 0-27 DYS	40	13.3	381	1	2	7	15	56	96	99+
1-11 MOS	57	7.5	81	1	1	5	8	17	31	42
1-5 YRS	292	5.1	26	<1	1	4	7	11	16	29
6-12 YRS	209	5.4	25	<1	1	4	7	12	15	25
13-19 YRS	327	5.7	41	1	1	4	7	11	15	37
GRAND TOTAL	**925**	**5.9**	**52**	**<1**	**1**	**4**	**7**	**12**	**17**	**41**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	10	4.7	3	2	2	4	6	7	8	8
1-5 YRS	61	4.2	14	1	1	3	5	8	13	19
6-12 YRS	133	5.3	17	1	2	4	7	10	11	26
13-19 YRS	378	4.8	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
0-27 DYS	12	20.5	373	2	4	13	44	69	94	99+
1-11 MOS	31	11.1	220	2	2	6	10	29	49	67
1-5 YRS	84	9.4	81	2	3	7	10	19	24	53
6-12 YRS	167	8.9	52	2	3	7	11	16	24	38
13-19 YRS	664	7.4	50	2	3	5	9	13	19	38
TOT. SINGLE DX	583	4.9	10	2	2	4	6	9	11	16
" MULTIPLE DX	958	8.1	65	2	3	6	9	15	23	46
TOTAL 0-27 DYS	13	20.0	346	2	4	13	44	65	92	99+
1-11 MOS	41	9.6	174	2	2	5	7	22	42	67
1-5 YRS	145	7.2	59	1	2	5	8	15	20	48
6-12 YRS	300	7.3	40	2	2	6	9	14	17	37
13-19 YRS	1042	6.5	36	2	3	5	8	11	15	33
GRAND TOTAL	**1541**	**6.9**	**47**	**2**	**2**	**5**	**8**	**12**	**18**	**38**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	27	2.4	1	<1	1	2	3	4	4	4
13-19 YRS	809	2.8	4	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	3	6.3	44	2	2	3	11	14	14	14
6-12 YRS	20	3.8	6	<1	<1	3	5	8	9	10
13-19 YRS	942	3.6	8	<1	1	3	5	7	8	12
TOT. SINGLE DX	839	2.8	4	<1	<1	2	4	6	7	10
" MULTIPLE DX	970	3.6	9	<1	1	3	5	7	8	13
TOTAL 0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	4	2.3	6	<1	<1	1	4	6	6	6
1-5 YRS	5	4.4	29	1	1	2	6	14	14	14
6-12 YRS	47	3.0	4	<1	<1	3	4	5	7	10
13-19 YRS	1751	3.2	7	<1	1	2	4	6	8	12
GRAND TOTAL	**1809**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	9.5	5	8	8	9	11	11	11	11
1-11 MOS	27	9.4	100	2	2	8	11	13	21	56
1-5 YRS	38	6.3	12	2	4	6	8	10	10	23
6-12 YRS	65	5.5	8	1	1	6	7	8	10	15
13-19 YRS	150	5.8	9	1	1	6	8	10	11	14
2. MULTIPLE DX										
0-27 DYS	55	27.2	557	4	5	20	34	64	88	98
1-11 MOS	66	13.7	193	3	5	10	13	30	47	71
1-5 YRS	112	13.9	219	2	4	9	15	29	44	79
6-12 YRS	141	11.6	134	2	3	8	15	22	41	70
13-19 YRS	360	7.6	63	1	2	6	9	15	19	62
TOT. SINGLE DX	282	6.1	19	1	2	6	8	10	12	15
" MULTIPLE DX	734	11.3	176	2	3	7	13	23	37	92
TOTAL 0-27 DYS	57	26.6	549	4	5	20	33	63	86	98
1-11 MOS	93	12.5	169	2	4	9	12	24	43	70
1-5 YRS	150	12.0	177	2	4	8	14	24	40	70
6-12 YRS	206	9.6	102	2	2	7	11	18	27	66
13-19 YRS	510	7.0	48	1	2	6	8	13	17	43
GRAND TOTAL	**1016**	**9.9**	**138**	**2**	**2**	**7**	**11**	**18**	**31**	**71**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	5.3	10	3	3	4	8	9	9	9
1-11 MOS	21	6.3	19	2	3	5	7	12	17	20
1-5 YRS	45	9.4	62	4	4	8	11	14	23	52
6-12 YRS	13	6.0	10	1	2	5	8	11	12	12
13-19 YRS	16	6.3	3	3	4	6	8	9	10	10
2. MULTIPLE DX										
0-27 DYS	10	14.3	80	5	5	13	18	28	32	32
1-11 MOS	41	8.9	99	1	2	6	9	21	26	57
1-5 YRS	92	10.1	60	4	4	7	13	23	34	99+
6-12 YRS	73	9.0	66	3	4	7	10	16	21	52
13-19 YRS	111	8.8	31	3	4	7	10	15	19	31
TOT. SINGLE DX	98	7.7	37	3	3	6	9	12	15	39
" MULTIPLE DX	327	9.4	57	3	4	7	11	19	26	57
TOTAL 0-27 DYS	13	12.2	77	3	4	9	16	26	31	32
1-11 MOS	62	8.0	73	2	2	5	9	17	22	54
1-5 YRS	137	9.9	61	4	4	7	12	21	30	99+
6-12 YRS	86	8.6	59	3	4	6	10	15	21	49
13-19 YRS	127	8.5	28	3	4	7	10	14	19	30
GRAND TOTAL	**425**	**9.0**	**53**	**3**	**4**	**7**	**10**	**17**	**25**	**53**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	7.6	15	2	2	8	9	13	16	16
1-11 MOS	63	5.6	7	2	3	5	7	10	12	13
1-5 YRS	129	4.6	9	1	2	4	6	8	11	14
6-12 YRS	197	4.7	14	1	2	3	6	10	12	20
13-19 YRS	268	4.6	15	1	1	3	7	10	12	20
2. MULTIPLE DX										
0-27 DYS	26	14.6	93	5	5	13	18	25	37	44
1-11 MOS	82	8.5	70	2	3	6	10	16	26	84
1-5 YRS	220	9.4	83	2	2	7	12	19	23	62
6-12 YRS	279	8.7	65	1	2	6	12	19	26	42
13-19 YRS	474	9.4	80	1	2	7	13	22	29	42
TOT. SINGLE DX	667	4.7	13	1	1	4	6	10	12	19
" MULTIPLE DX	1081	9.3	77	1	2	7	12	20	28	46
TOTAL 0-27 DYS	36	12.7	81	3	5	10	16	24	32	44
1-11 MOS	145	7.3	45	2	3	6	8	13	19	55
1-5 YRS	349	7.6	62	1	2	6	9	15	20	52
6-12 YRS	476	7.0	48	1	2	5	9	16	21	37
13-19 YRS	742	7.7	62	1	1	6	10	17	24	40
GRAND TOTAL	**1748**	**7.6**	**58**	**1**	**2**	**5**	**9**	**16**	**22**	**42**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	12	4.8	5	1	2	5	7	7	7	7
13-19 YRS	19	5.3	16	<1	1	5	7	11	15	16
2. MULTIPLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	2	17.5	181	8	8	17	27	27	27	27
1-5 YRS	16	6.1	26	2	2	5	7	13	19	22
6-12 YRS	11	5.7	15	<1	1	5	8	11	12	12
13-19 YRS	36	6.1	22	1	1	6	8	11	14	24
TOT. SINGLE DX	32	5.0	12	1	1	5	7	8	12	16
" MULTIPLE DX	67	6.3	27	1	1	5	8	12	16	26
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	3	12.0	181	1	1	8	22	27	27	27
1-5 YRS	16	6.1	27	2	2	5	7	13	19	22
6-12 YRS	23	5.2	10	1	1	5	7	9	11	12
13-19 YRS	55	5.8	20	1	1	5	8	11	15	24
GRAND TOTAL	**99**	**5.9**	**22**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	24	6.9	10	3	4	7	9	10	13	17
1-5 YRS	239	5.9	4	3	3	6	7	8	9	12
6-12 YRS	244	6.1	4	3	4	6	7	8	10	13
13-19 YRS	41	6.8	7	3	3	7	8	10	12	15
2. MULTIPLE DX										
0-27 DYS	2	29.5	1301	4	4	29	55	55	55	55
1-11 MOS	64	10.3	70	3	4	8	12	16	27	50
1-5 YRS	335	8.1	27	3	4	7	9	13	17	28
6-12 YRS	238	7.2	8	3	4	7	9	10	12	17
13-19 YRS	98	9.8	37	4	5	8	10	16	18	40
TOT. SINGLE DX	550	6.1	5	3	4	6	7	9	10	14
" MULTIPLE DX	737	8.3	30	3	4	7	9	13	16	28
TOTAL 0-27 DYS	4	19.0	601	3	3	9	34	55	55	55
1-11 MOS	88	9.3	56	3	4	8	10	16	22	48
1-5 YRS	574	7.2	19	3	4	6	8	11	14	26
6-12 YRS	482	6.7	7	3	4	6	8	10	11	15
13-19 YRS	139	8.9	31	3	5	8	10	14	18	26
GRAND TOTAL	**1287**	**7.4**	**21**	**3**	**4**	**7**	**8**	**11**	**14**	**25**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	9.5	22	3	3	11	13	13	13	13
1-11 MOS	12	7.3	28	<1	1	6	12	15	16	16
1-5 YRS	21	4.6	10	<1	1	5	6	9	10	11
6-12 YRS	20	6.1	12	1	1	6	8	11	13	14
13-19 YRS	165	3.6	5	1	1	3	5	7	7	11
2. MULTIPLE DX										
0-27 DYS	9	11.6	88	2	2	9	19	26	30	30
1-11 MOS	23	9.8	30	1	4	9	13	15	20	27
1-5 YRS	47	7.6	12	2	3	8	10	12	13	16
6-12 YRS	50	6.5	30	1	1	5	9	13	19	24
13-19 YRS	120	5.7	32	1	1	4	7	11	14	38
TOT. SINGLE DX	222	4.2	9	1	1	4	6	8	11	15
" MULTIPLE DX	249	6.8	32	1	2	5	9	13	16	30
TOTAL 0-27 DYS	13	10.9	66	2	2	9	15	21	28	30
1-11 MOS	35	9.0	30	1	2	9	13	15	16	27
1-5 YRS	68	6.7	14	1	1	6	9	12	12	16
6-12 YRS	70	6.4	25	1	1	5	9	13	16	23
13-19 YRS	285	4.5	18	1	1	4	5	8	11	18
GRAND TOTAL	**471**	**5.6**	**23**	**1**	**1**	**4**	**8**	**11**	**14**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	19	1.8	4	<1	<1	1	2	5	8	8
1-5 YRS	117	1.9	3	<1	<1	1	2	5	6	10
6-12 YRS	159	1.8	2	<1	<1	1	2	4	6	7
13-19 YRS	244	3.2	11	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	4	8.5	73	2	2	6	15	20	20	20
1-11 MOS	44	6.2	34	<1	<1	4	9	14	20	23
1-5 YRS	225	3.7	13	<1	<1	2	5	8	10	24
6-12 YRS	307	3.4	22	<1	<1	2	4	7	10	14
13-19 YRS	464	5.2	43	<1	1	4	6	10	15	52
TOT. SINGLE DX	542	2.5	7	<1	<1	1	3	5	7	11
" MULTIPLE DX	1044	4.4	31	<1	<1	3	5	9	12	42
TOTAL 0-27 DYS	7	6.4	45	2	2	3	9	18	20	20
1-11 MOS	63	4.9	30	<1	<1	2	7	13	19	23
1-5 YRS	342	3.1	11	<1	<1	1	4	7	9	17
6-12 YRS	466	2.8	16	<1	<1	1	4	6	8	13
13-19 YRS	708	4.5	33	<1	1	3	5	9	12	42
GRAND TOTAL	**1586**	**3.7**	**24**	**<1**	**<1**	**2**	**5**	**8**	**11**	**28**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.4	1	1	1	2	3	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	2.5	1	1	1	3	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	4	7.8	39	3	3	5	11	17	17	17
1-11 MOS	4	8.8	23	3	3	9	12	14	14	14
1-5 YRS	8	8.3	64	1	1	7	11	21	25	25
6-12 YRS	10	3.8	11	1	1	3	4	10	11	11
13-19 YRS	27	4.2	17	1	1	3	6	8	30	99+
TOT. SINGLE DX	15	2.4	1	1	1	3	3	4	4	4
" MULTIPLE DX	53	5.3	27	1	1	4	7	13	21	97
TOTAL 0-27 DYS	4	7.8	40	3	3	5	11	17	17	17
1-11 MOS	5	7.6	24	3	3	7	12	14	14	14
1-5 YRS	13	6.0	47	1	1	3	9	15	23	25
6-12 YRS	11	3.5	11	1	1	2	4	10	11	11
13-19 YRS	35	3.8	14	1	1	3	5	7	18	99+
GRAND TOTAL	**68**	**4.7**	**23**	**1**	**1**	**3**	**6**	**11**	**17**	**86**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	32	4.2	5	2	2	4	5	7	10	12
1-11 MOS	31	3.9	15	1	1	3	4	7	10	22
1-5 YRS	31	5.2	14	1	2	3	8	11	14	14
6-12 YRS	35	5.6	19	1	1	5	8	13	14	19
13-19 YRS	40	4.8	11	<1	1	4	7	9	11	12
2. MULTIPLE DX										
0-27 DYS	158	9.7	106	2	3	6	11	22	30	66
1-11 MOS	92	6.8	50	1	1	5	8	16	21	40
1-5 YRS	125	7.8	83	1	1	5	9	18	25	43
6-12 YRS	93	9.5	40	1	2	8	12	18	22	31
13-19 YRS	169	11.0	153	1	2	8	13	29	47	99+
TOT. SINGLE DX	169	4.7	13	1	1	4	7	10	12	18
" MULTIPLE DX	637	9.2	98	1	2	6	11	21	29	71
TOTAL 0-27 DYS	190	8.7	93	2	3	5	10	19	29	63
1-11 MOS	123	6.1	43	1	1	4	7	14	19	32
1-5 YRS	156	7.3	71	1	1	5	9	17	23	35
6-12 YRS	128	8.4	38	1	2	7	11	17	20	30
13-19 YRS	209	9.8	132	1	1	7	12	24	35	99+
GRAND TOTAL	**806**	**8.3**	**84**	**1**	**2**	**6**	**10**	**18**	**27**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	56	1.1		<1	<1	<1	<1	1	2	2
6-12 YRS	29	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	31	2.5	5	<1	<1	1	4	6	9	9
6-12 YRS	39	2.5	4	<1	<1	1	4	5	8	8
13-19 YRS	5	4.0	5	2	2	3	6	7	7	7
TOT. SINGLE DX	91	1.1		<1	<1	<1	1	2	2	3
" MULTIPLE DX	78	2.6	5	<1	<1	2	4	6	8	9
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	87	1.6	3	<1	<1	<1	1	3	5	9
6-12 YRS	68	2.0	3	<1	<1	1	2	5	6	8
13-19 YRS	10	2.6	5	<1	<1	2	3	6	7	7
GRAND TOTAL	**169**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	8.3	20	4	4	8	12	13	13	13
1-11 MOS	109	3.3	8	<1	1	2	5	8	9	48
1-5 YRS	899	3.8	9	<1	1	3	6	8	10	14
6-12 YRS	172	3.6	12	<1	1	2	5	8	9	27
13-19 YRS	65	4.1	15	<1	1	2	6	9	13	17
2. MULTIPLE DX										
0-27 DYS	14	6.9	30	1	1	5	10	16	18	19
1-11 MOS	39	5.4	20	1	1	4	8	12	15	17
1-5 YRS	473	4.7	22	1	1	3	7	10	12	19
6-12 YRS	131	4.8	23	<1	1	3	7	10	12	23
13-19 YRS	91	5.8	31	1	1	4	8	14	17	28
TOT. SINGLE DX	1248	3.8	10	<1	1	3	5	8	10	15
" MULTIPLE DX	748	4.9	24	1	1	3	7	11	14	19
TOTAL 0-27 DYS	17	7.1	27	1	1	5	10	15	18	19
1-11 MOS	148	3.9	12	<1	1	2	6	9	11	18
1-5 YRS	1372	4.2	14	1	1	3	6	9	11	16
6-12 YRS	303	4.1	18	<1	1	3	6	9	12	24
13-19 YRS	156	5.1	25	1	1	3	7	12	16	20
GRAND TOTAL	**1996**	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	39	1.3		<1	<1	1	1	2	4	5
6-12 YRS	49	1.4		<1	<1	<1	1	3	3	4
13-19 YRS	29	1.9	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	2	29.0	1568	1	1	29	57	57	57	57
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	93	2.7	5	<1	<1	1	4	6	8	11
6-12 YRS	75	2.3	18	<1	<1	1	2	4	7	29
13-19 YRS	74	4.5	18	<1	<1	3	6	11	17	80
TOT. SINGLE DX	117	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	249	3.3	26	<1	<1	1	4	7	11	35
TOTAL 0-27 DYS	2	29.0	1568	1	1	29	57	57	57	57
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	132	2.3	5	<1	<1	1	3	6	7	11
6-12 YRS	124	2.0	12	<1	<1	<1	2	4	5	18
13-19 YRS	103	3.8	15	<1	<1	2	5	10	12	57
GRAND TOTAL	**366**	**2.7**	**19**	**<1**	**<1**	**1**	**3**	**6**	**8**	**20**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	52	1.4		<1	<1	1	1	2	4	6
6-12 YRS	42	1.4		<1	<1	1	1	2	3	5
13-19 YRS	63	2.1	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	3	5.0	37	1	1	2	9	12	12	12
1-5 YRS	58	2.4	10	<1	<1	1	2	5	8	19
6-12 YRS	46	1.8	3	<1	<1	1	2	3	7	11
13-19 YRS	78	4.0	37	1	1	2	4	8	10	39
TOT. SINGLE DX	161	1.7	2	<1	<1	1	2	3	5	7
" MULTIPLE DX	188	3.0	21	<1	<1	2	3	6	9	27
TOTAL 0-27 DYS	4	2.5	2	1	1	2	3	4	4	4
1-11 MOS	6	3.8	18	1	1	2	5	11	12	12
1-5 YRS	110	1.9	6	<1	<1	1	2	4	6	16
6-12 YRS	88	1.6	2	<1	<1	1	2	3	4	10
13-19 YRS	141	3.1	23	<1	1	2	3	6	8	33
GRAND TOTAL	**349**	**2.4**	**12**	**<1**	**<1**	**1**	**2**	**5**	**7**	**19**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	4	3.3	7	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	10.3	6	8	8	11	56	99+	99+	99+
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	5	3.8	7	1	1	5	6	6	6	6
" MULTIPLE DX	5	7.2	22	2	2	9	13	91	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	10.3	6	8	8	11	56	99+	99+	99+
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	5	3.0	6	1	1	2	5	6	6	6
GRAND TOTAL	**10**	**5.5**	**16**	**1**	**1**	**6**	**9**	**48**	**96**	**99+**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	9.5	27	3	3	10	13	15	15	15
13-19 YRS	9	4.9	10	1	1	5	6	10	12	12
TOT. SINGLE DX	4	2.3	2	1	1	2	3	4	4	4
" MULTIPLE DX	14	6.3	17	1	2	5	8	13	14	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	5	7.8	35	1	1	8	13	15	15	15
13-19 YRS	11	4.5	9	1	1	4	6	9	12	12
GRAND TOTAL	**18**	**5.4**	**17**	**1**	**1**	**4**	**7**	**12**	**14**	**15**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	12	3.5	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
0-27 DYS	3	5.7	30	2	2	3	10	12	12	12
1-11 MOS	4	7.8	25	4	4	6	11	15	15	15
1-5 YRS	7	2.7	7	<1	<1	1	4	7	8	8
6-12 YRS	6	5.2	40	<1	<1	2	10	15	16	16
13-19 YRS	31	5.9	12	2	3	5	7	11	15	17
TOT. SINGLE DX	17	3.5	7	<1	1	3	5	8	9	9
" MULTIPLE DX	51	5.5	17	<1	1	4	7	12	15	17
TOTAL 0-27 DYS	3	5.7	30	2	2	3	10	12	12	12
1-11 MOS	5	6.4	28	1	1	5	9	15	15	15
1-5 YRS	9	3.0	8	<1	<1	1	5	8	8	8
6-12 YRS	8	4.9	29	<1	<1	3	7	14	16	16
13-19 YRS	43	5.3	12	1	2	4	7	9	14	17
GRAND TOTAL	**68**	**5.0**	**15**	**<1**	**1**	**4**	**7**	**10**	**15**	**17**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.2	4	<1	<1	5	6	6	6	6
6-12 YRS	5	1.6		1	1	2	2	2	2	2
13-19 YRS	32	2.8	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	12.5	51	7	7	11	18	22	22	22
6-12 YRS	8	4.8	40	1	1	2	5	16	20	20
13-19 YRS	29	3.7	12	1	1	2	5	8	9	18
TOT. SINGLE DX	45	2.7	4	1	1	2	3	6	6	10
" MULTIPLE DX	42	4.7	26	1	1	3	6	10	19	22
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	9	7.9	41	<1	1	6	9	19	22	22
6-12 YRS	13	3.5	26	1	1	2	3	8	18	20
13-19 YRS	61	3.2	8	1	1	2	4	7	8	17
GRAND TOTAL	**87**	**3.7**	**15**	**1**	**1**	**2**	**5**	**7**	**11**	**21**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	8	5.8	15	2	2	6	7	12	14	14
1-11 MOS	22	5.7	12	3	3	5	7	10	14	18
1-5 YRS	9	5.0	23	1	1	4	6	13	16	16
6-12 YRS	3	7.3	42	1	1	7	12	14	14	14
13-19 YRS	7	4.7	10	<1	<1	4	6	10	11	11
TOT. SINGLE DX	9	2.8	1	1	1	3	3	5	5	5
" MULTIPLE DX	49	5.6	15	1	2	5	7	11	14	18
TOTAL 0-27 DYS	9	5.3	15	2	2	6	6	11	14	14
1-11 MOS	24	5.5	12	3	3	4	7	9	13	18
1-5 YRS	10	5.0	20	1	1	4	5	12	16	16
6-12 YRS	4	6.5	31	1	1	5	10	14	14	14
13-19 YRS	11	3.7	8	<1	1	3	5	8	11	11
GRAND TOTAL	**58**	**5.1**	**14**	**1**	**2**	**4**	**6**	**10**	**14**	**18**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-27 DYS	6	3.5	2	2	2	3	4	6	6	6
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS										
TOT. SINGLE DX	2	8.5	61	3	3	8	14	14	14	14
" MULTIPLE DX	9	5.2	22	1	1	3	7	13	16	16
TOTAL 0-27 DYS	7	3.4	2	2	2	3	4	6	6	6
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**11**	**5.8**	**25**	**1**	**2**	**3**	**8**	**15**	**16**	**16**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	12.5	181	3	3	12	22	22	22	22
1-5 YRS	4	17.0	364	2	2	10	28	45	45	45
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.7	16	1	1	4	8	9	9	9
TOT. SINGLE DX	5	3.8	27	1	1	2	5	13	13	13
" MULTIPLE DX	11	10.6	166	1	1	8	11	31	44	45
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	8.7	134	1	1	3	17	22	22	22
1-5 YRS	5	14.0	319	2	2	10	19	45	45	45
6-12 YRS	3	5.3	44	1	1	2	10	13	13	13
13-19 YRS	4	4.0	13	1	1	3	6	9	9	9
GRAND TOTAL	**16**	**8.5**	**129**	**1**	**1**	**3**	**10**	**21**	**38**	**45**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	25	1.4		<1	<1	1	2	2	3	4
1-5 YRS	78	1.3		<1	<1	1	1	2	2	5
6-12 YRS	78	2.1	14	<1	1	1	2	4	7	26
13-19 YRS	129	2.2	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	5	6.4	13	4	4	4	9	12	12	12
1-11 MOS	30	3.7	34	<1	<1	2	5	7	11	32
1-5 YRS	66	2.0	4	<1	<1	1	2	5	7	10
6-12 YRS	41	1.9	1	<1	<1	1	2	4	5	6
13-19 YRS	76	3.2	13	1	1	2	4	6	9	24
TOT. SINGLE DX	311	1.9	5	<1	1	1	2	4	5	11
" MULTIPLE DX	218	2.7	12	<1	<1	2	3	6	8	18
TOTAL 0-27 DYS	6	5.5	15	1	1	4	8	12	12	12
1-11 MOS	55	2.7	20	<1	<1	1	2	5	7	31
1-5 YRS	144	1.6	2	<1	<1	1	2	3	5	9
6-12 YRS	119	2.1	10	<1	1	1	2	4	5	18
13-19 YRS	205	2.6	7	1	1	2	3	5	6	12
GRAND TOTAL	**529**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**5**	**6**	**12**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	1.3		<1	<1	1	2	2	2	2
1-11 MOS	12	1.6		1	1	2	2	2	2	2
1-5 YRS	65	1.4	1	<1	<1	1	2	2	2	8
6-12 YRS	67	1.7	1	<1	<1	1	2	3	5	8
13-19 YRS	267	2.1	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	22	4.1	13	1	1	3	5	9	14	15
1-11 MOS	18	2.3	6	<1	1	1	3	5	9	11
1-5 YRS	77	2.4	17	<1	<1	1	2	4	6	82
6-12 YRS	68	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	219	2.9	32	1	1	2	3	5	8	12
TOT. SINGLE DX	418	1.9	2	<1	1	1	2	3	5	7
" MULTIPLE DX	404	2.6	22	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	29	3.4	12	1	1	2	4	7	13	15
1-11 MOS	30	2.0	4	1	1	1	2	3	6	11
1-5 YRS	142	1.9	10	<1	<1	1	2	3	5	40
6-12 YRS	135	1.7	1	<1	1	1	2	3	5	6
13-19 YRS	486	2.5	16	1	1	2	3	4	6	11
GRAND TOTAL	**822**	**2.3**	**12**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	16	1.2		<1	<1	1	1	2	3	3
1-5 YRS	506	1.4		<1	<1	1	2	2	3	5
6-12 YRS	623	1.5		<1	<1	1	2	2	3	5
13-19 YRS	719	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	4	13.8	409	2	2	4	25	44	44	44
1-11 MOS	32	2.7	15	<1	<1	1	2	6	8	22
1-5 YRS	544	1.8	4	<1	<1	1	2	3	4	9
6-12 YRS	389	1.7	1	<1	1	1	2	3	4	5
13-19 YRS	194	2.2	14	<1	1	1	2	4	5	10
TOT. SINGLE DX	1866	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1163	1.9	7	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	9.7	286	1	1	3	6	40	44	44
1-11 MOS	48	2.2	11	<1	<1	1	2	4	7	22
1-5 YRS	1050	1.6	3	<1	<1	1	2	3	3	7
6-12 YRS	1012	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	913	1.7	4	<1	1	1	2	3	4	7
GRAND TOTAL	**3029**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**3**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	50	1.4	1	<1	<1	1	1	2	3	8
6-12 YRS	204	1.3	1	<1	<1	1	1	2	2	4
13-19 YRS	130	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.6	1	<1	1	1	2	2	4	7
6-12 YRS	96	1.5	1	<1	<1	1	2	3	3	8
13-19 YRS	89	2.9	21	1	1	2	3	5	8	30
TOT. SINGLE DX	386	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	215	2.1	10	<1	1	1	2	3	6	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	1.6	1	1	1	1	2	3	3	3
1-5 YRS	76	1.5	1	<1	<1	1	2	2	3	8
6-12 YRS	300	1.4	1	<1	<1	1	1	2	3	6
13-19 YRS	219	2.1	10	<1	1	1	2	3	5	10
GRAND TOTAL	**601**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**3**	**8**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
" MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**4**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	33	1.4		<1	<1	1	1	2	3	5
1-5 YRS	132	1.3		<1	<1	1	1	2	3	4
6-12 YRS	135	1.3		<1	<1	1	1	2	2	5
13-19 YRS	336	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	3	15.0	547	1	1	2	32	42	42	42
1-11 MOS	45	1.8	2	<1	<1	1	2	4	5	8
1-5 YRS	143	1.5	1	<1	<1	1	2	3	3	6
6-12 YRS	72	1.4		<1	<1	1	2	2	3	6
13-19 YRS	131	1.8	1	<1	1	1	2	3	4	8
TOT. SINGLE DX	639	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	394	1.7	6	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	8.7	269	1	1	2	5	38	42	42
1-11 MOS	78	1.6	2	<1	<1	1	2	2	5	7
1-5 YRS	275	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	207	1.4	1	<1	<1	1	1	2	3	5
13-19 YRS	467	1.6	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**1033**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

657: Circumcision, other than newborn (64.0)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	55	1.9	9	<1	<1	1	1	5	6	21
1-5 YRS	417	1.8	7	<1	<1	<1	1	3	6	15
6-12 YRS	132	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	90	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	77	12.0	189	<1	<1	7	18	33	45	88
1-5 YRS	232	4.2	34	<1	<1	2	5	12	18	31
6-12 YRS	46	2.1	7	<1	<1	1	2	5	9	15
13-19 YRS	45	1.6	1	<1	<1	1	2	3	4	5
TOT. SINGLE DX	694	1.6	5	<1	<1	<1	1	2	4	14
" MULTIPLE DX	400	5.2	69	<1	<1	1	5	15	24	48
TOTAL 0-27 DYS										
1-11 MOS	132	7.8	139	<1	<1	1	11	26	38	66
1-5 YRS	649	2.6	18	<1	<1	1	2	6	12	24
6-12 YRS	178	1.4	2	<1	<1	1	1	2	3	9
13-19 YRS	135	1.3	1	<1	<1	1	1	2	3	4
GRAND TOTAL	**1094**	**2.9**	**32**	**<1**	**<1**	**1**	**2**	**6**	**14**	**31**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	2.7	2	1	1	3	4	5	5	5
1-11 MOS	15	2.3	7	<1	<1	1	2	6	9	10
1-5 YRS	97	2.2	3	<1	<1	1	3	4	7	11
6-12 YRS	27	2.9	4	<1	<1	2	4	7	8	8
13-19 YRS	48	2.6	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	58	3.2	1	1	2	3	4	5	6	7
1-11 MOS	15	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	67	2.7	6	<1	<1	1	4	7	9	10
6-12 YRS	24	3.0	13	<1	<1	2	5	10	12	15
13-19 YRS	44	5.0	43	<1	1	4	6	9	13	41
TOT. SINGLE DX	194	2.4	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	208	3.3	14	<1	<1	2	4	7	9	18
TOTAL 0-27 DYS	65	3.1	2	1	1	3	4	5	5	7
1-11 MOS	30	2.0	4	<1	<1	1	2	5	6	10
1-5 YRS	164	2.4	5	<1	<1	1	3	6	8	10
6-12 YRS	51	3.3	9	<1	<1	2	5	8	10	15
13-19 YRS	92	3.7	25	<1	<1	2	5	7	9	33
GRAND TOTAL	**402**	**2.9**	**10**	**<1**	**<1**	**2**	**4**	**6**	**8**	**12**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	3	3.0	3	1	1	4	4	4	4	4
1-5 YRS	4	3.8	1	3	3	4	4	5	5	5
6-12 YRS	18	3.4	2	<1	1	3	4	6	7	7
13-19 YRS	602	4.1	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	7	21.7	1124	4	4	7	16	81	97	97
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	25	5.0	4	3	3	5	5	6	11	13
13-19 YRS	803	4.9	5	2	3	5	6	7	8	12
TOT. SINGLE DX	629	4.1	3	2	2	4	5	6	7	9
" MULTIPLE DX	839	5.0	16	2	3	5	6	7	8	14
TOTAL 0-27 DYS	9	17.9	901	4	4	7	15	65	97	97
1-11 MOS	6	3.3	1	1	1	4	4	4	4	4
1-5 YRS	5	3.6	1	3	3	3	4	5	5	5
6-12 YRS	43	4.3	5	1	2	4	5	6	8	13
13-19 YRS	1405	4.6	4	2	3	4	5	7	8	11
GRAND TOTAL	**1468**	**4.6**	**10**	**2**	**3**	**4**	**5**	**7**	**8**	**11**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	9	5.4	5	3	3	6	6	9	10	10
6-12 YRS	34	5.0	4	2	2	5	7	7	9	10
13-19 YRS	327	4.6	2	3	3	4	5	6	7	11
2. MULTIPLE DX										
0-27 DYS	5	6.8	5	4	4	7	9	9	9	9
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	13	4.8	3	1	2	5	6	8	8	8
6-12 YRS	43	5.6	9	3	3	5	6	10	12	18
13-19 YRS	460	5.5	10	3	3	5	6	8	10	21
TOT. SINGLE DX	373	4.6	3	3	3	4	5	7	8	10
" MULTIPLE DX	524	5.5	10	3	3	5	6	8	10	19
TOTAL 0-27 DYS	6	6.2	7	3	3	6	9	9	9	9
1-11 MOS	5	3.0	4	1	1	4	4	5	5	5
1-5 YRS	22	5.0	4	2	3	5	6	8	9	10
6-12 YRS	77	5.4	7	2	3	5	6	8	11	17
13-19 YRS	787	5.1	7	3	3	5	6	8	9	16
GRAND TOTAL	**897**	**5.1**	**7**	**3**	**3**	**5**	**6**	**8**	**9**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	3.8	1	3	3	4	4	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	6.8	13	4	4	5	9	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	16	6.0	7	3	3	5	7	10	12	13
TOT. SINGLE DX	9	4.7	4	3	3	4	6	8	9	9
" MULTIPLE DX	20	6.2	8	3	3	5	7	11	12	13
TOTAL 0-27 DYS										
1-11 MOS	6	6.2	9	4	4	5	6	11	12	12
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	22	5.4	7	3	3	5	7	9	11	13
GRAND TOTAL	**29**	**5.7**	**7**	**3**	**3**	**5**	**7**	**10**	**12**	**13**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	10	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	147	2.8	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	189	4.1	10	1	1	4	5	7	10	21
TOT. SINGLE DX	159	2.8	3	<1	1	3	4	5	6	10
" MULTIPLE DX	192	4.1	10	1	1	4	5	7	10	21
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	12	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	336	3.5	8	1	1	3	4	6	8	20
GRAND TOTAL	**351**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
TOT. SINGLE DX	10	1.5	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	6	2.0	2	<1	<1	1	2	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	1.7	1	<1	<1	1	2	3	4	5
GRAND TOTAL	**16**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	2.1	2	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	63	3.5	4	1	2	3	4	5	8	12
TOT. SINGLE DX	10	2.5	4	<1	<1	2	3	6	6	6
" MULTIPLE DX	65	3.4	5	1	1	3	4	5	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	6	<1	<1	3	5	6	6	6
13-19 YRS	72	3.3	5	1	1	3	4	5	7	12
GRAND TOTAL	**75**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	3.5	1	3	3	3	4	5	5	5
13-19 YRS	381	3.9	1	2	3	4	5	5	6	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	6.5	10	2	2	6	8	11	11	11
13-19 YRS	468	4.9	7	2	3	4	5	7	8	16
TOT. SINGLE DX	386	3.9	2	2	3	4	5	5	6	8
" MULTIPLE DX	477	4.9	8	2	3	4	5	7	9	16
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	10	5.3	8	2	2	5	8	10	11	11
13-19 YRS	849	4.5	5	2	3	4	5	6	7	13
GRAND TOTAL	**863**	**4.5**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.0	3	<1	<1	<1	3	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	29	1.5	1	<1	<1	1	1	3	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	5	<1	<1	1	2	3	8	10
TOT. SINGLE DX	32	1.5	2	<1	<1	1	1	3	5	6
" MULTIPLE DX	17	1.9	5	<1	<1	1	2	3	8	10
TOTAL 0-27 DYS										
1-11 MOS	5	1.6	2	<1	<1	<1	2	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	44	1.7	3	<1	<1	1	2	3	5	10
GRAND TOTAL	**49**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	34	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	40	4.6	102	<1	1	2	3	8	16	62
TOT. SINGLE DX	36	1.3	2	<1	<1	<1	1	2	2	9
" MULTIPLE DX	43	4.5	95	<1	1	2	4	8	14	62
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	3	5.3	12	2	2	5	8	9	9	9
13-19 YRS	74	3.0	58	<1	<1	1	2	6	8	53
GRAND TOTAL	**79**	**3.1**	**55**	**<1**	**<1**	**1**	**2**	**7**	**9**	**51**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	99	2.7	3	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	33	5.2	101	1	1	3	5	8	10	60
TOT. SINGLE DX	99	2.7	4	<1	1	2	3	5	7	11
" MULTIPLE DX	34	5.1	99	1	1	3	4	7	10	60
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	132	3.3	29	1	1	2	3	6	7	21
GRAND TOTAL	**133**	**3.3**	**29**	**1**	**1**	**2**	**3**	**6**	**7**	**20**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	4.1	2	<1	1	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	39	4.6	9	<1	1	4	6	8	10	16
TOT. SINGLE DX	20	4.1	3	<1	1	4	5	6	6	6
" MULTIPLE DX	40	4.6	9	<1	1	4	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	59	4.4	7	<1	1	4	6	7	9	15
GRAND TOTAL	**60**	**4.4**	**7**	**<1**	**1**	**4**	**6**	**7**	**9**	**15**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.8	1	3	3	4	4	5	5	5
1-11 MOS	8	5.1	1	4	4	5	6	7	8	8
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	10	6.0	2	5	5	5	6	9	9	9
2. MULTIPLE DX										
0-27 DYS	5	6.4	2	5	5	7	7	8	8	8
1-11 MOS	33	5.8	4	4	4	5	7	8	11	13
1-5 YRS	6	9.3	23	5	5	8	14	16	16	16
6-12 YRS	9	5.0	3	2	3	5	6	7	8	8
13-19 YRS	92	6.2	10	3	3	5	7	10	14	17
TOT. SINGLE DX	23	5.2	3	3	4	5	6	8	9	9
" MULTIPLE DX	145	6.2	9	3	4	5	7	10	14	17
TOTAL 0-27 DYS	9	5.2	3	3	3	5	7	8	8	8
1-11 MOS	41	5.7	4	4	4	5	6	8	10	13
1-5 YRS	6	9.3	23	5	5	8	14	16	16	16
6-12 YRS	10	4.9	3	2	3	5	6	7	8	8
13-19 YRS	102	6.2	10	3	4	5	7	10	14	17
GRAND TOTAL	**168**	**6.1**	**8**	**3**	**4**	**5**	**7**	**10**	**13**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	4.5	1	3	3	4	5	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	5	5.8	6	2	2	6	8	8	8	8
1-11 MOS	11	4.6	4	2	2	5	6	7	8	8
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	12	4.5	3	1	2	4	6	7	7	7
TOT. SINGLE DX	10	4.0	4	1	1	4	5	6	7	7
" MULTIPLE DX	30	4.5	5	1	1	5	6	7	8	8
TOTAL 0-27 DYS	5	5.8	6	2	2	6	8	8	8	8
1-11 MOS	15	4.6	3	2	2	5	6	7	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	1.0		1	1	1	1	1	1	1
13-19 YRS	15	4.5	3	1	3	5	6	7	7	7
GRAND TOTAL	**40**	**4.4**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**8**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX	4	10.0	12	7	7	10	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**5**	**9.4**	**11**	**7**	**7**	**7**	**13**	**13**	**13**	**13**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	114	1.5	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	73	3.9	63	<1	1	2	3	6	7	45
TOT. SINGLE DX	115	1.5	1	<1	<1	1	1	3	4	6
" MULTIPLE DX	73	3.9	64	<1	1	2	3	6	7	45
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	187	2.4	27	<1	<1	1	2	4	6	40
GRAND TOTAL	**188**	**2.4**	**27**	**<1**	**<1**	**1**	**2**	**4**	**6**	**40**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS	9	1.7		<1	<1	1	2	3	3	3
13-19 YRS	3534	1.4	2	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.4	4	<1	<1	2	3	6	6	6
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	9	2.1	1	1	1	2	3	4	5	5
13-19 YRS	1382	2.6	6	<1	1	2	3	5	7	12
TOT. SINGLE DX	3545	1.4	2	<1	<1	1	1	2	3	6
" MULTIPLE DX	1400	2.6	6	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	18	1.9	1	<1	1	2	2	3	4	5
13-19 YRS	4916	1.7	4	<1	<1	1	2	3	4	8
GRAND TOTAL	**4945**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	172	1.3	2	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	680	1.7	27	<1	<1	<1	<1	1	4	12
TOT. SINGLE DX	173	1.3	3	<1	<1	<1	1	2	3	6
" MULTIPLE DX	685	1.7	27	<1	<1	<1	<1	1	4	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.0	4	<1	<1	1	2	6	6	6
13-19 YRS	852	1.7	23	<1	<1	<1	<1	2	3	11
GRAND TOTAL	**858**	**1.7**	**22**	**<1**	**<1**	**<1**	**<1**	**2**	**3**	**11**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	661	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	203	2.4	5	<1	<1	1	3	5	7	12
TOT. SINGLE DX	661	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	203	2.4	5	<1	<1	1	3	5	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	864	1.6	2	<1	<1	1	2	3	4	7
GRAND TOTAL	**864**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.7		5	5	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	4.9	7	2	2	4	6	9	12	13
TOT. SINGLE DX	3	5.7		5	5	6	6	6	6	6
" MULTIPLE DX	16	4.9	8	2	2	4	6	9	12	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	5.1	7	2	2	4	6	8	11	13
GRAND TOTAL	**19**	**5.1**	**7**	**2**	**2**	**4**	**6**	**8**	**11**	**13**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.3	1	<1	<1	3	3	3	3	3
13-19 YRS	62	2.4	2	1	1	2	4	5	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	61	3.5	4	1	1	3	4	6	7	11
TOT. SINGLE DX	66	2.4	2	1	1	2	3	5	5	6
" MULTIPLE DX	65	3.5	4	1	1	3	4	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	6	3.3	3	<1	<1	3	4	6	6	6
13-19 YRS	123	3.0	4	1	1	3	4	5	6	10
GRAND TOTAL	**131**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	7	4.6	3	1	2	5	6	6	6	6
TOTAL 0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**9**	**3.9**	**4**	**1**	**1**	**5**	**5**	**6**	**6**	**6**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	13	2.9	9	<1	<1	1	3	9	10	10
6-12 YRS	24	1.8	1	<1	1	1	2	4	5	6
13-19 YRS	84	2.5	5	<1	<1	1	3	6	8	12
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	5	6.6	5	3	3	7	8	9	9	9
1-5 YRS	19	7.4	51	<1	1	6	9	20	25	26
6-12 YRS	34	4.4	28	1	1	2	7	11	17	23
13-19 YRS	85	4.0	19	<1	1	2	6	9	11	25
TOT. SINGLE DX	123	2.4	6	<1	<1	1	3	6	8	11
" MULTIPLE DX	145	4.6	26	<1	1	3	7	10	15	26
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	7	5.4	8	1	1	7	7	9	9	9
1-5 YRS	32	5.6	39	<1	<1	3	7	14	22	26
6-12 YRS	58	3.3	19	1	1	2	3	8	13	23
13-19 YRS	169	3.3	13	<1	<1	2	4	8	10	15
GRAND TOTAL	**268**	**3.6**	**18**	**<1**	**<1**	**2**	**5**	**9**	**11**	**23**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.2	15	<1	<1	1	5	10	10	10
6-12 YRS	4	4.0	4	1	1	4	5	6	6	6
13-19 YRS	140	2.7	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
0-27 DYS	13	3.2	3	1	1	3	4	6	8	8
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	4.0	18	1	1	2	6	11	11	11
6-12 YRS	25	4.4	17	1	1	3	7	10	12	17
13-19 YRS	221	4.0	12	<1	1	3	6	9	11	15
TOT. SINGLE DX	151	2.7	6	<1	<1	2	3	6	8	11
" MULTIPLE DX	265	4.0	12	<1	1	3	6	9	11	16
TOTAL 0-27 DYS	14	3.1	3	1	1	3	4	5	7	8
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	10	3.6	15	<1	<1	2	5	10	11	11
6-12 YRS	29	4.3	15	1	1	3	7	10	11	17
13-19 YRS	361	3.5	10	<1	<1	2	5	8	10	15
GRAND TOTAL	**416**	**3.5**	**10**	**<1**	**<1**	**2**	**5**	**8**	**10**	**16**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	2.6	13	1	1	1	3	9	9	9
1-5 YRS	11	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	23	2.7	3	<1	<1	2	4	6	7	7
13-19 YRS	172	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	4	3.8	1	3	3	4	4	5	5	5
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS	20	4.0	4	<1	1	5	5	6	8	9
6-12 YRS	18	3.9	10	<1	1	3	5	9	11	12
13-19 YRS	133	3.5	22	1	1	2	4	7	9	23
TOT. SINGLE DX	213	1.9	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	178	3.6	18	1	1	3	4	7	9	18
TOTAL 0-27 DYS	6	4.2	3	3	3	4	5	7	7	7
1-11 MOS	8	3.3	9	1	1	2	5	8	9	9
1-5 YRS	31	3.2	5	<1	<1	2	5	6	6	9
6-12 YRS	41	3.3	7	<1	<1	2	4	7	9	12
13-19 YRS	305	2.5	11	<1	<1	2	3	4	7	16
GRAND TOTAL	**391**	**2.7**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	5	1.0		<1	<1	1	1	1	1	1
" MULTIPLE DX	3	9.3	24	6	6	7	13	15	15	15
TOTAL 0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.0	6	<1	<1	1	1	6	7	7
GRAND TOTAL	**8**	**4.1**	**26**	**<1**	**<1**	**1**	**6**	**13**	**15**	**15**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	1.5	1	<1	<1	1	1	4	4	4
6-12 YRS	54	1.4		<1	<1	1	1	3	3	4
13-19 YRS	24	2.3	2	1	1	2	3	4	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	17	2.8	4	<1	<1	1	5	6	6	6
6-12 YRS	27	2.4	11	<1	1	1	2	5	7	18
13-19 YRS	22	2.6	2	<1	1	2	3	5	6	6
TOT. SINGLE DX	104	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	68	2.6	6	<1	<1	2	3	5	6	16
TOTAL 0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	43	2.0	3	<1	<1	1	3	5	6	6
6-12 YRS	81	1.7	4	<1	<1	1	2	3	4	14
13-19 YRS	46	2.4	3	1	1	2	3	5	6	8
GRAND TOTAL	**172**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.8	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	6	1.8	2	<1	<1	1	2	5	5	5
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	11	10.7	168	<1	<1	5	18	34	36	36
TOT. SINGLE DX	13	1.4	1	<1	<1	1	1	3	5	5
" MULTIPLE DX	22	6.4	101	<1	<1	2	5	25	34	36
TOTAL 0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS										
1-5 YRS	10	1.5	2	<1	<1	1	1	3	5	5
6-12 YRS	5	1.4		1	1	1	2	2	2	2
13-19 YRS	17	7.6	125	<1	<1	2	6	30	35	36
GRAND TOTAL	**35**	**4.5**	**69**	**<1**	**<1**	**1**	**4**	**8**	**29**	**36**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3584	2.5		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	4136	2.9	3	1	2	3	3	4	5	9
TOT. SINGLE DX	3584	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	4138	2.9	4	1	2	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	7720	2.7	2	1	2	3	3	4	4	7
GRAND TOTAL	**7722**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	126	2.8	19	1	1	2	3	4	6	31
TOT. SINGLE DX	24	2.2	1	1	1	2	3	3	4	4
" MULTIPLE DX	126	2.8	20	1	1	2	3	4	6	31
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	150	2.7	17	1	1	2	3	4	5	27
GRAND TOTAL	**150**	**2.7**	**17**	**1**	**1**	**2**	**3**	**4**	**5**	**27**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1231	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1964	2.7	2	1	1	3	3	4	5	7
TOT. SINGLE DX	1231	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	1965	2.7	3	1	1	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3195	2.6	2	1	1	2	3	4	4	7
GRAND TOTAL	**3196**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	2.2	1	<1	1	2	3	4	4	4
13-19 YRS	34044	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.7		1	2	3	3	4	4	4
13-19 YRS	13799	2.8	4	1	1	2	3	4	5	10
TOT. SINGLE DX	34062	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	13813	2.8	5	1	1	2	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	32	2.4	1	1	1	2	3	4	4	4
13-19 YRS	47843	2.4	2	1	1	2	3	4	4	7
GRAND TOTAL	**47875**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	4198	4.5	1	3	3	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	4.8	1	3	3	5	6	7	7	7
13-19 YRS	11804	5.3	7	3	3	5	6	7	9	15
TOT. SINGLE DX	4200	4.5	2	3	3	4	5	6	7	9
" MULTIPLE DX	11815	5.3	7	3	3	5	6	7	9	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	4.8	2	3	3	5	6	6	7	7
13-19 YRS	16002	5.1	6	3	3	5	6	7	8	14
GRAND TOTAL	**16015**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	238	4.5	2	3	3	4	5	6	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	449	5.4	8	3	3	5	6	8	10	16
TOT. SINGLE DX	239	4.5	3	3	3	4	5	6	6	10
" MULTIPLE DX	449	5.4	8	3	3	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	687	5.1	6	3	3	5	6	7	9	16
GRAND TOTAL	**688**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**9**	**16**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	51	3.6	2	1	1	4	4	5	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	4.1	1	2	3	4	5	6	6	6
TOT. SINGLE DX	51	3.6	2	1	1	4	4	5	6	7
" MULTIPLE DX	27	4.1	1	2	3	4	5	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	78	3.8	2	1	2	4	5	6	6	7
GRAND TOTAL	**78**	**3.8**	**2**	**1**	**2**	**4**	**5**	**6**	**6**	**7**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	373	1.6	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	2.8	19	<1	1	2	2	5	7	28
TOT. SINGLE DX	373	1.6	2	<1	1	1	2	2	3	4
" MULTIPLE DX	54	2.8	19	<1	1	2	2	5	7	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	427	1.8	4	<1	1	1	2	2	3	7
GRAND TOTAL	**427**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	168	4.3	28	<1	1	3	5	9	15	27
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	203	4.5	30	1	1	3	5	8	13	26
TOT. SINGLE DX	168	4.3	28	<1	1	3	5	9	15	27
" MULTIPLE DX	203	4.5	30	1	1	3	5	8	13	26
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	371	4.4	29	1	1	3	5	8	14	27
GRAND TOTAL	**371**	**4.4**	**29**	**1**	**1**	**3**	**5**	**8**	**14**	**27**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2213	2.0	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1000	2.6	6	<1	1	2	3	4	6	9
TOT. SINGLE DX	2214	2.0	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1001	2.6	7	<1	1	2	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	3213	2.2	3	<1	<1	2	3	3	4	7
GRAND TOTAL	**3215**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	4830	2.2		1	1	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.6	2	2	2	3	5	5	6	6
13-19 YRS	5420	2.7	3	1	1	2	3	4	5	8
TOT. SINGLE DX	4834	2.2	1	1	1	2	3	3	4	4
" MULTIPLE DX	5427	2.7	4	1	1	2	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	3.1	2	1	1	3	4	5	6	6
13-19 YRS	10250	2.5	2	1	1	2	3	4	4	7
GRAND TOTAL	**10261**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	4.6	14	1	1	5	7	10	10	10
1-5 YRS	9	3.8	6	<1	<1	4	5	8	8	8
6-12 YRS	15	2.8	4	<1	1	2	4	5	8	9
13-19 YRS	39	3.0	3	1	1	3	4	5	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	1.7		1	1	2	2	3	3	3
6-12 YRS	18	8.6	305	<1	1	3	7	16	52	76
13-19 YRS	68	3.9	8	1	1	3	4	7	11	16
TOT. SINGLE DX	69	3.2	5	1	1	3	4	6	8	10
" MULTIPLE DX	93	4.7	67	1	1	3	4	8	14	50
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	5.0	12	1	1	5	7	10	10	10
1-5 YRS	15	2.9	5	<1	1	2	4	7	8	8
6-12 YRS	33	5.9	173	<1	1	2	4	12	16	76
13-19 YRS	107	3.6	7	1	1	3	4	5	8	15
GRAND TOTAL	**162**	**4.0**	**40**	**1**	**1**	**3**	**4**	**7**	**10**	**16**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	9	5.2	4	3	3	5	6	9	9	9
1-5 YRS	4	3.8	2	3	3	3	5	6	6	6
6-12 YRS	21	3.0	4	<1	<1	3	4	6	7	9
13-19 YRS	1334	2.7	2	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	5.3	3	4	4	5	6	8	8	8
1-5 YRS	9	8.3	101	1	1	6	8	24	34	34
6-12 YRS	30	5.1	20	1	1	4	6	11	13	22
13-19 YRS	1347	3.3	4	1	2	3	4	5	6	9
TOT. SINGLE DX	1370	2.7	2	1	1	3	3	4	5	7
" MULTIPLE DX	1390	3.4	6	1	2	3	4	5	6	10
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	13	5.2	4	3	3	5	6	8	9	9
1-5 YRS	13	6.9	73	1	2	5	7	15	30	34
6-12 YRS	51	4.3	15	1	1	3	6	9	12	22
13-19 YRS	2681	3.0	4	1	1	3	4	4	5	8
GRAND TOTAL	**2760**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**5**	**8**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	2.2	1	<1	1	2	3	4	4	4
6-12 YRS	46	1.7	1	<1	1	1	2	3	3	7
13-19 YRS	253	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	6.2	88	1	1	2	8	23	23	23
1-5 YRS	31	3.0	19	1	1	2	3	5	7	25
6-12 YRS	118	3.3	13	1	1	2	4	6	9	25
13-19 YRS	409	3.8	18	1	1	3	5	7	10	22
TOT. SINGLE DX	320	2.1	2	<1	1	2	3	4	5	7
" MULTIPLE DX	563	3.7	18	1	1	2	4	6	10	25
TOTAL 0-27 DYS										
1-11 MOS	5	6.2	89	1	1	2	8	23	23	23
1-5 YRS	52	2.7	12	1	1	2	3	4	6	25
6-12 YRS	164	2.9	11	1	1	2	3	5	7	23
13-19 YRS	662	3.2	13	1	1	2	4	6	8	17
GRAND TOTAL	**883**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	9	3.8	10	1	1	3	5	9	11	11
6-12 YRS	43	1.8	1	<1	1	1	2	3	4	8
13-19 YRS	333	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	3	10.0	151	1	1	5	19	24	24	24
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	42	6.8	53	1	2	4	8	14	21	41
6-12 YRS	91	6.9	72	1	1	4	8	16	30	41
13-19 YRS	680	5.2	38	1	1	3	6	11	15	33
TOT. SINGLE DX	387	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	817	5.5	44	1	1	4	6	11	16	36
TOTAL 0-27 DYS	3	10.0	151	1	1	5	19	24	24	24
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	51	6.3	47	1	1	4	8	12	20	41
6-12 YRS	134	5.3	55	1	1	3	6	11	24	37
13-19 YRS	1013	4.3	29	1	1	3	5	8	12	27
GRAND TOTAL	**1204**	**4.5**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.2		2	2	2	3	3	3	3
1-5 YRS	5	4.2	2	3	3	4	5	7	7	7
6-12 YRS	32	2.7	1	1	1	2	4	4	4	6
13-19 YRS	33	2.3	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	12	2.0		1	1	2	2	3	4	4
1-5 YRS	5	5.4	14	<1	<1	6	7	11	11	11
6-12 YRS	47	2.7	1	1	1	3	3	4	5	7
13-19 YRS	53	3.2	4	1	1	3	4	5	9	11
TOT. SINGLE DX	75	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	117	3.0	4	1	1	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS	17	2.1		1	1	2	2	3	4	4
1-5 YRS	10	4.8	8	<1	1	4	6	9	11	11
6-12 YRS	79	2.7	2	1	1	2	4	4	5	7
13-19 YRS	86	2.9	4	1	1	3	4	5	6	11
GRAND TOTAL	**192**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	10.9	120	2	2	4	17	28	31	31
1-5 YRS	169	3.7	17	1	1	3	4	6	8	26
6-12 YRS	378	4.7	24	1	1	3	5	8	13	28
13-19 YRS	449	4.4	21	1	1	3	5	9	12	26
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	12.6	88	2	2	12	16	29	31	32
1-5 YRS	291	5.1	26	1	2	4	5	8	12	31
6-12 YRS	516	6.4	55	1	2	5	7	12	18	44
13-19 YRS	526	6.4	54	1	1	4	8	13	19	40
TOT. SINGLE DX	1003	4.5	23	1	1	3	5	8	12	27
" MULTIPLE DX	1351	6.2	50	1	2	4	7	12	18	39
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	12.1	93	2	2	10	16	30	31	32
1-5 YRS	460	4.6	24	1	1	3	5	7	11	30
6-12 YRS	894	5.7	43	1	2	4	6	10	16	39
13-19 YRS	975	5.5	40	1	1	4	6	11	16	38
GRAND TOTAL	**2354**	**5.5**	**39**	**1**	**1**	**4**	**6**	**10**	**16**	**35**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	37	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	424	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3	6	<1	<1	3	5	6	6	6
1-5 YRS	4	2.3		2	2	2	3	3	3	3
6-12 YRS	61	2.2	1	1	1	2	3	4	4	5
13-19 YRS	577	2.3	1	1	1	2	3	4	5	7
TOT. SINGLE DX	465	2.2	4	<1	1	2	3	4	4	6
" MULTIPLE DX	646	2.3	2	1	1	2	3	4	5	6
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.8	6	<1	<1	2	4	6	6	6
1-5 YRS	7	2.4		2	2	2	3	3	3	3
6-12 YRS	98	2.1	2	1	1	2	3	4	4	5
13-19 YRS	1001	2.3	2	1	1	2	3	4	4	6
GRAND TOTAL	**1111**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	30	4.2	11	<1	<1	4	5	7	7	18
1-5 YRS	165	3.3	9	1	1	2	4	7	9	16
6-12 YRS	795	3.3	15	1	1	2	4	6	9	19
13-19 YRS	1847	2.9	11	<1	1	2	3	6	8	15
2. MULTIPLE DX										
0-27 DYS	10	9.8	137	2	2	5	12	28	41	41
1-11 MOS	14	7.9	38	<1	1	7	10	15	21	23
1-5 YRS	135	6.1	51	1	1	4	7	16	23	30
6-12 YRS	380	8.7	136	1	1	4	10	21	32	62
13-19 YRS	1229	7.3	135	1	1	3	7	17	29	61
TOT. SINGLE DX	2839	3.1	13	<1	1	2	4	6	8	16
" MULTIPLE DX	1768	7.5	128	1	1	3	8	18	29	57
TOTAL 0-27 DYS	12	8.9	118	2	2	5	10	23	38	41
1-11 MOS	44	5.4	22	<1	1	5	7	10	15	23
1-5 YRS	300	4.6	30	1	1	3	5	11	16	25
6-12 YRS	1175	5.0	61	1	1	3	5	11	18	41
13-19 YRS	3076	4.7	66	<1	1	2	4	9	16	47
GRAND TOTAL	**4607**	**4.8**	**62**	**1**	**1**	**2**	**5**	**10**	**17**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	10	3.1	5	1	1	2	4	7	9	9
1-5 YRS	78	7.4	68	1	1	3	13	21	25	31
6-12 YRS	497	5.9	53	1	1	4	7	11	22	44
13-19 YRS	790	4.2	22	1	1	3	5	8	11	23
2. MULTIPLE DX										
0-27 DYS	7	18.4	712	2	2	9	15	66	78	78
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	47	7.9	41	1	1	6	12	20	21	22
6-12 YRS	298	8.7	194	1	1	4	7	25	36	81
13-19 YRS	544	7.2	92	1	1	4	8	15	25	57
TOT. SINGLE DX	1377	5.0	37	1	1	3	6	10	15	34
" MULTIPLE DX	900	7.8	129	1	1	4	8	17	29	73
TOTAL 0-27 DYS	9	16.0	560	2	3	9	13	53	78	78
1-11 MOS	14	2.6	5	1	1	2	2	5	8	9
1-5 YRS	125	7.6	58	1	1	4	12	20	22	30
6-12 YRS	795	6.9	108	1	1	4	7	15	28	68
13-19 YRS	1334	5.4	54	1	1	3	6	11	15	45
GRAND TOTAL	**2277**	**6.1**	**75**	**1**	**1**	**4**	**6**	**12**	**21**	**51**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	5	5.0	39	<1	<1	3	7	16	16	16
1-5 YRS	87	2.6	20	<1	<1	1	2	3	19	21
6-12 YRS	262	2.5	20	<1	<1	1	3	4	5	31
13-19 YRS	1338	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	138	3.9	37	<1	<1	2	4	8	13	37
6-12 YRS	346	4.2	54	<1	1	3	4	8	15	31
13-19 YRS	656	4.3	59	<1	1	2	4	7	14	49
TOT. SINGLE DX	1694	2.0	6	<1	<1	1	2	4	5	12
" MULTIPLE DX	1145	4.2	55	<1	1	2	4	8	14	44
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.1	22	<1	<1	1	3	10	16	16
1-5 YRS	225	3.4	31	<1	<1	2	3	6	14	28
6-12 YRS	608	3.5	40	<1	<1	2	3	5	11	31
13-19 YRS	1994	2.7	22	<1	<1	2	3	5	7	25
GRAND TOTAL	**2839**	**2.9**	**27**	**<1**	**<1**	**2**	**3**	**5**	**8**	**28**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	5.7	22	2	2	4	9	11	11	11
1-5 YRS	58	16.4	87	1	2	18	22	26	29	44
6-12 YRS	94	16.4	212	2	3	12	24	33	47	69
13-19 YRS	155	9.8	83	2	2	7	11	21	30	48
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	12.8	23	7	7	14	16	19	19	19
1-5 YRS	30	15.4	54	1	3	18	20	21	22	31
6-12 YRS	105	20.5	142	3	5	21	28	35	43	52
13-19 YRS	237	14.0	84	5	6	12	17	23	33	49
TOT. SINGLE DX	310	13.0	133	2	2	9	20	27	34	55
" MULTIPLE DX	378	15.9	105	4	6	13	20	29	38	50
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	8	10.1	33	2	3	10	14	18	19	19
1-5 YRS	88	16.1	76	1	2	18	21	24	28	40
6-12 YRS	199	18.5	179	2	3	20	27	34	44	58
13-19 YRS	392	12.4	89	3	4	10	15	23	32	48
GRAND TOTAL	**688**	**14.6**	**120**	**2**	**3**	**12**	**20**	**28**	**35**	**52**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	6.0	8	4	4	6	8	8	8	8
1-5 YRS	12	8.7	64	1	2	6	13	22	25	25
6-12 YRS	123	6.3	32	2	2	5	7	10	13	36
13-19 YRS	387	7.5	26	2	3	7	9	14	17	24
2. MULTIPLE DX										
0-27 DYS	2	12.0	2	11	11	12	13	13	13	13
1-11 MOS	14	18.9	174	7	9	14	21	40	51	54
1-5 YRS	23	13.5	241	2	3	10	16	26	45	76
6-12 YRS	102	11.4	87	3	3	9	14	27	30	49
13-19 YRS	647	14.7	125	4	5	12	18	28	40	70
TOT. SINGLE DX	525	7.3	29	2	2	6	9	13	17	28
" MULTIPLE DX	788	14.3	125	3	5	11	17	28	38	70
TOTAL 0-27 DYS	3	12.0	1	11	11	12	13	13	13	13
1-11 MOS	16	17.3	171	5	7	13	20	38	49	54
1-5 YRS	35	11.8	183	1	2	8	16	25	28	76
6-12 YRS	225	8.7	64	2	3	6	10	19	27	37
13-19 YRS	1034	12.0	100	3	4	9	15	24	32	61
GRAND TOTAL	**1313**	**11.5**	**99**	**2**	**3**	**9**	**14**	**23**	**30**	**59**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	61	3.8	17	1	1	2	4	10	15	16
1-5 YRS	377	7.4	68	1	1	4	12	19	22	30
6-12 YRS	236	12.2	126	1	2	7	22	28	33	43
13-19 YRS	156	7.3	86	1	1	4	8	21	31	43
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	16	9.5	52	1	1	8	15	18	22	24
1-5 YRS	171	10.8	82	1	2	8	18	23	28	39
6-12 YRS	205	18.0	227	1	2	17	27	41	45	62
13-19 YRS	138	18.6	297	2	2	12	28	43	55	93
TOT. SINGLE DX	832	8.5	90	1	1	4	13	22	28	40
" MULTIPLE DX	530	15.6	206	1	2	12	23	34	44	70
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	77	5.0	29	1	1	2	7	15	16	22
1-5 YRS	548	8.5	75	1	1	5	14	21	24	34
6-12 YRS	441	14.9	181	1	2	10	23	33	42	53
13-19 YRS	294	12.6	217	1	2	7	18	35	43	71
GRAND TOTAL	**1362**	**11.3**	**147**	**1**	**1**	**6**	**18**	**28**	**36**	**52**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	3	6.7	54	<1	<1	4	12	15	15	15
1-5 YRS	312	3.3	23	1	1	2	3	9	15	23
6-12 YRS	488	2.8	14	1	1	2	2	5	13	20
13-19 YRS	387	3.0	22	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	57	4.2	18	1	1	3	5	12	15	17
6-12 YRS	143	5.9	71	1	1	2	6	19	25	38
13-19 YRS	209	6.3	65	1	1	3	7	15	23	49
TOT. SINGLE DX	1193	3.0	19	<1	1	2	3	6	13	21
" MULTIPLE DX	411	5.8	61	1	1	3	6	16	24	41
TOTAL 0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	4	5.8	40	<1	<1	3	9	15	15	15
1-5 YRS	369	3.5	23	1	1	2	3	10	15	21
6-12 YRS	631	3.5	29	1	1	2	3	9	16	26
13-19 YRS	596	4.2	40	<1	1	2	4	9	14	36
GRAND TOTAL	**1604**	**3.7**	**32**	**<1**	**1**	**2**	**3**	**9**	**16**	**29**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	17	3.5	5	1	2	3	4	5	10	12
1-5 YRS	437	2.1	4	1	1	2	2	3	4	9
6-12 YRS	1331	2.3	3	1	1	2	3	4	6	9
13-19 YRS	3778	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	7.6	80	1	1	5	11	23	23	23
1-5 YRS	145	3.9	25	1	1	2	4	8	13	23
6-12 YRS	508	4.2	31	1	1	3	5	8	12	27
13-19 YRS	2166	5.9	61	1	1	4	6	12	19	44
TOT. SINGLE DX	5567	2.6	4	1	1	2	3	5	6	10
" MULTIPLE DX	2825	5.5	55	1	1	3	6	11	18	40
TOTAL 0-27 DYS	5	3.0	3	1	1	3	4	5	5	5
1-11 MOS	22	4.4	23	1	1	3	4	8	16	23
1-5 YRS	582	2.5	11	1	1	2	3	4	6	16
6-12 YRS	1839	2.8	12	1	1	2	3	5	7	17
13-19 YRS	5944	3.9	28	1	1	3	4	7	11	28
GRAND TOTAL	**8392**	**3.5**	**23**	**1**	**1**	**2**	**4**	**6**	**9**	**25**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	22	2.1	2	<1	<1	1	3	5	5	5
1-5 YRS	1349	1.8	5	<1	<1	1	2	3	4	14
6-12 YRS	4237	1.8	4	<1	1	1	2	3	4	14
13-19 YRS	2576	2.3	6	<1	1	1	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	18	4.3	15	<1	1	2	7	9	13	15
1-5 YRS	283	3.8	35	<1	1	2	3	8	16	35
6-12 YRS	975	4.0	50	1	1	2	4	8	16	37
13-19 YRS	1258	5.0	52	1	1	3	5	11	18	38
TOT. SINGLE DX	8188	1.9	6	<1	1	1	2	3	5	14
" MULTIPLE DX	2537	4.5	50	1	1	2	5	10	17	38
TOTAL 0-27 DYS	7	1.6	1	1	1	1	2	4	4	4
1-11 MOS	40	3.1	9	<1	<1	2	4	8	9	15
1-5 YRS	1632	2.1	11	<1	1	1	2	4	6	18
6-12 YRS	5212	2.2	14	<1	1	1	2	4	6	20
13-19 YRS	3834	3.2	23	<1	1	2	3	6	10	26
GRAND TOTAL	**10725**	**2.5**	**17**	**<1**	**1**	**1**	**2**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	96	6.8	39	<1	1	5	10	15	19	27
1-5 YRS	98	5.6	38	<1	1	3	8	15	18	25
6-12 YRS	134	2.6	12	<1	1	1	3	5	9	20
13-19 YRS	262	2.9	13	<1	<1	2	3	6	11	19
2. MULTIPLE DX										
0-27 DYS	19	4.7	11	1	1	4	6	10	13	14
1-11 MOS	24	11.7	52	1	2	10	18	22	24	25
1-5 YRS	27	4.6	16	1	1	3	6	12	14	15
6-12 YRS	44	5.3	61	1	1	2	5	18	25	36
13-19 YRS	199	6.4	69	1	1	4	7	14	27	75
TOT. SINGLE DX	591	3.9	24	<1	1	2	4	11	15	24
" MULTIPLE DX	313	6.4	61	1	1	4	8	15	24	51
TOTAL 0-27 DYS	20	4.5	12	1	1	4	5	10	13	14
1-11 MOS	120	7.8	46	<1	1	6	11	18	22	26
1-5 YRS	125	5.3	34	<1	1	3	7	14	17	25
6-12 YRS	178	3.3	26	<1	1	1	3	7	15	25
13-19 YRS	461	4.4	41	<1	1	2	5	10	17	43
GRAND TOTAL	**904**	**4.7**	**38**	**<1**	**1**	**2**	**6**	**13**	**18**	**30**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	48	5.7	55	1	1	3	5	18	26	31
1-5 YRS	76	4.3	21	1	1	3	5	10	13	28
6-12 YRS	54	2.7	9	<1	1	2	3	6	7	19
13-19 YRS	231	2.4	5	<1	1	2	3	5	5	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	34	6.9	24	2	2	6	11	15	16	18
1-5 YRS	66	7.1	49	3	3	5	7	19	24	34
6-12 YRS	54	6.7	32	1	1	5	8	14	18	30
13-19 YRS	112	6.0	72	1	1	3	6	13	24	52
TOT. SINGLE DX	409	3.2	16	<1	1	2	3	5	10	25
" MULTIPLE DX	266	6.5	52	1	1	4	7	15	20	34
TOTAL 0-27 DYS										
1-11 MOS	82	6.2	42	1	1	3	7	15	19	30
1-5 YRS	142	5.6	36	1	1	4	5	11	19	33
6-12 YRS	108	4.7	25	1	1	3	6	11	17	25
13-19 YRS	343	3.6	30	<1	1	2	4	7	10	28
GRAND TOTAL	**675**	**4.5**	**33**	**1**	**1**	**3**	**5**	**9**	**15**	**30**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	12.0	9	9	9	12	14	15	15	15
1-11 MOS	145	4.1	13	1	1	3	5	10	12	17
1-5 YRS	190	4.6	17	1	1	3	6	12	14	19
6-12 YRS	176	4.8	27	<1	1	3	6	11	16	23
13-19 YRS	731	2.3	5	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	10	33.4	494	15	15	28	51	91	99	99+
1-11 MOS	98	9.4	48	2	2	8	13	21	23	31
1-5 YRS	207	9.2	74	1	2	6	13	21	26	40
6-12 YRS	197	9.2	82	1	1	6	13	22	28	43
13-19 YRS	637	4.0	36	<1	1	2	4	9	14	32
TOT. SINGLE DX	1245	3.2	13	<1	1	2	4	7	11	17
" MULTIPLE DX	1149	6.5	69	<1	1	3	8	16	23	42
TOTAL 0-27 DYS	13	28.5	460	10	12	22	43	86	97	99+
1-11 MOS	243	6.3	34	1	1	4	8	14	20	29
1-5 YRS	397	7.0	52	1	1	4	10	16	21	29
6-12 YRS	373	7.1	62	1	1	4	9	17	23	42
13-19 YRS	1368	3.1	20	<1	<1	2	3	6	10	25
GRAND TOTAL	**2394**	**4.8**	**42**	**<1**	**1**	**2**	**5**	**12**	**17**	**31**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	6.7	24	3	3	6	7	15	19	19
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	8.0	21	3	3	7	12	15	15	15
13-19 YRS	319	5.9	14	2	3	5	7	10	14	20
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	9.0	40	4	4	6	12	20	21	21
1-5 YRS	5	6.0	13	1	1	6	8	11	11	11
6-12 YRS	9	14.8	83	2	4	15	21	28	32	32
13-19 YRS	121	9.8	75	3	3	7	12	20	30	44
TOT. SINGLE DX	340	5.9	15	2	3	5	7	11	14	19
" MULTIPLE DX	144	10.0	72	3	3	7	13	21	30	43
TOTAL 0-27 DYS	3	5.0	4	3	3	5	6	7	7	7
1-11 MOS	17	7.8	31	3	3	6	7	19	20	21
1-5 YRS	6	5.8	11	1	1	6	7	11	11	11
6-12 YRS	18	11.4	61	2	3	9	15	22	28	32
13-19 YRS	440	7.0	34	2	3	5	8	13	18	35
GRAND TOTAL	**484**	**7.1**	**35**	**2**	**3**	**5**	**8**	**14**	**19**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	34	1.9	3	<1	<1	1	2	4	4	11
13-19 YRS	543	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	2.0	2	1	1	1	3	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	1.5	1	<1	<1	1	2	4	4	4
13-19 YRS	932	2.3	3	<1	<1	2	3	4	5	9
TOT. SINGLE DX	582	1.6	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	956	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	2.0	2	1	1	1	3	4	4	4
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	50	1.7	3	<1	<1	1	2	4	4	11
13-19 YRS	1475	2.1	3	<1	<1	1	3	4	5	8
GRAND TOTAL	**1538**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	6.3	43	1	1	2	13	16	18	18
1-5 YRS	39	5.1	65	<1	<1	2	5	10	28	38
6-12 YRS	148	2.4	6	<1	<1	1	3	5	8	15
13-19 YRS	1241	1.8	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-27 DYS	5	3.4	11	1	1	2	5	9	9	9
1-11 MOS	12	11.1	110	1	1	7	19	28	29	29
1-5 YRS	39	8.9	54	<1	1	6	15	20	22	24
6-12 YRS	120	6.7	58	<1	<1	3	10	18	24	31
13-19 YRS	1047	2.5	15	<1	<1	1	3	5	7	18
TOT. SINGLE DX	1438	2.0	6	<1	<1	1	2	4	5	14
" MULTIPLE DX	1223	3.2	25	<1	<1	1	3	7	13	27
TOTAL 0-27 DYS	5	3.4	11	1	1	2	5	9	9	9
1-11 MOS	22	8.9	82	1	1	4	14	24	28	29
1-5 YRS	78	7.0	63	<1	<1	3	10	19	24	35
6-12 YRS	268	4.3	34	<1	<1	2	4	13	18	30
13-19 YRS	2288	2.2	9	<1	<1	1	2	4	6	15
GRAND TOTAL	**2661**	**2.6**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**22**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	24	7.1	13	2	4	6	9	13	15	18
6-12 YRS	180	8.8	7	6	6	8	10	12	13	20
13-19 YRS	667	8.9	13	5	6	8	10	13	15	26
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	7.3	26	3	3	6	11	13	13	13
1-5 YRS	60	10.6	51	4	5	9	11	17	24	45
6-12 YRS	267	14.3	110	6	7	10	16	28	36	52
13-19 YRS	702	14.2	135	6	7	11	16	26	38	99
TOT. SINGLE DX	873	8.9	13	5	6	8	10	12	15	25
" MULTIPLE DX	1032	14.0	125	6	7	11	16	26	37	84
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	7.8	18	3	3	7	11	13	13	13
1-5 YRS	84	9.6	43	4	5	8	11	16	23	41
6-12 YRS	447	12.1	76	6	6	9	12	22	[illegible]	51
13-19 YRS	1369	11.7	83	5	6	9	12	20	27	72
GRAND TOTAL	**1905**	**11.7**	**80**	**5**	**6**	**9**	**12**	**20**	**27**	**62**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	2.6	3	1	1	2	3	6	6	6
6-12 YRS	44	3.2	3	1	2	3	4	6	7	8
13-19 YRS	177	3.2	8	1	1	3	4	5	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	3.0	4	1	1	3	4	5	7	10
6-12 YRS	126	4.5	19	1	1	4	5	9	12	25
13-19 YRS	220	4.6	11	1	2	4	6	8	10	18
TOT. SINGLE DX	231	3.2	7	1	1	3	4	6	7	10
" MULTIPLE DX	367	4.5	14	1	1	4	5	8	10	21
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	30	2.9	4	1	1	3	4	5	6	10
6-12 YRS	170	4.2	15	1	1	3	5	7	10	25
13-19 YRS	397	4.0	10	1	1	3	5	7	9	18
GRAND TOTAL	**598**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	8.5	1	7	7	8	9	10	10	10
13-19 YRS	15	8.5	5	3	6	8	10	11	11	11
2. MULTIPLE DX										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	3	12.0	28	8	8	10	16	18	18	18
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	1	87.0		87	87	87	87	87	87	87
13-19 YRS	20	10.9	22	5	6	9	15	17	19	20
TOT. SINGLE DX	22	9.2	18	4	6	9	10	11	17	26
" MULTIPLE DX	28	13.4	228	5	6	9	15	18	27	87
TOTAL 0-27 DYS	3	10.0	9	7	7	10	12	13	13	13
1-11 MOS	4	11.3	21	8	8	9	14	18	18	18
1-5 YRS	3	12.7	134	5	5	7	21	26	26	26
6-12 YRS	5	24.2	1234	7	7	9	29	87	87	87
13-19 YRS	35	9.8	16	5	6	8	12	16	18	20
GRAND TOTAL	**50**	**11.6**	**138**	**5**	**6**	**9**	**13**	**17**	**20**	**87**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	4	9.0	66	<1	<1	9	16	16	16	16
6-12 YRS	17	4.9	4	2	2	4	7	8	9	9
13-19 YRS	24	7.5	17	2	2	7	9	15	16	17
2. MULTIPLE DX										
0-27 DYS	2	18.5	61	13	13	18	24	24	24	24
1-11 MOS	7	9.6	7	6	6	9	10	14	15	15
1-5 YRS	4	15.8	78	7	7	14	21	28	28	28
6-12 YRS	12	14.3	161	3	4	9	19	36	43	44
13-19 YRS	16	9.0	49	2	3	7	12	16	26	30
TOT. SINGLE DX	47	6.7	18	2	2	6	9	15	16	17
" MULTIPLE DX	41	11.8	81	3	3	9	14	26	31	44
TOTAL 0-27 DYS	2	18.5	61	13	13	18	24	24	24	24
1-11 MOS	9	9.3	14	3	4	9	11	15	15	15
1-5 YRS	8	12.4	75	<1	1	14	16	24	28	28
6-12 YRS	29	8.8	88	2	3	5	9	20	33	44
13-19 YRS	40	8.1	30	2	2	7	10	15	16	30
GRAND TOTAL	**88**	**9.1**	**53**	**2**	**3**	**7**	**11**	**16**	**24**	**39**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	5	5.6	6	3	3	5	7	9	9	9
6-12 YRS	53	2.5	2	1	1	2	4	4	5	7
13-19 YRS	1527	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	14	7.1	20	1	2	6	10	14	16	16
1-5 YRS	5	3.2	3	1	1	3	4	6	6	6
6-12 YRS	49	3.6	5	1	1	3	5	7	9	10
13-19 YRS	1619	3.7	7	1	1	3	5	6	7	13
TOT. SINGLE DX	1587	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	1689	3.8	8	1	1	3	5	6	7	13
TOTAL 0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	16	7.3	24	1	2	6	10	15	16	16
1-5 YRS	10	4.4	6	1	2	4	6	8	9	9
6-12 YRS	102	3.0	4	1	1	3	4	5	7	10
13-19 YRS	3146	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**3276**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	26	3.3	7	<1	1	3	4	6	9	14
6-12 YRS	54	2.3	3	<1	1	2	3	5	6	9
13-19 YRS	1551	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	23	2.8	6	<1	<1	2	3	6	10	10
6-12 YRS	32	3.5	17	1	1	2	4	6	11	23
13-19 YRS	462	2.9	5	1	1	3	4	5	7	13
TOT. SINGLE DX	1637	2.2	1	1	1	2	3	4	4	6
" MULTIPLE DX	519	2.9	6	1	1	2	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS	8	2.5	3	1	1	2	3	5	6	6
1-5 YRS	49	3.1	7	<1	<1	2	4	6	10	14
6-12 YRS	86	2.7	9	<1	1	2	3	5	6	19
13-19 YRS	2013	2.4	2	1	1	2	3	4	5	7
GRAND TOTAL	**2156**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	69	5.5	43	<1	1	3	8	14	16	33
1-5 YRS	160	3.2	23	<1	<1	2	3	5	13	25
6-12 YRS	183	3.1	8	<1	<1	2	4	6	10	15
13-19 YRS	326	2.7	6	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	31	7.0	80	1	1	3	8	18	27	42
1-5 YRS	383	4.5	29	1	1	3	5	8	12	30
6-12 YRS	386	6.0	43	1	2	4	7	12	18	45
13-19 YRS	380	6.4	93	<1	1	4	7	13	20	63
TOT. SINGLE DX	741	3.1	14	<1	<1	2	3	6	10	16
" MULTIPLE DX	1182	5.7	57	1	1	4	6	11	18	46
TOTAL 0-27 DYS	5	3.8	39	<1	<1	1	5	15	15	15
1-11 MOS	100	6.0	55	<1	1	3	8	15	19	38
1-5 YRS	543	4.1	28	<1	1	3	4	7	12	30
6-12 YRS	569	5.1	34	1	1	3	6	11	15	42
13-19 YRS	706	4.7	56	<1	1	3	5	9	14	41
GRAND TOTAL	**1923**	**4.7**	**42**	**<1**	**1**	**3**	**5**	**10**	**14**	**37**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	6.8	45	1	1	3	13	16	16	16
1-11 MOS	38	2.2	2	<1	1	2	3	5	5	7
1-5 YRS	133	2.0	4	<1	<1	1	2	4	7	13
6-12 YRS	152	2.2	7	<1	<1	1	2	4	7	13
13-19 YRS	272	1.8	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
0-27 DYS	7	18.4	979	1	1	5	16	74	88	88
1-11 MOS	35	9.2	186	<1	<1	4	11	25	28	74
1-5 YRS	65	6.9	206	<1	1	3	5	16	30	84
6-12 YRS	56	2.8	6	<1	<1	2	4	5	9	14
13-19 YRS	102	4.7	48	<1	<1	2	5	12	14	39
TOT. SINGLE DX	600	2.0	5	<1	<1	1	2	4	6	12
" MULTIPLE DX	265	5.8	125	<1	<1	2	5	12	20	73
TOTAL 0-27 DYS	12	13.6	586	1	1	4	14	39	81	88
1-11 MOS	73	5.5	102	<1	1	2	5	11	24	64
1-5 YRS	198	3.6	76	<1	<1	2	3	7	12	55
6-12 YRS	208	2.4	7	<1	<1	1	3	5	8	13
13-19 YRS	374	2.6	17	<1	<1	1	2	5	10	16
GRAND TOTAL	**865**	**3.2**	**44**	**<1**	**<1**	**1**	**3**	**6**	**10**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.7	21	<1	<1	1	2	10	15	15
6-12 YRS	8	1.6		1	1	1	2	3	3	3
13-19 YRS	14	2.9	6	<1	1	2	6	6	8	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	10	2.3	1	<1	<1	2	3	4	5	5
6-12 YRS	14	4.1	12	<1	1	3	7	10	12	12
13-19 YRS	27	4.0	12	<1	1	2	7	9	11	14
TOT. SINGLE DX	33	2.5	8	<1	<1	1	3	6	8	15
" MULTIPLE DX	52	3.7	10	<1	1	2	5	9	10	14
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.5	10	<1	<1	1	2	5	10	15
6-12 YRS	22	3.2	9	<1	1	2	3	8	11	12
13-19 YRS	41	3.6	10	<1	1	2	6	8	10	14
GRAND TOTAL	**85**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**8**	**10**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	14	1.5		<1	<1	1	2	3	4	4
1-5 YRS	125	1.5		<1	1	1	2	2	3	6
6-12 YRS	130	1.5		<1	<1	1	2	2	3	6
13-19 YRS	456	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	5	3.4	7	<1	<1	3	4	8	8	8
1-11 MOS	8	1.6		1	1	2	2	3	3	3
1-5 YRS	96	2.3	3	<1	1	2	3	5	6	10
6-12 YRS	130	2.0	11	1	1	1	2	3	4	23
13-19 YRS	494	2.1	8	<1	1	1	2	4	5	12
TOT. SINGLE DX	727	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	733	2.1	8	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	7	3.1	5	<1	<1	3	3	7	8	8
1-11 MOS	22	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	221	1.9	2	<1	1	1	2	3	5	9
6-12 YRS	260	1.8	6	<1	1	1	2	3	4	7
13-19 YRS	950	1.8	5	<1	<1	1	2	3	4	9
GRAND TOTAL	**1460**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	51	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	131	1.8	2	<1	1	1	2	3	5	10
13-19 YRS	324	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.0	11	3	3	4	7	10	10	10
1-5 YRS	31	2.3	3	1	1	2	3	4	5	10
6-12 YRS	94	3.1	11	<1	1	2	4	6	9	66
13-19 YRS	313	3.7	32	<1	1	2	4	7	10	34
TOT. SINGLE DX	511	2.0	2	<1	1	1	2	4	5	8
" MULTIPLE DX	443	3.5	26	<1	1	2	4	7	10	32
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	3.4	7	1	1	3	4	8	10	10
1-5 YRS	82	1.9	2	<1	1	1	2	4	4	8
6-12 YRS	225	2.3	6	<1	1	2	3	5	7	19
13-19 YRS	637	2.9	18	<1	1	2	3	5	8	29
GRAND TOTAL	**954**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**25**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	326	2.6	2	1	1	2	3	4	5	10
1-5 YRS	320	2.5	2	1	1	2	3	4	5	9
6-12 YRS	226	2.5	2	1	1	2	3	5	6	9
13-19 YRS	354	2.8	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	109	3.1	7	1	1	3	4	6	7	17
1-5 YRS	567	3.1	18	1	1	2	3	5	7	21
6-12 YRS	492	3.5	25	1	1	3	4	6	9	19
13-19 YRS	382	4.5	56	1	1	3	4	7	12	43
TOT. SINGLE DX	1227	2.6	4	1	1	2	3	4	6	10
" MULTIPLE DX	1551	3.6	29	1	1	3	4	6	8	28
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	435	2.7	4	1	1	2	3	5	6	10
1-5 YRS	887	2.9	13	1	1	2	3	5	6	15
6-12 YRS	718	3.2	18	1	1	2	4	5	8	17
13-19 YRS	736	3.7	32	1	1	3	4	6	9	32
GRAND TOTAL	**2778**	**3.1**	**18**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	1.6		<1	<1	1	2	3	3	3
1-5 YRS	36	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	23	1.8	4	<1	1	1	2	3	6	10
13-19 YRS	76	1.8	1	1	1	1	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	4	3.8	1	2	2	4	5	5	5	5
1-11 MOS	3	3.3	5	2	2	2	5	6	6	6
1-5 YRS	20	2.6	4	1	1	2	4	6	7	8
6-12 YRS	12	2.4	3	1	1	2	3	5	7	7
13-19 YRS	70	4.3	35	1	1	2	4	11	16	33
TOT. SINGLE DX	144	1.7	2	<1	1	1	2	3	4	6
" MULTIPLE DX	109	3.7	25	1	1	2	4	7	14	30
TOTAL 0-27 DYS	4	3.8	2	2	2	4	5	5	5	5
1-11 MOS	12	2.0	2	<1	<1	2	2	4	6	6
1-5 YRS	56	1.9	2	<1	1	1	2	4	5	8
6-12 YRS	35	2.0	4	1	1	1	3	4	6	10
13-19 YRS	146	3.0	19	1	1	2	3	5	11	27
GRAND TOTAL	**253**	**2.6**	**12**	**1**	**1**	**1**	**3**	**5**	**7**	**17**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	10	5.6	15	1	1	5	9	11	12	12
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	4	11.5	13	6	6	13	14	14	14	14
13-19 YRS	12	12.1	77	1	2	9	20	25	25	25
TOT. SINGLE DX	12	5.8	14	1	2	5	9	11	12	12
" MULTIPLE DX	19	11.8	59	1	2	13	16	24	25	25
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	3	7.7	82	1	1	4	14	18	18	18
6-12 YRS	5	11.2	11	6	6	13	13	14	14	14
13-19 YRS	22	9.1	58	1	2	7	12	24	25	25
GRAND TOTAL	**31**	**9.5**	**49**	**1**	**2**	**7**	**14**	**20**	**25**	**25**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	17	2.1	2	<1	<1	1	2	5	6	6
6-12 YRS	11	3.0	3	1	1	3	4	6	7	7
13-19 YRS	39	3.7	7	<1	<1	3	6	8	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	3.5	17	<1	<1	2	5	10	14	14
1-5 YRS	11	5.1	17	1	1	4	6	12	15	15
6-12 YRS	14	6.1	43	1	1	4	9	15	22	24
13-19 YRS	40	5.5	31	1	1	4	7	15	20	21
TOT. SINGLE DX	73	3.1	6	<1	<1	2	4	6	8	12
" MULTIPLE DX	75	5.3	29	1	1	3	7	14	19	23
TOTAL 0-27 DYS										
1-11 MOS	16	2.8	12	<1	<1	1	3	7	12	14
1-5 YRS	28	3.3	10	<1	<1	2	4	7	10	15
6-12 YRS	25	4.8	27	1	1	3	6	11	16	24
13-19 YRS	79	4.6	20	<1	1	3	6	10	15	21
GRAND TOTAL	**148**	**4.2**	**19**	**<1**	**1**	**2**	**6**	**9**	**14**	**21**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	8.5	13	6	6	8	11	11	11	11
13-19 YRS	6	9.8	58	5	5	7	10	23	25	25
2. MULTIPLE DX										
0-27 DYS	1	75.0		75	75	75	75	75	75	75
1-11 MOS	2	20.0	18	17	17	20	23	23	23	23
1-5 YRS	4	15.8	35	11	11	14	20	24	24	24
6-12 YRS	3	19.0	507	6	6	6	35	45	45	45
13-19 YRS	16	15.7	126	6	6	12	21	26	42	49
TOT. SINGLE DX	9	8.8	43	3	4	7	10	19	25	25
" MULTIPLE DX	26	18.7	255	6	6	14	22	43	54	75
TOTAL 0-27 DYS	1	75.0		75	75	75	75	75	75	75
1-11 MOS	2	20.0	18	17	17	20	23	23	23	23
1-5 YRS	5	13.2	59	3	3	12	18	24	24	24
6-12 YRS	5	14.8	290	6	6	6	19	45	45	45
13-19 YRS	22	14.1	111	5	5	10	21	25	35	49
GRAND TOTAL	**35**	**16.1**	**217**	**5**	**6**	**11**	**22**	**26**	**48**	**75**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	9.1	50	3	4	7	9	21	26	26
13-19 YRS	11	9.6	125	2	3	6	8	28	39	40
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	8.8	23	4	4	8	12	16	16	16
1-5 YRS	7	16.3	93	7	7	11	26	29	29	29
6-12 YRS	6	15.0	194	4	4	11	18	39	41	41
13-19 YRS	10	20.8	405	1	2	13	32	54	62	62
TOT. SINGLE DX	19	9.4	89	2	3	6	9	24	34	40
" MULTIPLE DX	28	16.3	214	3	4	11	23	38	48	62
TOTAL 0-27 DYS										
1-11 MOS	5	8.8	24	4	4	8	12	16	16	16
1-5 YRS	7	16.3	94	7	7	11	26	29	29	29
6-12 YRS	14	11.6	111	3	4	8	15	27	38	41
13-19 YRS	21	15.0	278	2	3	7	21	42	53	62
GRAND TOTAL	**47**	**13.5**	**172**	**3**	**4**	**8**	**17**	**31**	**42**	**62**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.6		3	3	4	4	4	4	4
1-5 YRS	9	2.6	1	1	1	2	3	5	5	5
6-12 YRS	4	6.5	16	3	3	5	9	12	12	12
13-19 YRS	2	19.0	242	8	8	19	30	30	30	30
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	6	6.8	48	1	1	4	11	18	19	19
6-12 YRS	8	9.9	35	3	3	8	14	19	20	20
13-19 YRS	11	12.3	96	1	2	9	21	27	31	31
TOT. SINGLE DX	20	5.3	41	1	1	3	5	10	21	30
" MULTIPLE DX	28	9.5	63	1	2	7	14	21	25	31
TOTAL 0-27 DYS										
1-11 MOS	8	3.5	1	2	2	4	4	4	4	4
1-5 YRS	15	4.3	23	1	1	3	5	11	17	19
6-12 YRS	12	8.8	30	3	3	8	11	18	20	20
13-19 YRS	13	13.3	107	1	3	9	22	30	31	31
GRAND TOTAL	**48**	**7.7**	**57**	**1**	**2**	**4**	**10**	**20**	**25**	**31**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	29	3.4	27	1	1	2	4	6	8	29
6-12 YRS	17	3.8	13	<1	1	2	6	10	12	13
13-19 YRS	22	3.9	9	1	1	2	6	8	10	12
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	14	8.1	89	1	1	5	10	28	29	29
6-12 YRS	12	5.3	12	2	2	4	7	12	13	13
13-19 YRS	16	7.5	57	1	1	6	8	21	26	28
TOT. SINGLE DX	72	3.6	17	1	1	2	5	7	11	25
" MULTIPLE DX	43	7.2	53	1	1	6	8	16	28	29
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	43	5.0	51	1	1	2	6	11	28	29
6-12 YRS	29	4.4	13	1	1	3	6	11	13	13
13-19 YRS	38	5.4	32	1	1	4	7	10	18	28
GRAND TOTAL	**115**	**4.9**	**33**	**1**	**1**	**3**	**6**	**11**	**14**	**29**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	5	<1	<1	2	2	6	8	8
6-12 YRS	12	2.2	4	1	1	1	2	6	8	8
13-19 YRS	21	3.1	7	<1	1	2	4	6	10	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	9	7.6	137	1	1	3	6	28	37	37
6-12 YRS	18	1.7		<1	1	2	2	3	3	3
13-19 YRS	20	2.5	2	<1	1	2	4	5	5	5
TOT. SINGLE DX	42	2.7	6	<1	1	2	3	6	8	13
" MULTIPLE DX	48	3.3	31	1	1	2	3	5	12	37
TOTAL 0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	18	4.9	74	<1	<1	2	3	12	28	37
6-12 YRS	30	1.9	2	1	1	1	2	3	5	8
13-19 YRS	41	2.8	5	<1	1	2	4	5	6	13
GRAND TOTAL	**90**	**3.0**	**19**	**<1**	**1**	**2**	**3**	**5**	**8**	**28**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	4	11.3	168	1	1	8	21	28	28	28
" MULTIPLE DX	2	13.5	85	7	7	13	20	20	20	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	2	17.5	221	7	7	17	28	28	28	28
13-19 YRS	3	7.3	120	1	1	1	15	20	20	20
GRAND TOTAL	**6**	**12.0**	**119**	**1**	**1**	**11**	**20**	**27**	**28**	**28**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	3.3	4	1	1	4	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	12	1.7	1	<1	<1	1	2	4	5	5
13-19 YRS	220	1.4		<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	67	2.3	6	<1	<1	1	2	5	8	12
TOT. SINGLE DX	237	1.5	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	78	2.3	5	<1	<1	2	2	5	8	12
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	7	2.1	3	<1	<1	1	3	5	5	5
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	13	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	287	1.6	2	<1	<1	1	2	3	4	9
GRAND TOTAL	**315**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	35	1.7		1	1	2	2	2	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	14	2.4	7	<1	<1	1	2	5	10	11
TOT. SINGLE DX	39	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	16	3.4	24	<1	<1	2	3	10	17	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	5.0	62	1	1	2	6	19	19	19
13-19 YRS	49	1.9	3	<1	1	2	2	3	4	11
GRAND TOTAL	**55**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**4**	**19**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.7	1	7	7	7	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	5.0	9	2	2	5	7	8	8	8
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	7	4.4	11	<1	<1	4	7	9	9	9
" MULTIPLE DX	6	5.5	5	2	2	6	7	8	8	8
TOTAL 0-27 DYS										
1-11 MOS	6	6.3	6	2	2	7	8	9	9	9
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
GRAND TOTAL	**13**	**4.9**	**8**	**<1**	**1**	**5**	**7**	**8**	**9**	**9**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	2	3	4	4	4
1-11 MOS	5	3.2	1	2	2	4	4	4	4	4
1-5 YRS	10	2.4	5	1	1	2	2	6	9	9
6-12 YRS	29	1.7		<1	1	1	2	3	3	5
13-19 YRS	840	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	10	4.7	6	2	2	4	7	8	9	9
1-5 YRS	2	14.5	221	4	4	14	25	25	25	25
6-12 YRS	11	3.1	4	1	1	3	4	6	9	9
13-19 YRS	301	2.6	2	1	1	2	3	4	5	10
TOT. SINGLE DX	888	2.2	1	1	1	2	3	4	4	6
" MULTIPLE DX	328	2.7	4	1	1	2	3	4	6	12
TOTAL 0-27 DYS	8	2.8	1	1	1	3	4	4	4	4
1-11 MOS	15	4.2	5	2	2	4	6	7	9	9
1-5 YRS	12	4.4	47	1	1	2	3	14	23	25
6-12 YRS	40	2.1	2	<1	1	2	3	4	5	9
13-19 YRS	1141	2.3	2	1	1	2	3	4	4	6
GRAND TOTAL	**1216**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	3.3	7	1	1	3	4	7	10	10
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	13	2.5	3	1	1	2	3	5	7	8
13-19 YRS	1500	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	4.7	14	2	2	4	4	11	13	13
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	278	3.3	18	1	1	2	4	5	7	28
TOT. SINGLE DX	1528	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	293	3.3	18	1	1	2	4	5	7	26
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	17	3.9	10	1	1	3	4	9	12	13
1-5 YRS	8	2.0	1	1	1	2	3	3	3	3
6-12 YRS	17	2.2	3	<1	1	2	2	4	7	8
13-19 YRS	1778	2.4	5	1	1	2	3	4	5	9
GRAND TOTAL	**1821**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	3.5	6	<1	<1	3	5	6	9	10
1-11 MOS	117	2.1	3	<1	<1	1	2	5	7	10
1-5 YRS	342	2.2	4	<1	<1	1	2	4	7	11
6-12 YRS	339	2.3	7	<1	<1	1	2	5	7	16
13-19 YRS	426	2.3	16	<1	<1	1	2	4	5	19
2. MULTIPLE DX										
0-27 DYS	145	4.0	33	1	1	3	4	7	12	49
1-11 MOS	55	5.8	36	1	1	4	7	12	17	34
1-5 YRS	177	5.2	55	<1	1	2	6	13	21	59
6-12 YRS	210	5.7	104	<1	<1	2	6	12	22	73
13-19 YRS	412	8.3	191	<1	1	3	8	24	42	90
TOT. SINGLE DX	1237	2.3	10	<1	<1	1	2	4	7	14
" MULTIPLE DX	999	6.4	120	<1	1	3	6	15	30	75
TOTAL 0-27 DYS	158	4.0	31	1	1	3	4	7	12	47
1-11 MOS	172	3.3	17	<1	<1	2	4	7	10	22
1-5 YRS	519	3.3	24	<1	<1	2	3	8	11	24
6-12 YRS	549	3.6	48	<1	<1	1	3	8	12	41
13-19 YRS	838	5.2	112	<1	<1	2	4	11	27	69
GRAND TOTAL	**2236**	**4.1**	**63**	**<1**	**<1**	**2**	**4**	**9**	**15**	**57**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	3.8	7	1	1	3	6	8	8	8
1-11 MOS	124	3.8	15	<1	1	3	5	8	9	20
1-5 YRS	815	3.1	11	<1	<1	2	4	7	10	16
6-12 YRS	975	3.7	24	<1	1	2	4	7	10	22
13-19 YRS	1676	3.6	21	<1	1	2	4	7	10	24
2. MULTIPLE DX										
0-27 DYS	176	6.5	64	2	2	4	6	14	22	53
1-11 MOS	254	6.6	24	1	2	5	9	14	17	23
1-5 YRS	1466	5.4	48	1	1	3	6	13	19	37
6-12 YRS	1626	5.3	61	1	1	3	6	12	18	41
13-19 YRS	4748	5.2	66	<1	1	3	5	11	19	48
TOT. SINGLE DX	3599	3.5	20	<1	1	2	4	7	10	22
" MULTIPLE DX	8270	5.3	61	1	1	3	6	12	19	45
TOTAL 0-27 DYS	185	6.4	62	2	2	4	6	14	21	52
1-11 MOS	378	5.6	23	1	1	4	8	12	15	23
1-5 YRS	2281	4.6	37	<1	1	3	5	10	16	30
6-12 YRS	2601	4.7	48	1	1	3	5	10	15	37
13-19 YRS	6424	4.8	55	<1	1	3	5	10	16	44
GRAND TOTAL	**11869**	**4.8**	**49**	**<1**	**1**	**3**	**5**	**10**	**16**	**40**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	14	8.9	86	<1	1	6	9	25	26	26
1-5 YRS	117	6.5	67	<1	1	3	9	16	21	42
6-12 YRS	129	5.2	30	1	1	3	7	12	18	27
13-19 YRS	222	4.4	17	<1	1	3	6	10	13	19
2. MULTIPLE DX										
0-27 DYS	4	6.3	11	2	2	6	8	10	10	10
1-11 MOS	38	20.0	167	1	3	16	26	38	47	53
1-5 YRS	242	14.1	195	1	1	11	20	30	37	68
6-12 YRS	189	13.1	140	1	2	10	20	27	35	93
13-19 YRS	267	11.8	157	1	1	8	16	29	38	61
TOT. SINGLE DX	483	5.2	36	1	1	3	7	12	17	28
" MULTIPLE DX	740	13.3	168	1	1	9	19	30	38	71
TOTAL 0-27 DYS	5	6.6	9	2	2	7	8	10	10	10
1-11 MOS	52	17.0	168	1	1	16	25	34	45	53
1-5 YRS	359	11.6	166	1	1	7	17	28	35	57
6-12 YRS	318	9.9	111	1	1	6	14	25	30	76
13-19 YRS	489	8.4	107	1	1	5	11	20	29	48
GRAND TOTAL	**1223**	**10.1**	**131**	**1**	**1**	**6**	**14**	**25**	**32**	**55**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	1.4		1	1	1	2	2	2	2
1-5 YRS	24	3.5	50	<1	<1	1	2	6	24	31
6-12 YRS	50	2.6	7	<1	<1	2	3	6	8	14
13-19 YRS	69	3.8	23	<1	<1	2	4	7	16	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	33	5.5	79	1	1	3	5	14	29	43
6-12 YRS	44	6.6	109	<1	1	2	6	18	37	46
13-19 YRS	97	6.9	96	<1	1	3	8	23	32	99+
TOT. SINGLE DX	150	3.2	21	<1	<1	2	3	7	12	24
" MULTIPLE DX	176	6.5	95	1	1	3	7	20	33	90
TOTAL 0-27 DYS										
1-11 MOS	9	1.4		1	1	1	2	2	2	2
1-5 YRS	57	4.7	67	<1	1	2	4	12	27	42
6-12 YRS	94	4.5	59	<1	1	2	4	8	16	43
13-19 YRS	166	5.6	68	<1	1	3	6	17	25	93
GRAND TOTAL	**326**	**5.0**	**64**	**<1**	**1**	**2**	**5**	**13**	**24**	**50**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	57	2.0	13	<1	<1	1	2	3	3	27
1-5 YRS	239	2.0	3	<1	<1	1	2	3	5	10
6-12 YRS	149	2.2	4	<1	<1	1	3	4	6	13
13-19 YRS	200	2.1	5	<1	<1	1	2	4	5	16
2. MULTIPLE DX										
0-27 DYS	10	9.9	524	<1	1	3	4	40	75	75
1-11 MOS	48	3.2	23	1	1	2	3	6	25	99+
1-5 YRS	167	3.3	36	<1	<1	2	3	6	10	32
6-12 YRS	145	3.1	22	<1	1	2	3	6	8	20
13-19 YRS	247	5.7	127	<1	1	3	5	9	32	99+
TOT. SINGLE DX	645	2.1	5	<1	<1	1	2	3	5	14
" MULTIPLE DX	617	4.3	77	<1	1	2	3	7	16	75
TOTAL 0-27 DYS	10	9.9	524	<1	1	3	4	40	75	75
1-11 MOS	105	2.6	19	<1	<1	2	2	4	6	60
1-5 YRS	406	2.5	17	<1	<1	2	2	4	7	22
6-12 YRS	294	2.6	14	<1	<1	2	3	5	7	16
13-19 YRS	447	4.1	76	<1	<1	2	3	7	14	76
GRAND TOTAL	**1262**	**3.2**	**42**	**<1**	**<1**	**2**	**3**	**6**	**8**	**49**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	3.0	1	2	2	3	4	5	5	5
1-11 MOS	6	1.2		1	1	1	1	2	2	2
1-5 YRS	8	4.1	21	1	1	2	5	12	15	15
6-12 YRS	14	4.6	80	<1	1	2	3	11	30	35
13-19 YRS	19	2.6	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-27 DYS	14	10.8	105	2	2	8	12	21	37	41
1-11 MOS	11	5.0	27	1	1	3	6	13	18	19
1-5 YRS	27	5.4	20	1	1	4	8	14	15	16
6-12 YRS	17	4.1	12	1	1	3	5	9	12	13
13-19 YRS	37	5.8	95	1	1	3	6	11	16	59
TOT. SINGLE DX	52	3.3	27	1	1	2	3	5	11	35
" MULTIPLE DX	106	6.0	59	1	1	4	8	13	17	49
TOTAL 0-27 DYS	19	8.7	89	2	2	5	11	19	31	41
1-11 MOS	17	3.6	20	1	1	2	4	8	15	19
1-5 YRS	35	5.1	21	1	1	3	7	14	15	16
6-12 YRS	31	4.3	41	1	1	2	4	9	13	35
13-19 YRS	56	4.8	66	1	1	2	5	10	13	56
GRAND TOTAL	**158**	**5.1**	**50**	**1**	**1**	**3**	**6**	**11**	**16**	**41**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	1.6		1	1	2	2	2	2	2
1-11 MOS	31	2.4	4	1	1	2	2	5	7	11
1-5 YRS	51	1.9	1	1	1	2	2	4	5	7
6-12 YRS	69	2.5	9	<1	1	1	3	5	7	18
13-19 YRS	403	2.6	10	1	1	1	3	5	9	16
2. MULTIPLE DX										
0-27 DYS	7	4.6	4	2	2	6	6	7	7	7
1-11 MOS	30	6.7	155	1	1	2	7	13	14	69
1-5 YRS	76	4.0	36	1	1	2	3	10	16	34
6-12 YRS	91	4.3	77	1	1	2	3	10	26	88
13-19 YRS	262	4.0	24	1	1	2	5	9	14	25
TOT. SINGLE DX	559	2.5	9	1	1	1	2	5	8	17
" MULTIPLE DX	466	4.2	45	1	1	2	4	10	15	36
TOTAL 0-27 DYS	12	3.3	5	1	1	2	6	7	7	7
1-11 MOS	61	4.5	82	1	1	2	4	10	13	63
1-5 YRS	127	3.1	23	1	1	2	2	6	11	27
6-12 YRS	160	3.5	49	1	1	2	3	6	15	66
13-19 YRS	665	3.1	17	1	1	2	3	7	11	22
GRAND TOTAL	**1025**	**3.3**	**26**	**1**	**1**	**2**	**3**	**7**	**12**	**25**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	3.5	17	1	1	2	3	10	15	15
1-5 YRS	23	2.2	2	1	1	2	2	3	5	9
6-12 YRS	44	2.8	5	1	1	2	3	6	8	12
13-19 YRS	135	3.6	22	1	1	2	3	7	11	26
2. MULTIPLE DX										
0-27 DYS	6	7.0	35	1	1	5	11	16	17	17
1-11 MOS	11	8.4	234	1	1	3	7	26	52	54
1-5 YRS	47	5.3	28	1	1	3	8	13	17	25
6-12 YRS	56	6.6	45	<1	1	5	9	13	21	37
13-19 YRS	150	5.7	49	1	1	4	7	13	17	44
TOT. SINGLE DX	213	3.3	17	1	1	2	3	7	10	26
" MULTIPLE DX	270	6.0	51	1	1	4	7	13	17	43
TOTAL 0-27 DYS	6	7.0	36	1	1	5	11	16	17	17
1-11 MOS	22	6.0	126	1	1	2	6	10	31	54
1-5 YRS	70	4.3	22	1	1	2	5	10	14	24
6-12 YRS	100	4.9	32	1	1	2	7	12	13	31
13-19 YRS	285	4.7	38	1	1	2	5	10	15	35
GRAND TOTAL	**483**	**4.8**	**38**	**1**	**1**	**2**	**6**	**11**	**15**	**35**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.0	1	3	3	4	5	5	5	5
TOT. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
" MULTIPLE DX	4	3.3	3	1	1	3	4	5	5	5
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	3.0	2	1	1	3	4	5	5	5
GRAND TOTAL	**8**	**2.5**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	1.5		<1	<1	1	2	3	3	3
1-5 YRS	39	2.6	8	<1	<1	2	3	7	9	14
6-12 YRS	43	2.5	3	<1	1	2	3	5	7	8
13-19 YRS	293	4.0	14	1	1	2	6	9	10	18
2. MULTIPLE DX										
0-27 DYS	8	7.0	91	1	1	3	7	23	30	30
1-11 MOS	59	5.3	48	<1	1	2	8	11	15	43
1-5 YRS	74	5.0	80	<1	<1	2	5	10	16	54
6-12 YRS	60	4.3	26	<1	1	2	5	9	14	27
13-19 YRS	317	6.2	39	1	1	5	8	13	17	33
TOT. SINGLE DX	386	3.6	13	1	1	2	5	9	10	16
" MULTIPLE DX	518	5.7	46	<1	1	3	7	12	16	37
TOTAL 0-27 DYS	8	7.0	91	1	1	3	7	23	30	30
1-11 MOS	70	4.7	43	<1	1	2	7	11	13	40
1-5 YRS	113	4.2	56	<1	<1	2	4	9	14	47
6-12 YRS	103	3.5	17	<1	1	2	4	7	10	26
13-19 YRS	610	5.1	29	1	1	3	7	11	14	27
GRAND TOTAL	**904**	**4.8**	**33**	**1**	**1**	**3**	**7**	**10**	**14**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	975	3.3	5	1	1	3	4	5	7	12
1-11 MOS	2326	3.4	9	1	1	3	4	6	8	15
1-5 YRS	4171	2.9	6	1	1	2	3	5	7	13
6-12 YRS	4619	3.0	14	1	1	2	3	5	8	17
13-19 YRS	10567	3.5	24	1	1	2	4	6	8	26
2. MULTIPLE DX										
0-27 DYS	4364	9.4	140	2	2	5	10	24	35	62
1-11 MOS	5160	5.4	34	1	2	4	6	10	14	29
1-5 YRS	8218	4.2	18	1	1	3	5	8	11	21
6-12 YRS	6976	4.4	36	1	1	3	5	8	12	35
13-19 YRS	16878	5.4	69	1	1	3	5	10	19	50
TOT. SINGLE DX	22658	3.2	17	1	1	2	4	6	8	18
" MULTIPLE DX	41596	5.4	59	1	1	3	6	10	17	44
TOTAL 0-27 DYS	5339	8.3	122	1	2	4	8	21	31	59
1-11 MOS	7486	4.8	27	1	1	3	6	9	12	25
1-5 YRS	12389	3.7	15	1	1	3	4	7	10	18
6-12 YRS	11595	3.8	28	1	1	3	4	7	10	28
13-19 YRS	27445	4.7	53	1	1	3	5	8	14	43
GRAND TOTAL	**64254**	**4.6**	**45**	**1**	**1**	**3**	**5**	**8**	**13**	**38**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1372	3.0	8	1	1	3	4	5	5	8
1-11 MOS	1768	3.9	8	1	2	3	5	7	8	16
1-5 YRS	4246	4.1	23	1	1	3	4	8	16	25
6-12 YRS	2732	6.1	78	1	1	3	5	19	26	40
13-19 YRS	2430	9.3	197	1	1	3	8	33	43	66
2. MULTIPLE DX										
0-27 DYS	4448	7.3	136	1	2	4	6	17	32	72
1-11 MOS	3047	4.9	23	1	2	4	6	9	11	23
1-5 YRS	5634	4.5	20	1	1	3	5	8	13	24
6-12 YRS	2518	7.7	119	1	1	4	7	21	31	58
13-19 YRS	3694	11.4	238	1	1	5	13	34	47	84
TOT. SINGLE DX	12548	5.4	70	1	1	3	5	11	23	44
" MULTIPLE DX	19341	6.9	109	1	2	4	6	15	28	60
TOTAL 0-27 DYS	5820	6.3	110	1	1	3	5	13	27	68
1-11 MOS	4815	4.5	18	1	2	4	5	8	11	20
1-5 YRS	9880	4.3	22	1	1	3	5	8	14	25
6-12 YRS	5250	6.9	99	1	1	3	6	20	28	48
13-19 YRS	6124	10.5	223	1	1	4	11	33	45	81
GRAND TOTAL	**31889**	**6.3**	**94**	**1**	**1**	**3**	**6**	**14**	**25**	**55**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: ~~Non-specific~~ removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-31.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2707	3.0	3	1	1	3	4	5	6	10
1-11 MOS	2040	3.3	6	1	1	3	4	6	7	11
1-5 YRS	3329	3.0	8	1	1	2	4	5	7	13
6-12 YRS	2003	3.6	25	1	1	3	4	6	8	22
13-19 YRS	4016	3.6	45	<1	<1	2	4	6	11	42
2. MULTIPLE DX										
0-27 DYS	9862	7.4	128	1	2	4	7	16	28	71
1-11 MOS	4719	4.8	25	1	2	4	5	9	12	26
1-5 YRS	7863	4.2	22	1	1	3	5	7	11	27
6-12 YRS	3698	5.5	80	1	1	3	5	10	21	74
13-19 YRS	7324	6.6	119	1	1	3	6	15	31	64
TOT. SINGLE DX	14095	3.3	20	<1	1	2	4	6	7	21
" MULTIPLE DX	33466	5.9	84	1	1	3	5	11	21	59
TOTAL 0-27 DYS	12569	6.5	105	1	2	4	6	13	24	65
1-11 MOS	6759	4.4	21	1	1	3	5	8	11	22
1-5 YRS	11192	3.8	19	1	1	3	4	7	10	21
6-12 YRS	5701	4.8	62	1	1	3	5	8	15	60
13-19 YRS	11340	5.5	95	<1	1	3	5	11	25	60
GRAND TOTAL	**47561**	**5.1**	**66**	**1**	**1**	**3**	**5**	**9**	**17**	**51**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct

Group No.	Title
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No. Title

- Disease (continued)
  - 187 Jaw
  - 301 Joint, except internal derangement, ruptured disc, and sacroiliac
  - 306 Joint, sacroiliac
  - 230 Kidney, except nephritis, nephrosis, infection, and calculus
  - 73 Kimmelstiel-Wilson
  - 127 Lacrimal tract, inflammation
  - 188 Lip
  - 214 Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
  - 186 Lung, except pneumonia, obstructive, and pneumothorax
  - 184 Lung, obstructive, except asthma, bronchitis, and emphysema
  - 240 Male genitalia, except prostate, hydrocele, and inflammatory
  - 132 Meniere's
  - 188 Mouth, except dental
  - 117 Muscle, except deformity
  - 120 Nervous system, except CNS and sciatica
  - 184 Obstructive lung, except asthma, bronchitis, and emphysema
  - 252 Ovary, except endometriosis
  - 313 Paget's, bone
  - 32 Paget's, breast
  - 219 Pancreas
  - 252 Parametrium, except endometriosis
  - 17 Parasitic, except helminthiasis
  - 114 Parkinson's
  - 244 Pelvic inflammatory
  - 196 Peptic
  - 328 Perinatal
  - 120 Peripheral nervous system, except sciatica
  - 211 Peritoneum
  - 186 Pleura
  - 236 Prostate, except hypertrophy
  - 186 Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
  - Rheumatic
    - 135 Active
    - 136 Chronic
  - 188 Salivary gland
  - 83 Sickle-cell
  - 295 Skin, except infective, pilonidal and sebaceous cysts
  - 196 Stomach, except ulcer and inflammatory
  - 187 Teeth
  - 316 Tendon, except tenosynovitis
  - 188 Tongue
  - 340 Undiagnosed
  - 186 Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
  - 230 Ureter, except calculus

Group No. Title

- Disease (continued)
  - 234 Urethra, except calculus and stricture
  - 14 Venereal
  - 12 Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
  - 8 Viral with exanthem
- 359 Dislocation, joint, except knee and shoulder
  - 358 Knee
  - 357 Shoulder
- Disorder
  - 111 Behavior
  - 81 Electrolyte
  - 79 Immunodeficiency
  - 250 Menstruation, except metrorrhagia
  - 103 Personality
  - 109 Psychophysiologic
- 305 Displacement of intervertebral disc, except lumbar
- 304 Displacement of lumbar disc
- 165 Dissecting aortic aneurysm
- 209 Diverticulitis
- 209 Diverticulosis
- 189 Diverticulum, esophagus
- 209 Diverticulum, intestine
- 108 Drug abuse, except alcohol
- 106 Drug dependence, except opioid
  - 105 Opioid
- 93 Drug-induced psychosis
- 384 Drug poisoning or overdose
- 93 Drug withdrawal syndrome or symptoms
- 107 Drunkenness
- 196 Duodenal disease, except ulcer and inflammation
- Duodenal ulcer — *see Ulcer, duodenal*
- 195 Duodenitis
- 1 Dysentery
- 74 Dysfunction, ovarian
- 317 Dysfunction, somatic (osteopathic)
- 253 Dysmenorrhea
- 253 Dyspareunia
- 336 Dyspnea
- 117 Dystrophy, muscular
- 337 Dysuria

- 329 Eclampsia
  - 261 of pregnancy
  - 287 of pregnancy, with delivery
- 254 Ectopic pregnancy
- Effect, adverse
  - 386 Drugs NOS
  - 384 Drug, overdose or wrong substance given or taken
  - 386 External conditions
  - 385 Nonmedical substance
  - 386 Radiation
  - 386 Temperature
- 268 Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No. Title

- 287 Elderly primigravida, with delivery
- 255 Elective abortion
- 392 Elective sterilization
- 81 Electrolyte imbalance or disorder
- Embolism
  - 167 Arterial, except cerebral and precerebral
  - Cerebral
    - 158 without paralysis
    - 159 with paralysis
  - Precerebral
    - 156 without paralysis
    - 157 with paralysis
  - 144 Pulmonary, except postoperative
  - 390 Pulmonary, postoperative
  - 172 Vein
- 182 Emphysema
- 113 Encephalitis, except viral
  - 12 Viral
  - 18 Viral, late effect
- 145 Endocarditis, acute and subacute bacterial
- 75 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 245 Endometriosis
- 247 Endometritis, except puerperal
  - 288 Puerperal
- 69 Enlarged thyroid
- 208 Enteritis, except bacterial, regional, and viral
  - 1 Bacterial
  - 208 Noninfectious
  - 211 Regional
  - 1 Viral
- 238 Epididymitis
- 116 Epilepsy
- 332 Epistaxis
- 6 Erysipelas
- 67 Erythroplasia
- 172 Esophageal varices
- 189 Esophagitis
- 189 Esophagospasm
- 137 Essential benign hypertension
- Examination
  - 398 Follow-up
  - 298 Medical

- Failure
  - 149 Heart
  - 390 Heart, postoperative
  - 225 Renal, except chronic
  - 224 Renal, chronic
  - 186 Respiratory (acute)
- 340 Fainting
- 263 False labor
- Fever
  - 135 Active rheumatic
  - 330 NOS (FUO)

Group No. Title

- Fever (continued)
  - 1 Paratyphoid
  - 288 Puerperal
  - 4 Scarlet
  - 1 Typhoid
  - 12 Yellow
- Fibrillation or flutter
  - 147 Atrial
  - 148 Ventricular
- 241 Fibrocystic breast
- 77 Fibrocystic disease, pancreas
- 56 Fibroma, uterus
- 16 Filariasis
- 210 Fissure, anal
- 210 Fistula, anal
- 128 Flat anterior chamber
- 1 Food poisoning
- 379 Foreign body in body orifice, except eye
- 378 Foreign body in eye
- Fracture
  - 354 Ankle
  - 349 Arm, lower
  - 348 Arm, upper
  - 354 Bimalleolar
  - 350 Carpal
  - 355 Clavicle
  - 349 Colles
  - 343 Face bone
  - 352 Femur, except upper end
  - 351 Femur, upper end
  - 353 Fibula, except lateral malleolus
  - 350 Finger
  - 354 Foot
  - 350 Hand
  - 398 Healed, aftercare, except removal of fixation device
  - 396 Healed, aftercare, removal of fixation device
  - 351 Hip
  - 348 Humerus
  - 354 Knee
  - 354 Lateral malleolus
  - 353 Leg, lower, except ankle
  - 352 Leg, upper, except hip
  - 343 Mandible
  - 354 Medial malleolus
  - 350 Metacarpal
  - 354 Metatarsal
  - 356 Multiple bones
  - 343 Nose
  - 354 Patella
  - 347 Pelvis
  - 349 Radius
  - 346 Rib
  - 355 Scapula
  - 342 Skull, base
  - 341 Skull, vault

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe

Group No.	Title
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Neurosis, except anxiety, cardiac, and depressive (continued)
  - 102 Depressive
- Nevus
  - 54 Skin
  - 327 Vascular
- Newborn, hospital
  - 394 Multiple
  - 393 Single term
  - 394 Twin
- Newborn, nonhospital
  - 395 Multiple
  - 395 Single
- 270 Normal delivery
- 125 Nuclear cataract
- 84 Nutritional anemia
- 128 Nystagmus

- 78 Obesity
- 268 Obstructed labor
  - 280 with delivery
- Obstruction
  - 218 Bile duct, except calculus
  - 207 Intestinal, except postoperative
  - 390 Intestinal, postoperative
  - 172 Portal vein
  - 172 Vena cava
- 184 Obstructive pulmonary disease NOS (COPD)
- Occlusion
  - 158 Cerebral, without paralysis
  - 159 Cerebral, with paralysis
  - 156 Precerebral, without paralysis
  - 157 Precerebral, with paralysis
- 122 Open-angle glaucoma
- 105 Opioid dependence or addiction
- 128 Optic atrophy
- 238 Orchitis
- 90 Organic brain syndrome, except acute and arteriosclerotic
  - 89 Acute
  - 91 Arteriosclerotic
  - 89 Transient
- 298 Osteoarthritis, except spinal
  - 303 Spinal
- 312 Osteomyelitis
- 317 Osteopathic somatic dysfunction
- Otitis media
  - 130 Chronic and unspecified
  - 131 Acute
- 133 Otosclerosis
- 243 Ovarian cyst
- 252 Ovarian disease, except endometriosis and dysfunction
- 74 Ovarian dysfunction
- 254 Ovarian pregnancy

Group No. **Title**

- 74 Ovary, polycystic
- 384 Overdose, drug

- Paget's disease — *see Disease, Paget's*
- Pain
  - 338 Abdominal
  - 335 Chest
  - 253 Female genital organ
  - 331 Head
  - 335 Precordial
- 219 Pancreatic disease
- 128 Papilledema
- 114 Paralysis agitans
- 207 Paralytic ileus
- 100 Paranoia, except schizophrenic
- 94 Paranoid schizophrenia
- 114 Parkinsonism
- 146 Paroxysmal atrial or supraventricular tachycardia
- 17 Pediculosis
- Peptic ulcer — *see Ulcer, peptic*
- 189 Perforation, esophagus
- 397 Peritoneal dialysis treatment
- 211 Peritonitis, except due to appendicitis
- 84 Pernicious anemia
- 6 Pertussis
- 314 Pes planus
- 116 Petit mal epilepsy
- 240 Peyronie's disease
- 239 Phimosis
- 169 Phlebitis
- 244 PID
- 171 Piles
- 293 Pilonidal cyst
- 16 Pinworm infection
- 70 PKU
- 264 Placenta previa
  - 271 with delivery
- 11 Plantar warts
- 186 Pleural disease
- 186 Pleurisy
- 179 Pneumonia, except influenzal
  - 180 with influenza
- Pneumothorax
  - 185 Spontaneous
  - 366 Traumatic
- 385 Poisoning, except food and drug
  - 384 Drug
  - 1 Food
  - 374 Late effect
- 7 Poliomyelitis
  - 18 Late effect
- 74 Polycystic ovary
- 68 Polycythemia, except secondary
  - 86 Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation

Group No.	Title
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No. Title

- Syndrome, organic brain — *see Organic brain syndrome*
- 308 Syndrome, vertebrogenic pain
- 309 Synovitis
- 14 Syphilis
- 296 Systemic lupus erythematosus (SLE)

- 333 Tachycardia, except paroxysmal
  - 148 Paroxysmal, except atrial
  - 146 Paroxysmal atrial or supraventricular
- 314 Talipes deformity, acquired
- 16 Tapeworm infestation
- Tear
  - 358 Medial meniscus, current injury
  - 300 Media meniscus, old
  - 121 Retinal
- Tenosynovitis
  - 309 except spine
  - 308 Spine
- 111 Tension headache
- 255 Termination of pregnancy
- 6 Tetanus
- 165 Thoracic aortic aneurysm
- 259 Threatened abortion
- 86 Thrombocytopenia
- 169 Thrombophlebitis
- 172 Thrombophlebitis migrans
- Thrombosis
  - 167 Arterial, except cerebral and precerebral
  - 158 Cerebral, without paralysis
  - 159 Cerebral, with paralysis
  - 172 Portal vein
  - 156 Precerebral, without paralysis
  - 157 Precerebral, with paralysis
  - 172 Vein
- 70 Thyroid disease, except nodule or goiter
- 69 Thyroid nodule or goiter
- 70 Thyrotoxicosis
- 160 TIA
- 120 Tic douloureux
- 177 Tonsillitis, chronic
- 261 Toxemia of pregnancy
  - 287 with delivery
- 261 Toxemia of the puerperium
  - 287 with delivery
- 174 Tracheobronchitis, acute
- 391 Transfusion reaction
- 160 Transient ischemic attack (TIA)
- 125 Traumatic cataract
- Treatment
  - 398 Chemotherapy
  - 397 Dialysis
  - 398 Physical therapy
  - 398 Radiotherapy
- 16 Trichinosis

Group No. Title

- 17 Trichomoniasis
- Tricuspid valve disease — *see Valvular disease*
- 120 Trigeminal neuralgia
- 232 Trigonitis
- 254 Tubal pregnancy
- Tuberculosis
  - 3 Bone
  - 18 Late effect
  - 2 Lung
  - 3 Nonrespiratory
  - 2 Respiratory
- 3 Tuberculous meningitis
- 363 Twisted ankle
- 13 Typhus

- Ulcer
  - 295 Decubitus
  - 192 Duodenal
  - 193 Duodenal, with hemorrhage or perforation
  - 190 Gastric
  - 191 Gastric, with hemorrhage or perforation
  - 192 Gastrojejunal
  - 193 Gastrojejunal, with hemorrhage or perforation
  - 192 Peptic, except gastric
  - 193 Peptic, except gastric, with hemorrhage or perforation
  - 194 Peptic, any site, with obstruction
  - 295 Skin
  - 170 Varicose, lower extremity
- 211 Ulcerative colitis
- 73 Uncontrolled diabetes mellitus
- 324 Undescended testis
- 340 Undiagnosed disease
- 306 Unstable low back
- 173 Upper respiratory infection, acute, except streptococcal
- 225 Uremia, except chronic
  - 224 Chronic
- 229 Ureteral calculus
- 230 Ureteral disease, except calculus
- 231 Urethral calculus
- 234 Urethral disease, except calculus and stricture
- 233 Urethral stenosis, except congenital
  - 325 Congenital
- 233 Urethral stricuture, except congenital
  - 325 Congenital
- 234 Urethitis
  - 266 in pregnancy
- 173 URI
- 234 Urinary tract infection
  - 266 in pregnancy
- 57 Uterine fibroma
- 248 Uterine prolapse
- 128 Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix
  - 597 Colon
  - 597 Duodenum
  - 668 Endocervical
  - 588 Esophagus
  - 532 Eyeball
  - 517 Eyelid
  - 666 Fallopian tubes
  - 597 Intestine (large) (small)
  - 719 Joint structure
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 615 Liver
  - 565 Lung
  - 582 Lymph nodes
  - 570 Mediastinum
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - 543 Nose
  - 532 Orbit
  - 660 Ovary, except by aspiration
    - 663 Aspiration
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery

Group No. Title

- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy

OPERATION INDEX (continued)

Group No. Title

- Closure (continued)
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy
  - 635 Ureterostomy
  - 640 Urethrostomy
- 599 Colectomy
- 568 Collapse of lung, surgical
- 619 Colonoscopy, except surgical approach
  - 609 Surgical approach (transabdominal)
- 602 Colostomy, except loop
  - 600 Loop
- 681 Colporrhaphy, except for cystocele or rectocele repair
  - 680 Cystocele or rectocele repair
- 758 Computerized axial tomography (C.A.T. scan)
- 667 Conization of cervix
- 520 Conjunctivoplasty
- 764 Consultation
- Control of hemorrhage
  - 638 Bladder
  - 581 Blood vessel
  - 569 Chest
  - 627 Laparotomy site
  - 544 Nose, except by anterior packing
    - 557 Anterior packing
  - 569 Pleura
  - 581 Postoperative, not elsewhere classified
  - 650 Prostate
  - 590 Stomach
  - 556 Tonsil
- 521 Corneal transplant
- 572 Coronary bypass
- 503 Cranioplasty
- 502 Craniotomy
- 668 Cryoconization, cervix
- 682 Culdocentesis
- 682 Culdoscopy, except for tubal ligation
  - 664 Tubal ligation
- 523 Cyclocryotherapy (eye)
- 523 Cyclodialysis
- 638 Cystectomy (bladder)
- 680 Cystocele repair
- 636 Cystoscopy
- 638 Cyctostomy
- 638 Cystotomy

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull

Group No. Title

- Debridement (continued)
  - 752 Nail, nail bed, nail fold
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, except of hand
    - 728 Hand
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage — *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
    - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (eletroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin

OPERATION INDEX (continued)

Group No. Title

753 Encephalography
Endoscopy
617   Biliary tract
636   Bladder
567   Bronchus
619   Colon, except surgical approach
609   Surgical approach (transabdominal)
682   Cul-de-sac, except for tubal ligation
664   Tubal ligation
589   Esophagus
589   Gastric, except surgical approach
596   Surgical approach (transabdominal)
647   Ileal conduit
576   Larynx
628   Peritoneum
557   Pharynx
609   Small intestine
589   Stomach, except surgical approach
596   Surgical approach (transabdominal)
570   Thorax, transpleural
636   Urethra
679   Uterus
686   Vagina
602 Enterostomy
532 Enucleation, eyeball
533 Epilation, eyelid
697 Episioperinorrhaphy
697 Episiorrhaphy
690 Episiotomy, except with forceps delivery
687   with low forceps delivery
689   with other forceps delivery
544 Epistaxis control, except by anterior packing
557   Anterior packing
618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617   Biliary tract
588 Esophagectomy
589 Esophagoscopy, except surgical approach
619   Surgical approach
588 Esophagotomy
508 ESWL (extracorporeal shock wave lithotripsy)
613 Evacuation, hemorrhoids
Evisceration
532   Eyeball
673   Pelvic
Examination
764   Eye
764   General physical
764   Gynecologic
764   Pelvic
761   Psychiatric
763 Exchange transfusion, except intrauterine
696   Intrauterine

Group No. Title

Excision — *see also Excision of lesion (and destruction of tissue)*
610   Anal fistula
727   Baker's cyst
705   Bone, except facial
699   Facial, except partial
698   Partial
556   Branchial cleft cyst
704   Bunion
517   Chalazion, eyelid
599   Colon
665   Fallopian tubes, bilateral, except endoscopic approach
664   Endoscopic approach
670   Fibroid, uterine
616   Gallbladder
508   Ganglion, except of tendon
727   Tendon (of hand)
612   Hemorrhoids
Hydrocele
679   Round ligament
656   Spermatic cord
651   Tunica vaginalis
717   Intervertebral disc or cartilage
719   Joint, except intervertebral disc and cartilage of knee
717   Intervertebral disc
718   Knee cartilage
631   Kidney, except partial
632   Partial
718   Knee cartilage (semilunar)
582   Lymph nodes, except radical
583   Radical
508   Neuroma, peripheral nerve
Ovary
662   Bilateral
661   Unilateral
550   Parotid gland
746   Pilonidal cyst or sinus
515   Pituitary gland
649   Prostate, except transurethral approach
648   Transurethral approach
522   Pterygium
747   Sebaceous cyst, except of eyelid
517   Eyelid, eyebrow
718   Semilunar cartilage, knee
586   Spleen
514   Thyroglossal duct or tract
513   Thyroid
751   Toenail
552   Tongue
553   Tonsil, except with adenoids
554   with adenoids
556   Tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

OPERATION INDEX (continued)

Group No. Title

- Fistulectomy (continued)
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - with fracture-reduction — *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 601 Endoileal rectal pouch
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 with internal fixation
  - 713 Open, except with internal fixation
    - 712 with internal fixation
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 with internal fixation
    - 710 Open, except with internal fixation
      - 709 with internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy

Group No. Title

- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 763 Hyperalimentation
- 760 Hyperthermia, except localized
  - 763 Localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

OPERATION INDEX (continued)

Group No.	Title
	Ligation (continued)
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
638	Bladder
646	Extracorporeal shock wave
635	Kidney
646	Ultrasonic
635	Ureter
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
758	Magnetic resonance imaging
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)

Group No.	Title
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
758	NMR (nuclear magnetic resonance imaging)
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
581	Percutaneous transluminal angioplasty, except coronary
575	Coronary artery (PTCA)
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
576	Pleurodesis, chemical
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy

OPERATION INDEX (continued)

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver

Group No.	Title
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

OPERATION INDEX (continued)

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

OPERATION INDEX (continued)

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand

Group No.	Title
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin